September 28, 2026

Mr. Nicholas Monroe
Environmental Manager
Indiana Department of Environmental Management
100 North Senate Ave.
Indianapolis, IN 46204-2251

Subject: Report of 2026 Annual Groundwater Monitoring - TORX Facility
4366 North Old US Highway 31, Rochester, Indiana
Facility Cleanup ID 7100149

Dear Mr. Monroe:

Enclosed is the Report of 2026 Annual Groundwater Monitoring performed at the former TORX facility located in Rochester, Indiana, prepared by WSP USA Inc. (WSP). WSP completed the annual groundwater monitoring at the former TORX facility in August 2026. The report presents the results of the groundwater monitoring performed in accordance with our Remediation Completion Report dated 7 September 2021.

Based upon the results of the 2026 annual groundwater monitoring event, the existing monitoring well network continues to provide an adequate definition of the VOC plume at the Site. It should be noted that all occupied properties with exceedances of IDEM criteria are connected to a municipal water source supplied by the South Richland Conservancy District and each property has a recorded covenant that prohibits groundwater use. Based on the results of the 2026 annual groundwater monitoring these ERCs should remain. The next annual groundwater monitoring event is planned for third quarter 2027. If you have any questions or comments following your review of this correspondence, please call our office at 937-859-3600.

Sincerely,
WSP USA Inc.

Paul J. Stork
Project Manager

K. Joe Deatherage, PE
Lead Consultant – Environmental Engineer

Enclosure

cc: Jamison Schiff, Textron, Inc.

WSP USA Inc.
521 Byers Road
Suite 204
Miamisburg, Ohio 45342
USA
T: 937-859-3600
www.wsp.com

Textron Inc.
US0041841.4751

REPORT OF 2026 ANNUAL GROUNDWATER MONITORING

09-28-2026

Document distribution

Textron Inc.

US0041841.4751

REPORT OF 2026 ANNUAL GROUNDWATER MONITORING

09-28-2026

Prepared for

Textron Inc.

Prepared by

WSP
521 Byers Road
Suite 204
Miamisburg, OH 45342
T: (937) 859-3600

Table of Contents

1.	**Introduction**	**6**
1.1	Remediation Background	6
1.2	Annual Groundwater Monitoring Objectives	7
1.3	Scope of Work	7
2.	**Annual Groundwater Monitoring**	**8**
2.1	Monitoring Well Network	8
2.2	Groundwater Elevations and Flow	8
2.3	Groundwater Monitoring Procedures	9
3.	**Laboratory Analyses**	**10**
3.1	VOCs in the Overburden Aquifer	10
3.2	Quality Control Sample Results	12
4.	**Conclusions**	**14**

Table 1: Monitoring Well Network for Annual Groundwater Sampling
Table 2: Surveyed Elevation Data and Depth to Water for Monitoring Wells
Table 3: Summary of Volatile Organic Compound Analyses Performed on the Groundwater Samples Collected from 2019 through 2026

Figure 1: Site Location Map
Figure 2: Annual Groundwater Monitoring Locations
Figure 3: Groundwater Contour Map, Shallow Overburden Wells, August 3, 2026
Figure 4: Groundwater Contour Map, Intermediate Overburden Wells, August 3, 2026
Figure 5: Groundwater Contour Map, Deep Overburden Wells, August 3, 2026
Figure 6: Site-Related VOC Concentrations in Groundwater
Figure 7: Southern Monitoring Well Network

Appendix A Groundwater Sample Collection Low-Flow Test Reports
Appendix B Laboratory Reports

Acronyms

Abbreviation	Description
%	Percent
ccv	continuing calibration verification
CVOCs	Chlorinated Volatile Organic Compounds
DCE	Dichloroethene
ERC	Environmental Restrictive Covenant
IDEM	Indiana Department of Environmental Management
MCLs	Maximum Contaminant Levels
PCE	Tetrachloroethene
RCG	Remediation Closure Guide
RCR	Remediation Completion Report
RPD	Relative Percent Difference
RWP	Remediation Work Plan
RSL	Residential Screening Levels
Site	Former TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana
TCE	Trichloroethene
µg/L	Micrograms per Liter
USEPA	U.S. Environmental Protection Agency
WSP	WSP USA Inc.
VOCs	Volatile Organic Compounds

1. Introduction

WSP USA Inc. (WSP) has prepared this report to document the results of the annual groundwater monitoring event conducted between August 3rd and 6th 2026 at and in the vicinity of the former TORX Facility located at 4366 North Old US Highway 31, Rochester, Indiana (Site). A Site location map is presented as **Figure 1**.

1.1 Remediation Background

Remediation of chlorinated volatile organic compounds (CVOCs) in groundwater in general accordance with the June 2014 Remediation Work Plan (RWP) included in-situ chemical reduction and enhanced reductive dechlorination technologies using various types of hydrogen release compounds and zero valent iron. These compounds were injected into the aquifer beneath the Site to reduce the extent of source area CVOCs. The primary CVOCs detected in groundwater beneath the Site targeted for remediation have included:

- 1,1-dichloroethene (DCE)
- cis-1,2-DCE
- trans-1,2-DCE
- Trichloroethene (TCE)
- Tetrachloroethene (PCE)
- Vinyl chloride

Full-scale remediation injection activities commenced in 2015. Additional polishing injections were performed in 2016 and 2017. Remediation performance monitoring was conducted on a quarterly basis using a subset of approximately 40 performance monitoring wells beginning in 2015 and ending in November 2018. The performance groundwater monitoring demonstrated significant and long-lasting reductions of CVOCs at the site. Quarterly stability groundwater monitoring and semi-annual treatment area groundwater monitoring began in February 2019 and continued through 2020.

Following completion of performance and stability monitoring, a Remediation Completion Report (RCR) was prepared by WSP and submitted to the Indiana Department of Environmental Management (IDEM) on September 7, 2021. As detailed in the RCR results of the performance groundwater monitoring program demonstrated that the remediation was effective in significantly reducing the CVOCs in the groundwater at the Site. Data from the stability monitoring phase established that the CVOC plume was reduced by approximately 99% in mass when compared to pre-remediation baseline groundwater concentrations. The successful groundwater remediation coupled with the engineering and institutional controls implemented provide solid evidence that the remaining contaminant plume is stable, and

therefore further active remedial efforts are not warranted. The RCR recommended continued groundwater monitoring and reporting to assess the continued need for the environmental restrictive covenants (ERCs) that are in place. On February 15, 2022, IDEM issued a response letter to the RCR submittal and stated that the groundwater contaminant plume appears to be stable and that the proposed continued annual monitoring to evaluate the need for continued ERCs is acceptable. IDEM also stated that closure for the Site will be granted following discontinuation of annual groundwater monitoring and reporting and proper abandonment of the groundwater monitoring well network and chemical injection locations.

As part of continued annual groundwater monitoring, a subset of 46 monitoring wells were sampled for volatile organic compounds (VOCs) in 2026. Details of the monitoring well selection are provided in Section 2.1. A summary of the past remediation activities and groundwater monitoring conducted at the Site are provided in previously submitted reports on file with IDEM.

1.2 Annual Groundwater Monitoring Objectives

The objectives of the annual groundwater monitoring include: an evaluation of flow direction in the groundwater units (shallow, intermediate, and deep), an assessment of the concentrations of CVOCs in groundwater from a subset of monitoring wells, and identification of any significant changes since the 2025 annual groundwater monitoring event. In addition to fulfilling these objectives, the groundwater monitoring results provide data for use in evaluating the continued need for the ERCs that are in place following completion of RWP activities.

1.3 Scope of Work

WSP completed the following scope of work as part of the annual groundwater monitoring event:

- Determined groundwater elevations by measuring depth to groundwater in the monitoring well network on and in the vicinity of the Site;
- Collected groundwater samples from a subset of the monitoring well network;
- Analyzed groundwater samples for VOCs;
- Collected a sample of groundwater for VOCs from an agricultural well located at 3586 Old North Hwy 31, and,
- Prepared this report summarizing the results of the analyses in comparison to regulatory standards and previous findings.

2. Annual Groundwater Monitoring

2.1 Monitoring Well Network

The monitoring well network extends from Fulton County Road 450 N southward to near the Tippecanoe River. A subset of wells in the network selected for annual monitoring is shown on **Figure 2**. Routine monitoring began on a quarterly basis in 2009. The frequency was incrementally reduced because of the demonstrated stability of the groundwater plume and is currently performed on an annual basis. **Table 1** presents the monitoring wells included in the annual groundwater monitoring. **Table 2** presents the monitoring wells gauged for depth to groundwater to determine the groundwater elevations. Also included in **Table 2** is the list of monitoring wells used in groundwater contour mapping, including identification of the relevant groundwater zone screened by each well.

2.2 Groundwater Elevations and Flow

On August 3, 2026, prior to commencing groundwater sampling, the depth to groundwater was gauged in the monitoring well network listed in **Table 2**. Groundwater elevations were calculated using the top of monitoring well casing elevations previously determined by a registered surveyor.

Using the calculated water elevations for August 3, 2026, groundwater contour maps were prepared for the shallow overburden wells (**Figure 3**), intermediate depth overburden wells (**Figure 4**), and deep overburden wells (**Figure 5**). The list of monitoring wells used for groundwater contour mapping is consistent with **Table 2**. As indicated in **Table 2** monitoring well MW-84(44) did not have measurable groundwater on August 3, 2026.

Based on the groundwater contour maps, groundwater flow in the water bearing units appears to be as follows:

- Shallow overburden - In the shallow overburden zone, groundwater flow is predominantly south-southeast.
- Intermediate overburden – In the intermediate overburden zone, groundwater flow in the northern portion of the study area in the vicinity of the former Acument facility and MW-19(53) appears to flow southeast. Groundwater flow on the eastern margins of the study area, south of E. 425 N. has a south-southwest flow direction.
- Deep overburden - In the deep overburden zone, groundwater flow is predominantly southward with a southeast component south of E. 425 N.

The groundwater flow appears to be generally consistent with previous events.

2.3 Groundwater Monitoring Procedures

Between August 3, 2026, and August 6, 2026, groundwater samples were collected from 46 of the 47 monitoring wells screened in the overburden aquifer that comprise the annual groundwater monitoring well network identified in **Table 1**. A groundwater sample was not collected from MW-84(44) as the well was dry.

On August 3, 2026, a sample of groundwater was collected from the agricultural well located at 3586 North Old Hwy 31 to evaluate the down-gradient extent of vinyl chloride. Copies of all sample collection forms from the August sampling event are presented in **Appendix A**.

The monitoring wells in the network that are 2-inch diameter were purged and sampled using a low-flow bladder pump. Prior to collection of the groundwater samples, groundwater was purged from the wells using standard low-flow procedures. Groundwater field parameters including pH, temperature, specific conductivity, oxidation-reduction potential, dissolved oxygen, and turbidity, were measured during the purging using a multi-parameter water quality sonde and flow through cell connected to the pump discharge tubing. The water quality indicators were recorded at regular intervals (approximately every 5 minutes) until at least three sequential readings showed stabilization of groundwater water quality parameters. Upon achieving stabilization, groundwater samples were collected directly from the pump discharge tubing into the laboratory supplied containers.

The 1.5-inch monitoring wells [MW-67(30), MW-71(33)] located inside the former Acument Facility were purged and sampled using new disposable 0.75-inch diameter polyethylene bailers. Prior to sample collection, at least three wellbore volumes of groundwater were removed from each well. Groundwater samples were collected directly from the bailers.

Groundwater samples were collected into laboratory-supplied, pre-preserved vials and labeled with the sampling information. Quality control samples including replicate samples, equipment blanks, and trip blanks were also submitted to the analytical laboratory. Replicate samples were collected concurrently with the parent sample. Equipment blanks were collected by pouring deionized water through the decontaminated pump and into the sampling container. Trip blanks were prepared by the laboratory and accompanied the groundwater samples during transport. A trip blank accompanied the shipment of VOC samples.

Following sample collection, the sample containers were placed on ice in coolers, and coolers were picked up by a lab courier under chain of custody and delivered to ALS Environmental laboratory in Holland, Michigan for VOC analysis by United States Environmental Protection Agency (USEPA) Method 8260C.

Sampling pumps were decontaminated between wells using Alconox soap and a potable water wash, potable water rinse, and distilled water rinse. Disposable equipment was discarded between each well.

3. Laboratory Analyses

The VOC analyses were completed by ALS Environmental laboratory. The VOC concentrations in the source area wells are generally similar relative to previous monitoring events while a few wells have variable VOC concentrations relative to the 2025 monitoring event. The results of the VOC analyses are summarized in **Table 3**, and the laboratory report is included in **Appendix B. Figure 6** shows VOC concentrations detected in the groundwater samples collected during the August 2026 groundwater monitoring event. The following subsections summarize the results of the analyses.

3.1 VOCs in the Overburden Aquifer

The following VOCs, which were previously identified as chemicals of concern at the Site, were detected at concentrations greater than corresponding USEPA Maximum Contaminant Levels (MCLs) and IDEM Remediation Closure Guide (RCG) Appendix A, Residential Screening Levels (RSLs) in one or more of the August 2026 groundwater samples collected from the overburden monitoring wells.

- TCE
- cis-1,2-DCE
- 1,1-DCE
- Vinyl chloride

VOC concentrations, particularly for TCE and the degradation products cis-1,2-DCE and vinyl chloride, were highest in and immediately downgradient of the source area. The following lists the maximum CVOC concentrations detected for each chemical of concern associated with the Site.

- TCE was detected in MW-59(46) at a concentration of 1,440 micrograms per liter (µg/L). The concentration of TCE detected in MW-59(46) has decreased when compared to the 2025 maximum of 2,400 µg/L in sample MW-59(46).
- Cis-1,2-DCE detected in MW-59(46) has increased in concentration from 4,360 µg/L (2025) to 9,290 µg/L during the August 2026 groundwater monitoring event.
- 1,1-DCE has increased from a maximum 2025 concentration of 1.22 µg/L [MW-60(38)] to 104 µg/L in MW-59(46) during the August 2026 groundwater monitoring event. Vinyl chloride concentrations have increased from 1,270 µg/L to 5,350 µg/L in MW-59(46) when compared to the 2025 groundwater results.
- TCE was only detected above the USEPA MCL and IDEM RSL during the August 2026 groundwater monitoring event in five monitoring wells: MW-17, MW-27(75.4), MW-30(41.1), MW-34(85), and MW-59(46). With the exception of the moderate TCE decrease in MW-59(46),

remaining TCE detections were comparable to 2025 detections. Trans-1,2-DCE and PCE were not detected above the MCL/RSL in the groundwater samples collected in August 2026. The concentration of 1,1-DCE detected in the groundwater sample collected from MW-59(46) exceeded the 2025 result. Cis-1,2 DCE exceeded the MCL/RSL in monitoring wells MW-59(46), and MW-60(38) [primary and replicate] in the August 2026 samples. The maximum vinyl chloride concentrations continue to be detected in the source area monitoring wells MW-59(46) and MW-60(38) [primary and replicate], west of the former TORX site building and east of the Western Pond.

In general, contaminant concentrations have significantly decreased when compared to historical sampling events. The following observations are noted in the analytical results for groundwater samples collected during the August 2026 annual sampling event relative to the prior 2025 annual sampling event:

- TCE at MW-17 at the downgradient treatment boundary has generally decreased since 2019 and is now at 7.12 µg/L, just slightly above the MCL/RSL of 5 µg/L. TCE in monitoring well MW-27(75.4) and MW-27(53.05) also located at the downgradient treatment boundary remained relatively stable, at concentration of 7.38 µg/L and 1.65 µg/L, respectively. The concentration of TCE detected in MW-27(75.4) is slightly above the MCL/RSL but remains within the range of concentrations observed since 2019. The TCE concentration detected in MW-30(41.1), approximately 800 feet downgradient of the treatment zone, remained moderately below 2019 concentrations and comparable to recent results, demonstrating the effects from the CVOC reduction within the treatment area over the last seven years. Related, the downgradient edge of the TCE plume at MW-34(85) slightly decreased to its lowest concentration reported since 2019. TCE decreased in 2026 in source area well MW-59(46) from a concentration of 2,400 µg/L to 1,440 µg/L and remains within recent historical concentration ranges.
- Cis-1,2-DCE concentrations increased in MW-25(82), MW-27(75.4), MW-32(24.1), MW-37(70), MW-57(38), MW-59(46), and MW-60(38) [primary and replicate], but are below the MCL/RSL in all except MW-59(46), and MW-60(38). Cis-1,2-DCE concentrations decreased in source area well MW-17, MW-19(53), MW-30(41.1), MW-34(85). Cis-1,2-DCE concentrations remained stable in MW-27(104.2) at a concentration of 6.89 µg/L. Cis-1,2-DCE remains well below the MCL/RSL in MW-17 at the downgradient treatment boundary. Cis-1,2-DCE concentrations remain well below the MCL/RSL in upgradient well MW-19(53) and in downgradient well MW-25(82).
- PCE and Trans-1,2-DCE were not detected in any of the groundwater samples collected during the August 2026 groundwater sampling event.
- 1,1-DCE was detected in the groundwater sample collected from MW-59(46) exceeding the MCL/RSL.
- Vinyl chloride increased in source area monitoring well MW-59(46) to a concentration of 5,350 µg/L, exceeding the MCL/RSL. Vinyl chloride decreased in source area monitoring well MW-20(51) to a concentration of 2.61 µg/L, slightly above the MCL/RSL. The concentration of vinyl chloride detected in MW-60(38) [276 µg/L], and MW-60(38)-R [246 µg/L], also exceeded the MCL/RSL. Vinyl chloride concentrations increased slightly in MW-19(53), MW-31(98.5) [primary

and replicate], MW-35(90), MW-25(82), MW-27(75.4), MW-30(41.1), MW-32(89), MW-48(159), and MW-51(70).

In order to evaluate the concentration of CVOCs at the down-gradient leading edge of the plume, several groundwater monitoring well nests are designated as sentinel well locations. These sentinel monitoring well nest locations include: MW-29, MW-35, MW-36, MW-37, MW-38, MW-39, MW-50, and MW-51. Groundwater samples collected from the sentinel wells did not contain chlorinated VOCs above the laboratory reporting limit with the following exceptions:

- Cis-1,2-DCE and TCE were detected in MW-37(70) above the laboratory reporting limit but below the MCL/RSL in the groundwater sample collected from sentinel well MW-37(70) at 1.51 µg/L and 1.68 µg/L, respectively.
- Vinyl chloride was detected slightly above the MCL/RSL in the groundwater sample collected from sentinel wells MW-35(90) [6.67 µg/L], MW-38(69.9) [5.27 µg/L], and MW-38(69.9)-R [6.33 µg/L].

Groundwater samples collected from intermediate and deep overburden sentinel wells MW-29(103.3), MW-36(92.4), MW-37(98), MW-39(29.3), and MW-50(80), did not contain chlorinated VOCs above the laboratory reporting limits. VOCs were detected above the laboratory reporting limits in groundwater samples collected from intermediate and deep overburden monitoring wells MW-17, MW-19(53), MW-20(51), MW-25(82), MW-27(53.05), MW-27(75.4), MW-27(104.2), MW-30(41.1), MW-31(98.5) [primary and replicate], MW-32(89), MW-34(85), MW-48(159), MW-57(38), MW-59(46), and MW-60(38) [primary and replicate].

The detection of vinyl chloride in well MW-38(69.9) was further evaluated during the annual groundwater monitoring event. To gain a better understanding of the distribution of vinyl chloride in the vicinity of MW-38(69.9), a groundwater sample was collected from an agricultural well located at 3586 N. Old Hwy 31, (located approximately 400 feet down-gradient of MW-38, Figure 7), to assess the horizontal delineation of vinyl chloride detected in MW-38(69.9). The sample was collected from a spigot on the well after the water flowed from the spigot for approximately five minutes. According to the Indiana Department of Natural Resources (IDNR) water well log, the agricultural well is completed at 72 feet below ground surface, which is a similar depth interval as well MW-38(69.9).

CVOCs were not detected above the laboratory reporting limit in the groundwater collected from the downgradient agricultural well at 3586 N. Old Hwy 31. Figure 7 and Table 3 present the results of the August sampling event.

3.2 Quality Control Sample Results

The laboratory report is included in **Appendix B**. In accordance with the Quality Assurance Project Plan, one equipment blank was collected per day, one field replicate was collected per 20 groundwater samples collected, one matrix spike and matrix spike duplicate were run at a rate of one per 20 samples collected, one field blank was collected during the field event, and one trip blank for each cooler containing VOC samples was submitted and analyzed for VOCs.

VOCs were not detected in the equipment blanks, field blank or the trip blanks associated with the August 2026 groundwater monitoring event.

There was generally good agreement between the VOC concentrations reported in the replicate samples and primary samples collected from monitoring wells MW-31(98.5), MW-38(69.9) and MW-60(38), as the relative percent difference (RPD) between the primary and replicate results met the RPD goal of 25% or less for all detected CVOCs.

The majority of the MS/MSD samples collected from the Site were within the control limits.

It is noted that the laboratory report case narrative for the August 2026 groundwater sample event indicated multiple issues with the continuing calibration verification (ccv) not meeting acceptance criteria for either high bias and/or low bias. Based on the case narrative discussion of the ccv issues, the laboratory did not qualify any of the data as the analytes that failed ccv were not detected in the samples associated in each Run ID.

4. Conclusions

Groundwater flow in the water-bearing units as determined based upon the August 3, 2026, depth to water measurements is generally consistent with previous monitoring events. The historical full-scale remedial actions have effectively reduced the contaminant mass in the source area and decreases in the VOC concentrations at down gradient monitoring locations have been observed. VOCs including cis-1,2-DCE, 1,1-DCE, TCE, and vinyl chloride were identified in groundwater at concentrations exceeding the USEPA MCLs and IDEM RCG RSLs. VOC concentrations, particularly for degradation products cis-1,2-DCE and vinyl chloride, were highest in and immediately downgradient of the source area.

The TCE results demonstrate that the parent compound has both been significantly reduced. The vinyl chloride and cis-1,2-DCE results demonstrate that these degradation products have also been reduced significantly from historical concentrations both in the source area and downgradient plume.

Vinyl chloride was detected in sentinel wells MW-35(90) at a concentration of 6.67 µg/L and MW-38(69.9) at a concentrations of 5.27 (primary)/6.33 (replicate) µg/L, exceeding the MCL/RSL of 2.0 µg/L. Vinyl chloride in all other sentinel wells was less than the MCL/RSL or less than the laboratory reporting limit. Because of the detection of vinyl chloride in MW-38(69.9) at a concentration exceeding the MCL/RSL, a groundwater sample was collected from the downgradient agricultural well at 3586 N. Old Hwy 31. No VOCs were detected in the agricultural well, indicating that the vinyl chloride is delineated, based on the analytical results of the groundwater sample collected from the agricultural well.

The site-wide exceedances of cis-1,2-DCE are confined to source area wells MW-59(46) and MW-60(38). Based on the decrease of TCE and increase in de-chlorination breakdown products (cis-1,2-DCE, DCE and VC) in well MW-59(46), it appears that biodegradation is still occurring in the source area. The VOC exceedances are consistent with recent annual monitoring events and will continue to be evaluated during the 2027 annual groundwater monitoring. Based upon the results of the 2026 annual groundwater monitoring event, the existing monitoring well network continues to provide an adequate definition of the VOC plume at the Site. It should be noted that all occupied properties with exceedances of IDEM criteria are connected to a municipal water source supplied by the South Richland Conservancy District and each property has a recorded covenant that prohibits groundwater use. Based on the results of the 2026 annual groundwater monitoring, the ERCs should remain. The next annual groundwater monitoring event is planned for the third calendar quarter 2027.

TABLES

Table 1

Monitoring Well Network for Annual Groundwater Sampling
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana

Monitoring Well ID	Monitoring Well ID	Monitoring Well ID
MW-1	MW-32(24.1)	MW-50(45)
MW-3	MW-32(89)	MW-50(80)
MW-17	MW-34(37)	MW-51(25)
MW-19(53)	MW-34(85)	MW-51(70)
MW-20(51)	MW-35(45)	MW-52(55)
MW-25(82)	MW-35(90)	MW-57(38)
MW-27(18)	MW-36(35.2)	MW-59(46)
MW-27(53.05)	MW-36(92.4)	MW-60(38)
MW-27(75.4)	MW-37(23.3)	MW-67(30)
MW-27(104.2)	MW-37(70)	MW-71(33)
MW-27(135)	MW-37(98)	MW-84(44)
MW-29(82.5)	MW-38(20.8)	OW-6(38)
MW-29(103.3)	MW-38(29.1)	OW-6(63)
MW-30(41.1)	MW-38(69.9)	
MW-31(30.9)	MW-39(13)	
MW-31(55.5)	MW-39(29.3)	
MW-31(98.5)	MW-48(159)	

Prepared By: ATZ

Checked By: PJS

Table 2

Surveyed Elevation Data and Depth to Water for Monitoring Wells
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana

Monitoring Well / Point ID	Date Measured	Top of Casing Elevation[1]	Depth to Water (btoc)[2]	Ground Water Elevation
Shallow Overburden Wells				
MW-1	8/3/2026	840.48	32.72	807.76
MW-3	8/3/2026	805.45	23.32	782.13
MW-17	8/3/2026	784.41	5.51	778.90
MW-20(35)	8/3/2026	810.42	28.49	781.93
MW-27(18)	8/3/2026	785.82	6.69	779.13
MW-30(41.1)	8/3/2026	794.57	23.10	771.47
MW-31(30.9)	8/3/2026	781.48	12.31	769.17
MW-32(24.1)	8/3/2026	787.80	22.80	765.00
MW-34(37)	8/3/2026	777.60	25.82	751.78
MW-35(45)	8/3/2026	781.38	29.79	751.59
MW-36(35.2)	8/3/2026	770.03	18.57	751.46
MW-37(23.3)	8/3/2026	757.91	10.20	747.71
MW-38(20.8)	8/3/2026	758.49	8.07	750.42
MW-38(29.1)	8/3/2026	758.49	8.09	750.40
MW-39(13)	8/3/2026	754.88	5.07	749.81
MW-50(45)	8/3/2026	770.58	9.41	761.17
MW-51(25)	8/3/2026	756.74	4.11	752.63
MW-57(38)	8/3/2026	795.51	11.21	784.30
MW-60(38)	8/3/2026	798.51	16.05	782.46
MW-67(30)	8/3/2026	809.53	27.38	782.15
MW-71(33)	8/3/2026	809.15	27.03	782.12
MW-84(44)	8/3/2026	824.91	>42.47	NM
MW-85(39)	8/3/2026	796.49	15.01	781.48
OW-2(33)	8/3/2026	805.54	23.82	781.72
OW-6(38)	8/3/2026	789.27	11.25	778.02
Intermediate Overburden Wells				
MW-19(53)	8/3/2026	809.56	27.60	781.96
MW-20(51)	8/3/2026	810.41	28.48	781.93
MW-25(82)	8/3/2026	791.93	12.20	779.73
MW-27(53.05)	8/3/2026	785.84	5.97	779.87
MW-29(82.5)	8/3/2026	801.45	28.14	773.31
MW-29(103.3)	8/3/2026	801.45	30.31	771.14
MW-31(55.5)	8/3/2026	781.47	12.57	768.90
MW-31(98.5)	8/3/2026	781.46	17.34	764.12
MW-32(89)	8/3/2026	787.85	35.90	751.95
MW-34(85)	8/3/2026	777.54	25.80	751.74
MW-35(90)	8/3/2026	781.37	29.75	751.62
MW-36(92.4)	8/3/2026	770.06	18.82	751.24
MW-37(70)	8/3/2026	758.02	8.22	749.80
MW-38(69.9)	8/3/2026	758.48	7.71	750.77
MW-39(29.3)	8/3/2026	754.91	4.87	750.04
MW-50(80)	8/3/2026	770.61	10.30	760.31

Table 2

Surveyed Elevation Data and Depth to Water for Monitoring Wells
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana

Monitoring Well / Point ID	Date Measured	Top of Casing Elevation[1]	Depth to Water (btoc)[2]	Ground Water Elevation
Intermediate Overburden Wells				
MW-51(70)	8/3/2026	756.74	4.14	752.60
MW-52(55)	8/3/2026	798.84	17.05	781.79
MW-59(46)	8/3/2026	799.25	16.98	782.27
MW-82(58)	8/3/2026	807.38	25.51	781.87
MW-83(64)	8/3/2026	807.67	26.83	780.84
OW-2(53)	8/3/2026	805.50	23.78	781.72
OW-6(63)	8/3/2026	789.27	10.68	778.59
Deep Overburden Wells				
MW-20(155)	8/3/2026	810.44	31.98	778.46
MW-23(122.7)	8/3/2026	816.69	34.44	782.25
MW-27(135)	8/3/2026	785.85	5.95	779.90
MW-29(132.8)	8/3/2026	801.47	30.35	771.12
MW-31(139.2)	8/3/2026	781.48	23.08	758.40
MW-32(110)	8/3/2026	787.82	35.89	751.93
MW-35(148)	8/3/2026	781.34	29.73	751.61
MW-36(124.5)	8/3/2026	770.09	18.62	751.47
MW-37(98)	8/3/2026	758.04	8.22	749.82
MW-38(102.5)	8/3/2026	758.50	7.71	750.79
MW-39(76.8)	8/3/2026	754.87	4.85	750.02
MW-48(159)	8/3/2026	806.93	29.28	777.65
MW-49(200)	8/3/2026	792.26	34.92	757.34
MW-85(130)	8/3/2026	796.46	14.81	781.65

NM - Not measured

[1] Top of casing elevation established using NAVD 88 datum (US survey feet)

[2] Below top of casing (feet)

Prepared By: RED

Checked By: RLB

Table 3

Summary of Volatile Organic Compound Analyses
Performed on the Groundwater Samples Collected from 2019 through 2026
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana
(Results reported in micrograms per liter, µg/L)

Monitoring Well Number	Sample Date	1,1-Dichloroethene	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Tetrachloroethylene	Trichloroethene	Vinyl chloride
MW-1	08/15/19	1 U	**1.0**	1 U	1 U	1 U	1 U
MW-1	09/10/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-1	11/08/21	NA	NA	NA	NA	NA	NA
MW-1	08/24/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-1	08/14/23	NA	NA	NA	NA	NA	NA
MW-1	08/15/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-1	08/13/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-1	08/05/26	1 U	1 U	1 U	1 U	1 U	1 SU
MW-3	08/22/19	1 U	1 U	1 U	1 U	1 U	**3.4**
MW-3	09/11/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-3	11/18/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-3	08/24/22	1 U	1 U	1 U	1 U	1 U	1 UJ
MW-3	08/16/23	1 U	**33**	1 U	1 U	1 U	**17**
MW-3	08/15/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-3	08/13/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-3	08/05/26	1 U	1 U	1 U	1 U	1 U	1 SU
MW-17	02/05/19	1 U	**21**	1 U	1 U	**42**	1 UJ
MW-17	05/16/19	1 U	**23**	1 U	1 U	**42**	**1.2**
MW-17	08/20/19	1 U	**20**	1 U	1 U	**39**	**1.6**
MW-17	11/25/19	1 U	**19**	1 U	1 U	**30**	**2.2**
MW-17	02/17/20	1 U	**15**	1 U	1 U	**27**	**3.4**
MW-17	06/16/20	1 U	**22**	1 U	1 U	**17**	**3.6**
MW-17-R	06/16/20	1 U	**22**	1 U	1 U	**17**	**3.8**
MW-17	09/14/20	1 U	**19 J+**	1 U	1 U	**24 J+**	**3.1 J+**
MW-17	12/15/20	1 U	**16**	1 U	1 U	**21**	**2.4**
MW-17-R	12/15/20	1 U	**16**	1 U	1 U	**22**	**2.3**
MW-17	11/17/21	1 U	**17**	1 U	1 U	**15**	**2.0**
MW-17	08/24/22	1 U	**14**	1 U	1 U	**6.1**	**1.7**
MW-17	08/16/23	1 U	**3.0**	1 U	1 U	1 U	**6.2**
MW-17	08/14/24	1 U	**8.1**	1 U	1 U	**7.8**	**1.3**
MW-17	08/12/25	1 U	**7.81**	1 U	1 U	**8.68**	1 U
MW-17	08/05/26	1 U	**5.88**	1 U	1 U	**7.12**	1 SU

Table 3

Summary of Volatile Organic Compound Analyses
Performed on the Groundwater Samples Collected from 2019 through 2026
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana
(Results reported in micrograms per liter, µg/L)

Monitoring Well Number	Sample Date	1,1-Dichloroethene	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Tetrachloroethylene	Trichloroethene	Vinyl chloride
MW-19(53)	08/16/19	1 U	**24**	1 U	1 U	1 U	**23**
MW-19(53)	09/10/20	1 U	**19**	1 U	1 U	1 U	**18**
MW-19(53)	11/18/21	1 U	**19**	1 U	1 U	1 U	**16**
MW-19(53)	08/24/22	1 U	**18**	1 U	1 U	1 U	**15**
MW-19(53)	08/16/23	1 U	**22**	1 U	1 U	1 U	**13**
MW-19(53)	08/15/24	1 U	**18**	1 U	1 U	1 U	**16**
MW-19(53)	08/13/25	1 U	**22.8**	1 U	1 U	1 U	**12**
MW-19(53)	08/05/26	1 SU	**18.2**	1 U	1 U	1 U	**15.5**
MW-20(51)	02/07/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-20(51)	08/20/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-20(51)	02/19/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-20(51)	09/13/20	1 U	1 U	1 U	1 U	1 U	**33 J+**
MW-20(51)	11/18/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-20(51)	08/24/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-20(51)	08/16/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-20(51)	08/15/24	1 U	1 U	1 U	1 U	1 U	**9.6**
MW-20(51)	08/13/25	1 U	1 U	1 U	1 U	1 U	**7.9**
MW-20(51)	08/05/26	1 U	1 U	1 U	1 U	1 U	**2.61**
MW-25(82)	02/06/19	1 U	**1.4**	1 U	1 U	1 U	**2.8 J**
MW-25(82)	08/20/19	1 U	**1.5**	1 U	1 U	1 U	**3.6**
MW-25(82)	02/18/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-25(82)-R	02/18/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-25(82)	09/14/20	1 U	**1.1**	1 U	1 U	1 U	**2.7**
MW-25(82)	11/18/21	1 U	**1.3**	1 U	1 U	1 U	**3.0**
MW-25(82)	08/24/22	1 U	**1.5**	1 U	1 U	1 U	**3.1**
MW-25(82)	08/16/23	1 U	**2.2**	1 U	1 U	1 U	**2.8**
MW-25(82)	08/14/24	1 U	**1.5**	1 U	1 U	1 U	**4.9**
MW-25(82)	08/13/25	1 U	**1.85**	1 U	1 U	1 U	**3.38**
MW-25(82)	08/05/26	1 U	**2.12**	1 U	1 U	1 U	**4.88**

Table 3

Summary of Volatile Organic Compound Analyses
Performed on the Groundwater Samples Collected from 2019 through 2026
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana
(Results reported in micrograms per liter, µg/L)

Monitoring Well Number	Sample Date	1,1-Dichloroethene	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Tetrachloroethylene	Trichloroethene	Vinyl chloride
MW-27(18)	08/19/19	1 U	1 U	1 U	1 U	**1.1**	1 U
MW-27(18)-R	08/19/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-27(18)	09/14/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-27(18)	11/18/21	NA	NA	NA	NA	NA	NA
MW-27(18)	08/24/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-27(18)	08/15/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-27(18)	08/14/24	NA	NA	NA	NA	NA	NA
MW-27(18)	08/13/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-27(18)	08/05/26	1 SU	1 U	1 U	1 U	1 U	1 SU
MW-27(53.05)	08/19/19	1 U	1 U	1 U	1 U	**3.9**	1 U
MW-27(53.05)	09/11/20	1 U	1 U	1 U	1 U	**3.2**	1 U
MW-27(53.05)	11/18/21	NA	NA	NA	NA	NA	NA
MW-27(53.05)	08/24/22	1 U	1 U	1 U	1 U	**2.7**	1 U
MW-27(53.05)	08/15/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-27(53.05)	08/14/24	1 U	1 U	1 U	1 U	**1.9**	1 U
MW-27(53.05)	08/13/25	1 U	1 U	1 U	1 U	**1.75**	1 U
MW-27(53.05)	08/05/26	1 SU	1 U	1 U	1 U	**1.65**	1 SU
MW-27(75.4)	08/19/19	1 U	**2.9**	1 U	1 U	**7.8**	1 U
MW-27(75.4)	09/10/20	1 U	**12**	1 U	1 U	**8.8**	**2.2**
MW-27(75.4)	11/18/21	NA	NA	NA	NA	NA	NA
MW-27(75.4)	08/24/22	1 U	**16**	1 U	1 U	**9.2**	**2.6**
MW-27(75.4)	08/15/23	1 U	**5.0**	1 U	1 U	1 U	**7.0**
MW-27(75.4)	08/14/24	1 U	**13**	1 U	1 U	**3.7**	**4.6**
MW-27(75.4)	08/13/25	1 U	**7.87**	1 U	1 U	**7.55**	**2.92**
MW-27(75.4)	08/05/26	1 U	**8.65**	1 U	1 U	**7.38**	**4.47**

Table 3

Summary of Volatile Organic Compound Analyses
Performed on the Groundwater Samples Collected from 2019 through 2026
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana
(Results reported in micrograms per liter, µg/L)

Monitoring Well Number	Sample Date	1,1-Dichloroethene	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Tetrachloroethylene	Trichloroethene	Vinyl chloride
MW-27(104.2)	08/19/19	1 U	1 U	1 U	1 U	1 U	**2.0**
MW-27(104.2)	09/10/20	1 U	1 U	1 U	1 U	1 U	**1.3**
MW-27(104.2)	11/18/21	NA	NA	NA	NA	NA	NA
MW-27(104.2)	08/24/22	1 U	**2.1**	1 U	1 U	1 U	1 U
MW-27(104.2)	08/15/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-27(104.2)	08/14/24	1 U	**4.9**	1 U	1 U	1 U	1 U
MW-27(104.2)	08/13/25	1 U	**6.35**	1 U	1 U	1 U	1 U
MW-27(104.2)	08/05/26	1 U	**6.89**	1 U	1 U	1 U	1 U
MW-27(135)	08/19/19	NA	NA	NA	NA	NA	NA
MW-27(135)	09/10/20	NA	NA	NA	NA	NA	NA
MW-27(135)	11/18/21	NA	NA	NA	NA	NA	NA
MW-27(135)	08/24/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-27(135)	08/15/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-27(135)	08/14/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-27(135)	08/13/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-27(135)	08/05/26	1 U	1 U	1 U	1 U	1 U	1 U
MW-29(82.5)	08/14/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-29(82.5)	09/09/20	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ
MW-29(82.5)	11/18/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-29(82.5)	08/23/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-29(82.5)	08/15/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-29(82.5)	08/14/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-29(82.5)	08/12/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-29(82.5)	08/05/26	1 SU	1 U	1 U	1 U	1 U	1 SU
MW-29(103.3)	08/14/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-29(103.3)	09/09/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-29(103.3)	11/18/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-29(103.3)	08/23/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-29(103.3)	08/15/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-29(103.3)	08/14/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-29(103.3)	08/12/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-29(103.3)	08/05/26	1 SU	1 U	1 U	1 U	1 U	1 SU

Table 3

Summary of Volatile Organic Compound Analyses
Performed on the Groundwater Samples Collected from 2019 through 2026
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana
(Results reported in micrograms per liter, µg/L)

Monitoring Well Number	Sample Date	1,1-Dichloroethene	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Tetrachloroethylene	Trichloroethene	Vinyl chloride
MW-30(41.1)	08/15/19	1 U	**110**	**2.5**	1 U	**42**	**2.6**
MW-30(41.1)	09/10/20	1 U	**140**	**2.0**	1 U	**11**	**29 J+**
MW-30(41.1)	11/09/21	1 U	**160**	**2.2**	1 U	**17**	**20 J-**
MW-30(41.1)	08/23/22	1 U	**32**	1 U	1 U	**10**	**13**
MW-30(41.1)	08/15/23	1 U	**45**	1 U	1 U	**9.7**	**9.8**
MW-30(41.1)	08/14/24	**1.1**	**44**	1 U	1 U	**12**	**13**
MW-30(41.1)	08/12/25	1 U	**33.5**	1 U	1 U	**10.70**	**8.81**
MW-30(41.1)	08/04/26	1 SU	**20.7**	1 U	1 U	**11.6**	**10.4**
MW-31(30.9)	08/14/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-31(30.9)	09/09/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-31(30.9)	11/08/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-31(30.9)	08/23/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-31(30.9)	08/15/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-31(30.9)	08/14/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-31(30.9)	08/12/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-31(30.9)	08/05/26	1 U	1 U	1 U	1 U	1 U	1 SU
MW-31(55.5)	08/14/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-31(55.5)	09/09/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-31(55.5)	11/08/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-31(55.5)	08/23/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-31(55.5)	08/15/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-31(55.5)	08/14/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-31(55.5)	08/12/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-31(55.5)	08/04/26	1 U	1 U	1 U	1 U	1 U	1 SU

Table 3

Summary of Volatile Organic Compound Analyses
Performed on the Groundwater Samples Collected from 2019 through 2026
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana
(Results reported in micrograms per liter, µg/L)

Monitoring Well Number	Sample Date	1,1-Dichloroethene	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Tetrachloroethylene	Trichloroethene	Vinyl chloride
MW-31(98.5)	08/14/19	1 U	1 U	1 U	1 U	1 U	**3.0**
MW-31(98.5)-R	08/14/19	1 U	1 U	1 U	1 U	1 U	**3.0**
MW-31(98.5)	09/09/20	1 U	1 U	1 U	1 U	1 U	**2.1**
MW-31(98.5)-R	09/09/20	1 U	1 U	1 U	1 U	1 U	**2.1**
MW-31(98.5)	11/08/21	1 U	1 U	1 U	1 U	1 U	**2.5**
MW-31(98.5)	08/23/22	1 U	1 U	1 U	1 U	1 U	**1.8**
MW-31(98.5)-R	08/23/22	1 U	1 U	1 U	1 U	1 U	**2.6**
MW-31(98.5)	08/15/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-31(98.5)-R	08/15/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-31(98.5)	08/14/24	1 U	1 U	1 U	1 U	1 U	**3.3**
MW-31(98.5)-R	08/14/24	1 U	1 U	1 U	1 U	1 U	**3.5**
MW-31(98.5)	08/12/25	1 U	1 U	1 U	1 U	1 U	**3.48**
MW-31(98.5)-R	08/12/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-31(98.5)	08/04/26	1 U	1 U	1 U	1 U	1 U	**5.27**
MW-31(98.5)-R	08/04/26	1 U	1 U	1 U	1 U	1 U	**4.82**
MW-32(24.1)	08/15/19	1 U	**1.5**	1 U	1 U	1 U	1 U
MW-32(24.1)	09/09/20	1 UJ	**1.5 J-**	1 UJ	1 UJ	1 UJ	1 UJ
MW-32(24.1)	11/09/21	1 UJ	**1.3 J-**	1 UJ	1 UJ	1 UJ	1 UJ
MW-32(24.1)	08/23/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-32(24.1)	08/15/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-32(24.1)	08/13/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-32(24.1)	08/12/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-32(24.1)	08/04/26	1 SU	**1.50**	1 U	1 U	1 U	1 SU
MW-32(89)	08/15/19	1 U	1 U	1 U	1 U	1 U	**14**
MW-32(89)	09/09/20	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ	**8.7 J-**
MW-32(89)	11/09/21	1 U	1 U	1 U	1 U	1 U	**13**
MW-32(89)	08/23/22	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ	**10 J**
MW-32(89)	08/15/23	1 U	1 U	1 U	1 U	1 U	**13**
MW-32(89)	08/13/24	1 U	1 U	1 U	1 U	1 U	**14**
MW-32(89)	08/12/25	1 U	1 U	1 U	1 U	1 U	**11.10**
MW-32(89)	08/04/26	1 SU	1 U	1 U	1 U	1 U	**13.2**

Table 3

Summary of Volatile Organic Compound Analyses
Performed on the Groundwater Samples Collected from 2019 through 2026
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana
(Results reported in micrograms per liter, µg/L)

Monitoring Well Number	Sample Date	1,1-Dichloroethene	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Tetrachloroethylene	Trichloroethene	Vinyl chloride
MW-34(37)	08/15/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-34(37)	09/09/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-34(37)	11/09/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-34(37)-R	11/09/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-34(37)	08/23/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-34(37)	08/15/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-34(37)	08/13/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-34(37)	08/12/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-34(37)	08/04/26	1 U	1 U	1 U	1 U	1 U	1 SU
MW-34(85)	08/15/19	1 U	1 U	1 U	1 U	**20**	1 U
MW-34(85)	09/10/20	1 U	1 U	1 U	1 U	**15**	1 U
MW-34(85)	11/09/21	1 U	1 U	1 U	1 U	**16**	1 U
MW-34(85)	08/23/22	1 U	1 U	1 U	1 U	**16**	1 U
MW-34(85)	08/15/23	1 U	**3.9**	1 U	1 U	**15**	1 U
MW-34(85)	08/13/24	1 U	**5.2**	1 U	1 U	**12**	1 U
MW-34(85)	08/12/25	1 U	**4.87**	1 U	1 U	**12.4**	1 U
MW-34(85)	08/04/26	1 U	**2.55**	1 U	1 U	**11.6**	1 SU
MW-35(45)	08/14/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-35(45)	09/09/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-35(45)	11/17/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-35(45)	08/23/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-35(45)	08/14/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-35(45)	08/13/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-35(45)	08/12/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-35(45)	08/03/26	1 SU	1 U	1 U	1 U	1 U	1 SU

Table 3

Summary of Volatile Organic Compound Analyses
Performed on the Groundwater Samples Collected from 2019 through 2026
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana
(Results reported in micrograms per liter, µg/L)

Monitoring Well Number	Sample Date	1,1-Dichloroethene	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Tetrachloroethylene	Trichloroethene	Vinyl chloride
MW-35(90)	08/14/19	1 U	1 U	1 U	1 U	1 U	**2.3**
MW-35(90)	09/09/20	1 U	1 U	1 U	1 U	1 U	**1.6**
MW-35(90)	11/17/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-35(90)	08/23/22	1 U	1 U	1 U	1 U	1 U	**2.0**
MW-35(90)	08/14/23	1 U	1 U	1 U	1 U	1 U	**3.2**
MW-35(90)	08/13/24	1 U	1 U	1 U	1 U	1 U	**3.7**
MW-35(90)	08/12/25	1 U	1 U	1 U	1 U	1 U	**4.17**
MW-35(90)	08/03/26	1 SU	1 U	1 U	1 U	1 U	**6.67**
MW-36(35.2)	08/13/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-36(35.2)	09/09/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-36(35.2)	11/17/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-36(35.2)	08/23/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-36(35.2)	08/14/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-36(35.2)	08/12/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-36(35.2)	08/11/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-36(35.2)	08/04/26	1 U	1 U	1 U	1 U	1 U	1 SU
MW-36(92.4)	08/13/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-36(92.4)	09/09/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-36(92.4)	11/18/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-36(92.4)	08/23/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-36(92.4)-R	08/23/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-36(92.4)	08/14/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-36(92.4)	08/12/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-36(92.4)	08/11/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-36(92.4)	08/04/26	1 U	1 U	1 U	1 U	1 U	1 SU

Table 3

Summary of Volatile Organic Compound Analyses
Performed on the Groundwater Samples Collected from 2019 through 2026
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana
(Results reported in micrograms per liter, µg/L)

Monitoring Well Number	Sample Date	1,1-Dichloroethene	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Tetrachloroethylene	Trichloroethene	Vinyl chloride
MW-37(23.3)	08/13/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-37(23.3)	09/08/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-37(23.3)	11/09/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-37(23.3)	08/22/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-37(23.3)	08/14/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-37(23.3)	08/12/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-37(23.3)	08/11/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-37(23.3)	08/03/26	1 U	1 U	1 U	1 U	1 U	1 SU
MW-37(70)	08/13/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-37(70)	09/08/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-37(70)	11/09/21	1 U	1 U	1 U	1 U	1 U	1 UJ
MW-37(70)	08/22/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-37(70)	08/14/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-37(70)	08/12/24	1 U	1 U	1 U	1 U	**1.1**	1 U
MW-37(70)	08/11/25	1 U	1 U	1 U	1 U	**1.26**	1 U
MW-37(70)	08/03/26	1 U	**1.51**	1 U	1 U	**1.68**	1 SU
MW-37(98)	08/13/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-37(98)	09/08/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-37(98)	11/09/21	1 U	1 U	1 U	1 U	1 U	1 UJ
MW-37(98)	08/22/22	1 U	1 U	1 U	1 U	1 U	1 UJ
MW-37(98)	08/14/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-37(98)	08/12/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-37(98)	08/11/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-37(98)	08/03/26	1 U	1 U	1 U	1 U	1 U	1 SU
MW-38(20.8)	08/13/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-38(20.8)	09/09/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-38(20.8)	11/09/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-38(20.8)	08/23/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-38(20.8)	08/14/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-38(20.8)	08/12/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-38(20.8)	08/11/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-38(20.8)	08/03/26	1 SU	1 U	1 U	1 U	1 U	1 SU

Table 3

Summary of Volatile Organic Compound Analyses
Performed on the Groundwater Samples Collected from 2019 through 2026
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana
(Results reported in micrograms per liter, µg/L)

Monitoring Well Number	Sample Date	1,1-Dichloroethene	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Tetrachloroethylene	Trichloroethene	Vinyl chloride
MW-38(29.1)	08/13/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-38(29.1)	09/09/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-38(29.1)	11/09/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-38(29.1)	08/23/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-38(29.1)	08/14/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-38(29.1)	08/12/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-38(29.1)	08/11/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-38(29.1)	08/03/26	1 SU	1 U	1 U	1 U	1 U	1 SU
MW-38(69.9)	08/13/19	1 U	1 U	1 U	1 U	1 U	**2.4**
MW-38(69.9)	08/13/19	1 U	1 U	1 U	1 U	1 U	**3.0**
MW-38(69.9)	09/09/20	1 U	1 U	1 U	1 U	1 U	**3.2**
MW-38(69.9)-R	09/09/20	1 U	1 U	1 U	1 U	1 U	**3.0**
MW-38(69.9)	11/09/21	1 U	1 U	1 U	1 U	1 U	**3.9**
MW-38(69.9)	08/23/22	1 U	1 U	1 U	1 U	1 U	**4.2**
MW-38(69.9)	08/14/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-38(69.9)-R	08/14/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-38(69.9)	08/12/24	1 U	1 U	1 U	1 U	1 U	**6.5**
MW-38(69.9)-R	08/12/24	1 U	1 U	1 U	1 U	1 U	**5.6**
MW-38(69.9)	08/11/25	1 U	1 U	1 U	1 U	1 U	**5.67**
MW-38(69.9)-R	08/11/25	1 U	1 U	1 U	1 U	1 U	**5.05**
MW-38(69.9)	09/16/25	1 U	1 U	1 U	1 U	1 U	**5.71**
MW-38(69.9)-R	09/16/25	1 U	1 U	1 U	1 U	1 U	**5.49**
MW-38(69.9)	08/03/26	1 SU	1 U	1 U	1 U	1 U	**5.27**
MW-38(69.9)-R	08/03/26	1 SU	1 U	1 U	1 U	1 U	**6.33**
MW-38(102.9)	09/16/25	1 U	1 U	1 U	1 U	1 U	1 U

Table 3

Summary of Volatile Organic Compound Analyses
Performed on the Groundwater Samples Collected from 2019 through 2026
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana
(Results reported in micrograms per liter, µg/L)

Monitoring Well Number	Sample Date	1,1-Dichloroethene	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Tetrachloroethylene	Trichloroethene	Vinyl chloride
MW-39(13)	08/13/19	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ
MW-39(13)	09/08/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-39(13)	11/09/21	1 U	1 U	1 U	1 U	1 U	1 UJ
MW-39(13)	08/22/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-39(13)	08/14/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-39(13)	08/13/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-39(13)	08/11/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-39(13)	08/03/26	1 U	1 U	1 U	1 U	1 U	1 SU
MW-39(29.3)	08/13/19	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ
MW-39(29.3)	09/08/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-39(29.3)	11/09/21	1 U	1 U	1 U	1 U	1 U	1 UJ
MW-39(29.3)	08/22/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-39(29.3)	08/14/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-39(29.3)	08/13/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-39(29.3)	08/11/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-39(29.3)	08/03/26	1 U	1 U	1 U	1 U	1 U	1 SU
MW-48(159)	08/15/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-48(159)	08/15/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-48(159)	09/10/20	1 U	1 U	1 U	1 U	1 U	**4.1**
MW-48(159)-R	09/10/20	1 U	1 U	1 U	1 U	1 U	**4.4**
MW-48(159)	11/17/21	1 U	1 U	1 U	1 U	1 U	**5.1**
MW-48(159)	08/24/22	1 U	1 U	1 U	1 U	1 U	**3.8**
MW-48(159)	08/16/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-48(159)	08/14/24	1 U	1 U	1 U	1 U	1 U	**5.8**
MW-48(159)	08/12/25	1 U	1 U	1 U	1 U	1 U	**5.31**
MW-48(159)	08/04/26	1 SU	1 U	1 U	1 U	1 U	**7.56**

Table 3

Summary of Volatile Organic Compound Analyses
Performed on the Groundwater Samples Collected from 2019 through 2026
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana
(Results reported in micrograms per liter, µg/L)

Monitoring Well Number	Sample Date	1,1-Dichloroethene	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Tetrachloroethylene	Trichloroethene	Vinyl chloride
MW-50(45)	08/14/19	1 U	**1.4**	1 U	1 U	1 U	**1.3**
MW-50(45)	09/09/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-50(45)	11/09/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-50(45)	08/23/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-50(45)	08/15/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-50(45)	08/13/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-50(45)	08/12/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-50(45)	08/04/26	1 SU	1 U	1 U	1 U	1 U	1 SU
MW-50(80)	08/14/19	1 U	**1.2**	1 U	1 U	1 U	1 U
MW-50(80)	09/09/20	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ	1 UJ
MW-50(80)	11/09/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-50(80)	08/23/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-50(80)	08/15/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-50(80)	08/13/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-50(80)	08/12/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-50(80)	08/04/26	1 SU	1 U	1 U	1 U	1 U	1 SU
MW-51(25)	08/14/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-51(25)	09/09/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-51(25)	11/09/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-51(25)	08/23/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-51(25)	08/16/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-51(25)	08/13/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-51(25)	08/12/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-51(25)	08/04/26	1 SU	1 U	1 U	1 U	1 U	1 SU
MW-51(70)	08/14/19	1 U	1 U	1 U	1 U	1 U	**1.2**
MW-51(70)	09/09/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-51(70)	11/09/21	1 U	1 U	1 U	1 U	1 U	**1.7 J**
MW-51(70)	08/23/22	1 U	1 U	1 U	1 U	1 U	**1.9**
MW-51(70)	08/16/23	1 U	1 U	1 U	1 U	1 U	**1.7**
MW-51(70)	08/13/24	1 U	1 U	1 U	1 U	1 U	**2.0**
MW-51(70)	08/12/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-51(70)	08/04/26	1 SU	1 U	1 U	1 U	1 U	**1.09**

Table 3

Summary of Volatile Organic Compound Analyses
Performed on the Groundwater Samples Collected from 2019 through 2026
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana
(Results reported in micrograms per liter, µg/L)

Monitoring Well Number	Sample Date	1,1-Dichloroethene	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Tetrachloroethylene	Trichloroethene	Vinyl chloride
MW-52(55)	08/22/19	1 U	1 U	1 U	1 U	1 U	1 U
MW-52(55)	09/11/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-52(55)	11/18/21	1 U	1 U	1 U	1 U	1 U	1 U
MW-52(55)	08/24/22	1 U	1.4	1 U	1 U	1 U	1 UJ
MW-52(55)	08/17/23	1 U	1 U	1 U	1 U	1 U	1 U
MW-52(55)	08/15/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-52(55)	08/13/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-52(55)	08/06/26	1 SU	1 U	1 U	1 U	1 U	1 SU
MW-57(38)	08/16/19	1 U	**8.3**	1 U	1 U	**5.3**	1 U
MW-57(38)	09/10/20	1 U	**7.8**	1 U	1 U	**4.4**	1 U
MW-57(38)	11/18/21	NA	NA	NA	NA	NA	NA
MW-57(38)	08/24/22	1 U	4	1 U	1 U	3.4	1 U
MW-57(38)	08/17/23	1 U	**11**	1 U	1 U	**5.0**	1 U
MW-57(38)	08/15/24	1 U	**6.2**	1 U	1 U	**4.9**	1 U
MW-57(38)	08/13/25	1 U	**2.56**	1 U	1 U	**2.54**	1 U
MW-57(38)	08/05/26	1 SU	**3.15**	1 U	1 U	**2.39**	1 SU
MW-59(46)	02/06/19	**12 J**	**1,200**	**7.0 J**	1 U	1 U	**1,600 J**
MW-59(46)	08/22/19	**41**	**1,200**	**16**	1 U	E U	**1,600**
MW-59(46)	02/19/20	**82 J**	**2,500 J**	**13 J**	1 UJ	**1.8 J**	**1,200 J**
MW-59(46)	09/14/20	**130**	**2,800**	**23**	1 U	**380**	**1,100**
MW-59(46)	11/18/21	**130**	**5,900**	50 U	50 U	**4,100**	**620**
MW-59(46)	08/24/22	**20**	**560**	5 U	5 U	**10 J+**	**180**
MW-59(46)	08/17/23	**50**	**2,600**	**39**	1 U	**3.6**	**550**
MW-59(46)	08/15/24	100 U	**5,500**	**67**	1 U	**1,900**	**1,300**
MW-59(46)	08/13/25	100 U	**4,360**	**74.4**	1 U	**2,400**	**1,270**
MW-59(46)	08/05/26	**104**	**9,290**	100 U	100 U	**1,440**	**5,350**

Table 3

Summary of Volatile Organic Compound Analyses
Performed on the Groundwater Samples Collected from 2019 through 2026
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana
(Results reported in micrograms per liter, µg/L)

Monitoring Well Number	Sample Date	1,1-Dichloroethene	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Tetrachloroethylene	Trichloroethene	Vinyl chloride
MW-60(38)	08/22/19	**3.0**	**420**	**2.4**	1 U	1 U	**430** J
MW-60(38)	09/11/20	**1.8**	**310**	**1.5**	1 U	1 U	**290**
MW-60(38)	11/18/21	**2.5**	**440**	2 U	2 U	2 U	**280**
MW-60(38)	08/24/22	1 U	**64**	1 U	1 U	1 U	**120**
MW-60(38)-R	08/24/22	1 U	**49**	1 U	1 U	1 U	**97**
MW-60(38)	08/16/23	**1.6**	**180**	**1.6**	1 U	1 U	**84**
MW-60(38)-R	08/16/23	**1.5**	**190**	**1.4**	1 U	1 U	**89**
MW-60(38)	08/15/24	1 U	**110**	1 U	1 U	5 U	**120**
MW-60(38)-R	08/15/24	1 U	**67**	1 U	1 U	5 U	**70**
MW-60(38)	08/13/25	1 U	**111**	1 U	1 U	1 U	**282**
MW-60(38)-R	08/13/25	1 U	**108**	1 U	1 U	1 U	**288**
MW-60(38)	08/05/26	**1.06** S	**226**	1 U	1 U	1 U	**276**
MW-60(38)-R	08/05/26	**1.22** S	**206**	1 U	1 U	1 U	**246** S
MW-67(30)	08/22/19	1 U	**2.6**	1 U	1 U	1 U	1 U
MW-67(30)	09/15/20	1 U	**1.4**	1 U	1 U	1 U	**2.1**
MW-67(30)	11/09/21	1 U	**1.2**	1 U	1 U	1 U	1 U
MW-67(30)	08/22/22	1 U	**1.6**	1 U	1 U	1 U	1 U
MW-67(30)	08/16/23	1 U	**1.4**	1 U	1 U	1 U	1 U
MW-67(30)	08/15/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-67(30)	08/11/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-67(30)	08/06/26	1 U	1 U	1 U	1 U	1 U	1 U
MW-71(33)	08/22/19	1 U	**2.0**	1 U	1 U	1 U	1 U
MW-71(33)	09/14/20	1 U	1 U	1 U	1 U	1 U	1 U
MW-71(33)	11/09/21	1 U	**1.1**	1 U	1 U	1 U	1 U
MW-71(33)-R	11/09/21	1 U	**1.0**	1 U	1 U	1 U	1 U
MW-71(33)	08/22/22	1 U	1 U	1 U	1 U	1 U	1 U
MW-71(33)	08/16/23	1 U	**8.6**	1 U	1 U	1 U	1 U
MW-71(33)	08/15/24	1 U	1 U	1 U	1 U	1 U	1 U
MW-71(33)	08/11/25	1 U	1 U	1 U	1 U	1 U	1 U
MW-71(33)	08/05/26	1 U	1 U	1 U	1 U	1 U	1 U

Table 3

Summary of Volatile Organic Compound Analyses
Performed on the Groundwater Samples Collected from 2019 through 2026
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana
(Results reported in micrograms per liter, µg/L)

Monitoring Well Number	Sample Date	1,1-Dichloroethene	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Tetrachloroethylene	Trichloroethene	Vinyl chloride
MW-84(44)	08/19/19	1 U	1 U	1 U	1 U	**2.6**	1 U
MW-84(44)	09/10/20	1 U	1 U	1 U	1 U	**2.0**	1 U
MW-84(44)	11/18/21	1 U	1 U	1 U	1 U	**2.1**	1 U
MW-84(44)	08/24/22	1 U	1 U	1 U	1 U	**1.2**	1 U
MW-84(44)	08/16/23	1 U	1 U	1 U	1 U	**1.9**	1 U
MW-84(44)	08/14/24	1 U	1 U	1 U	1 U	**1.8**	1 U
MW-84(44)	08/12/25	NA	NA	NA	NA	NA	NA
MW-84(44)	08/03/26	NA	NA	NA	NA	NA	NA
OW-6(38)	02/05/19	1 U	1 U	1 U	1 U	1 U	1 UJ
OW-6(38)-R	02/05/19	1 U	1 U	1 U	1 U	1 U	1 UJ
OW-6(38)	05/16/19	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(38)	08/21/19	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(38)	11/25/19	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(38)	02/17/20	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(38)	06/16/20	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(38)	09/13/20	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(38)	12/14/20	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(38)	11/17/21	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(38)-R	11/17/21	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(38)	08/24/22	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(38)	08/16/23	1 U	**1.0**	1 U	1 U	1 U	1 U
OW-6(38)	08/14/24	1 U	1 U	1 U	1 U	1 U	**1.8**
OW-6(38)	08/12/25	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(38)	08/05/26	1 U	1 U	1 U	1 U	1 U	1 SU


Table 3

Summary of Volatile Organic Compound Analyses
Performed on the Groundwater Samples Collected from 2019 through 2026
TORX Facility, 4366 North Old US Highway 31, Rochester, Indiana
(Results reported in micrograms per liter, µg/L)

Monitoring Well Number	Sample Date	1,1-Dichloroethene	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Tetrachloroethylene	Trichloroethene	Vinyl chloride
OW-6(63)	02/05/19	1 U	1 U	1 U	1 U	1 U	1 UJ
OW-6(63)	05/16/19	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(63)	08/21/19	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(63)-R	08/21/19	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(63)	11/25/19	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(63)	02/17/20	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(63)	06/16/20	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(63)	09/13/20	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(63)-R	09/13/20	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(63)	12/14/20	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(63)	11/17/21	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(63)	08/24/22	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(63)	08/16/23	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(63)	08/14/24	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(63)	08/12/25	1 U	1 U	1 U	1 U	1 U	1 U
OW-6(63)	08/05/26	1 SU	1 U	1 U	1 U	1 U	1 SU
Agricultural Well	09/17/25	1 U	1 U	1 U	1 U	1 U	1 U
Agricultural Well	08/03/26	1 U	1 U	1 U	1 U	1 U	1 U
USEPA MCLs & IDEM RSL		7.0	70	100	5.0	5.0	2.0

Notes:
NA - Not analyzed
U - not detected, value is the detection limit
J - value is estimated
R - replicate sample
J+ - value is estimated biased high
J- - value is estimated biased low
S - spike recovery outside laboratory control limits
USEPA MCLs - United States Environmental Protection Agency (USEPA) Maximum Contaminant Levels (MCLs) (2024)
IDEM RSL - Indiana Department of Environmental Management Residential Screening Levels (2024)
For a complete list of analyzed compounds and results please refer to the laboratory reports
Entered By: RED
Concentration meets or exceeds IDEM RCG residential screening level and U.S. EPA maximum contaminant level
Checked By: RLB

FIGURES





Quadrangle Location

0 2000 4000
APPROXIMATE SCALE IN FEET

N

REFERENCE: USGS 7.5-minute topographic quadrangle maps of Argos and Rochester, Indiana, 2022.

CONSULTANT

WSP USA Inc.

CONSULTANT

DATE	08/24/2026
DESIGNED	---
PREPARED	RLB
REVIEWED	RED
APPROVED	RED/PJS

PROJECT/CLIENT

TEXTRON
TORX Facility

TITLE

SITE LOCATION MAP
4366 North Old US Highway 31, Rochester, Indiana

PROJECT NO. US0041841.4751

REV.

FIGURE 1

P:\Textron\TFS\Drawings\TFS Topo.dwg - Topos 2022 - Aug. 24, 2026

INSET A

MW-56
MW-89
MW-81
MW-59(46)
MW-52(55)
MW-60(38)
MW-61
MW-3
MW-71(33)
MW-67(30)
MW-76
MW-68
MW-78
MW-77
MW-72
MW-79
MW-65
MW-20(51)
MW-6C
MW-6B
MW-41
MW-62
MW-75
MW-9A
MW-9B
MW-9C
MW-45
OW-1
MW-12
MW-82
MW-13
OW-2
MW-11
MW-83
MW-24
MW-14
OW-3
MW-15
OW-4
MW-25(82)
MW-84(44)
OW-5
MW-27(18)
MW-27(53.05)
MW-27(75.4)
MW-27(104.2)
MW-27(135)
MW-16
MW-17
MW-26

0 140
APPROXIMATE SCALE IN FEET

E 450 N
MW-7
MW-1
MW-18
MW-40
MW-2
MW-23
MW-10C
MW-10A
MW-10B
MW-53
MW-8
MW-43
MW-19(53)
MW-85
MW-57(38)
WESTERN POND
MW-55
MW-42
MW-48(159)
MW-28
MW-29(82.5)
MW-29(103.3)
MW-44
MW-22
MW-5
MW-4
MW-21
OW-6(38)
OW-6(63)
EASTERN POND
MW-49
MW-31(30.9)
MW-31(55.5)
MW-31(98.5)
MW-30(41.1)
MW-47
E 425 N
MW-32(24.1)
MW-32(89)
MW-50(45)
MW-50(80)
N OLD US HIGHWAY 31
MW-46
MW-33
MW-34(37)
MW-34(85)
E 375 N
MW-35(45)
MW-35(90)
MW-51(25)
MW-51(70)
MW-36(35.2)
MW-36(92.4)
MW-38(20.8)
MW-38(29.1)
MW-38(69.9)
MW-39(13)
MW-39(29.3)
MW-37(23.3)
MW-37(70)
MW-37(98)

0 500 1,000
APPROXIMATE SCALE IN FEET

LEGEND

- MW-65(32) — Annual Monitoring Network Overburden Monitoring Well Location
- MW-28 — Overburden Monitoring Well Location
- MW-40 — Bedrock Monitoring Well Location
- OW-5 — Observation Monitoring Well Location
- Approximate Property Boundary *(from the Fulton County GIS website)*

REFERENCES:
Wells surveyed by Territorial Engineering; features from Fulton County, Indiana GIS, 2005.

CONSULTANT
WSP USA Inc.

CONSULTANT

DATE	08/24/2026
DESIGNED	---
PREPARED	RLB
REVIEWED	RED
APPROVED	RED/PJS

PROJECT/CLIENT
TEXTRON
TORX Facility

TITLE
ANNUAL GROUNDWATER MONITORING LOCATIONS
4366 North Old US Highway 31, Rochester, Indiana

PROJECT NO. US0041841.4751
REV.
FIGURE 2

P:\Textron\TFSIDrawings\TFS Closure Sampling.dwg - Site Plan 2023 - Aug. 24, 2026

E 450 N

MW-1
807.76

805

800

795

790

785

780

775

770

765

760

755

WESTERN POND

MW-57(38)
784.30

MW-67(30)
782.15

MW-20(35)
781.93

MW-60(38)
782.46

MW-3
782.13

782.12
MW-71(33)

781.72
OW-2(33)

MW-84(44)
Dry

MW-85(39)
781.48

779.13
MW-27(18)

MW-17
778.90

OW-6(38)
778.02

EASTERN POND

771.47
MW-30(41.1)

MW-31(30.9)
769.17

E 425 N

MW-32(24.1)
765.00

761.17
MW-50(45)

N OLD US HIGHWAY 31

751.78
MW-34(37)

752.63
MW-51(25)

E 375 N

MW-35(45)
751.59

751.46
MW-36(35.2)

750

750.42
MW-38(20.8)

MW-39(13)
749.81

747.71
MW-37(23.3)

TIPPECANOE RIVER

350N

LEGEND

750.34
MW-38(20.8)
Groundwater Elevation (feet)
Monitoring Well ID and Screen Depth

775
Potentiometric Surface Contour (feet)

Approximate Property Boundary
(from the Fulton County GIS website)

Note: Only shallow overburden monitoring wells used for contouring are shown.

0 500 1,000
APPROXIMATE SCALE IN FEET

REFERENCES:
Wells surveyed by Territorial Engineering; features from Fulton County, Indiana GIS, 2005.

CONSULTANT
WSP USA Inc.

CONSULTANT


DATE	08/22/2025
DESIGNED	---
PREPARED	RLB
REVIEWED	RED
APPROVED	RED/PJS

PROJECT/CLIENT
TEXTRON
TORX Facility

TITLE
GROUNDWATER CONTOUR MAP - Shallow Overburden Wells
August 3, 2026 - 4366 North Old US Highway 31, Rochester, Indiana

PROJECT NO. US0041841.4751
REV.
FIGURE 3

P:\Textron\TFS\Drawings\TFS PS Plan 2026.dwg - Shallow 08-26 - Aug. 24, 2026



LEGEND

752.58 MW-51(70) — Groundwater Elevation (feet) Monitoring Well ID and Screen Depth

775 — Potentiometric Surface Contour (feet)

Approximate Property Boundary *(from the Fulton County GIS website)*

Note: Only intermediate overburden monitoring wells used for contouring are shown.

REFERENCES:

Wells surveyed by Territorial Engineering; features from Fulton County, Indiana GIS, 2005.

CONSULTANT

WSP USA Inc.

CONSULTANT

wsp

DATE	08/24/2026
DESIGNED	---
PREPARED	RLB
REVIEWED	RED
APPROVED	RED/PJS

PROJECT/CLIENT

TEXTRON
TORX Facility

TEXTRON

TITLE


GROUNDWATER CONTOUR MAP - Intermediate Overburden Wells
August 3, 2026 - 4366 North Old US Highway 31, Rochester, Indiana

PROJECT NO. US0041841.4751

REV.

FIGURE 4

P:\Textron\TFS\Drawings\TFS PS Plan 2026.dwg - Int 08-26 - Aug. 24, 2026



LEGEND

- 758.29 MW-31(139.2) — Groundwater Elevation (feet) Monitoring Well ID and Screen Depth
- 775 — Potentiometric Surface Contour (feet)
- Approximate Property Boundary *(from the Fulton County GIS website)*

Note: Only deep overburden monitoring wells used for contouring are shown.

0 500 1,000
APPROXIMATE SCALE IN FEET

REFERENCES:
Wells surveyed by Territorial Engineering; features from Fulton County, Indiana GIS, 2005.

CONSULTANT
WSP USA Inc.

CONSULTANT

DATE	08/24/2026
DESIGNED	---
PREPARED	RLB
REVIEWED	RED
APPROVED	RED/PJS

PROJECT/CLIENT
TEXTRON
TORX Facility

TITLE
GROUNDWATER CONTOUR MAP - Deep Overburden Wells
August 3, 2026 - 4366 North Old US Highway 31, Rochester, Indiana

PROJECT NO. US0041841.4751
REV.
FIGURE 5

P:\Textron\TFS\Drawings\TFS PS Plan 2026.dwg - Deep 08-26 - Aug. 24, 2026

INSET A

MW-67(30) 08/06/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-20(51) 08/05/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	**2.61**

MW-25(82) 08/05/2026

1,1-DCE	<1.0
c-1,2-DCE	**2.12**
t-1,2-DCE	<1.0
TCE	<1.0
VC	**4.88**

MW-27(18) 08/05/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-27(75.4) 08/05/2026

1,1-DCE	<1.0
c-1,2-DCE	**8.65**
t-1,2-DCE	<1.0
TCE	**7.38**
VC	**4.47**

MW-27(53.05) 08/05/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	**1.65**
VC	<1.0

MW-27(104.2) 08/05/2026

1,1-DCE	<1.0
c-1,2-DCE	**6.89**
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-27(135) 08/05/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-59(46) 08/05/2026

1,1-DCE	**104**
c-1,2-DCE	**9,290**
t-1,2-DCE	<100
TCE	**1,440**
VC	**5,350**

MW-52(55) 08/06/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-60(38) 08/05/2026

1,1-DCE	**1.06 / 1.22**
c-1,2-DCE	**226 / 206**
t-1,2-DCE	<1.0 / <1.0
TCE	<1.0 / <1.0
VC	**276 / 246**

MW-3 08/05/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-71(33) 08/05/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-84(44) 08/03/2026

NOT SAMPLED

MW-17 08/05/2026

1,1-DCE	<1.0
c-1,2-DCE	**5.88**
t-1,2-DCE	<1.0
TCE	**7.12**
VC	<1.0

MW-56, MW-89, MW-81, MW-65, MW-76, MW-68, MW-78, MW-77, MW-72, MW-79, MW-61, MW-62, MW-75, MW-9A, MW-9B, MW-9C, MW-45, MW-11, MW-83, MW-12, MW-82, MW-6C, MW-6B, MW-41, MW-13, OW-1, OW-2, MW-24, MW-14, OW-3, MW-15, OW-4, OW-5, MW-16, MW-26

0 140 APPROXIMATE SCALE IN FEET

E 450 N

MW-1 08/05/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-19(53) 08/05/2026

1,1-DCE	<1.0
c-1,2-DCE	**18.2**
t-1,2-DCE	<1.0
TCE	<1.0
VC	**15.5**

MW-48(159) 08/04/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	**7.56**

MW-29(82.5) 08/05/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-29(103.5) 08/05/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-57(38) 08/05/2026

1,1-DCE	<1.0
c-1,2-DCE	**3.15**
t-1,2-DCE	<1.0
TCE	**2.39**
VC	<1.0

OW-6(38) 08/05/226

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

OW-6(63) 08/05/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-30(41.1) 08/04/2026

1,1-DCE	<1.0
c-1,2-DCE	**20.7**
t-1,2-DCE	<1.0
TCE	**11.6**
VC	**10.4**

MW-31(30.9) 08/05/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-31(55.5) 08/04/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-31(98.5) 08/04/2026

1,1-DCE	<1.0 / <1.0
c-1,2-DCE	<1.0 / <1.0
t-1,2-DCE	<1.0 / <1.0
TCE	<1.0 / <1.0
VC	**5.27 / 4.82**

MW-32(24.1) 08/04/2026

1,1-DCE	<1.0
c-1,2-DCE	**1.50**
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-32(89) 08/04/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	**13.2**

MW-50(45) 08/04/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-50(80) 08/04/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-34(37) 08/04/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-34(85) 08/04/2026

1,1-DCE	<1.0
c-1,2-DCE	**2.55**
t-1,2-DCE	<1.0
TCE	**11.6**
VC	<1.0

MW-51(25) 08/04/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-51(70) 08/04/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	**1.09**

MW-35(45) 08/03/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-35(90) 08/03/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	**6.67**

MW-36(35.2) 08/04/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-36(92.4) 08/04/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-39(13) 08/03/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-39(29.3) 08/03/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-37(23.3) 08/03/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-37(70) 08/03/2026

1,1-DCE	<1.0
c-1,2-DCE	**1.51**
t-1,2-DCE	<1.0
TCE	**1.68**
VC	<1.0

MW-37(98) 08/03/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-38(20.8) 08/03/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-38(29.1) 08/03/2026

1,1-DCE	<1.0
c-1,2-DCE	<1.0
t-1,2-DCE	<1.0
TCE	<1.0
VC	<1.0

MW-38(69.9) 08/03/2026

1,1-DCE	<1.0 / <1.0
c-1,2-DCE	<1.0 / <1.0
t-1,2-DCE	<1.0 / <1.0
TCE	<1.0 / <1.0
VC	**5.27 / 6.33**

MW-7, MW-1, MW-18, MW-40, MW-2, MW-23, MW-10C, MW-10A, MW-10B, MW-53, MW-8, MW-43, MW-55, MW-85, MW-42, MW-5, MW-44, MW-22, MW-4, MW-21, MW-28, MW-49, MW-47, MW-46, MW-33, MW-17

WESTERN POND, EASTERN POND, N OLD US HIGHWAY 31, E 425 N, E 375 N

0 500 1,000 APPROXIMATE SCALE IN FEET

LEGEND

- MW-65(32) Annual Monitoring Network Overburden Monitoring Well Location
- MW-28 Overburden Monitoring Well Location
- MW-40 Bedrock Monitoring Well Location
- OW-5 Observation Monitoring Well Location
- Approximate Property Boundary *(from the Fulton County GIS website)*

MW-17 08/14/2024 — Sample Identification, Date Sample Collected

VC 1.3 — Compound Name and Result Value

NOTES:

- Results reported in micrograms per liter (µg/L).
- See laboratory report for complete list of analytes tested, results, and detection limits.
- See report for quality control results.

1,1-DCE - 1,1-Dichloroethene
c-1,2-DCE - cis-1,2-Dichloroethene
t-1,2-DCE - trans-1,2-Dichloroethene
TCE - Trichloroethene
VC - Vinyl Chloride

REFERENCES:
Wells surveyed by Territorial Engineering; features from Fulton County, Indiana GIS, 2005.

CONSULTANT
WSP USA Inc.

CONSULTANT


DATE	08/24/2026
DESIGNED	---
PREPARED	RLB
REVIEWED	RED
APPROVED	RED/PJS

PROJECT/CLIENT
TEXTRON
TORX Facility

TITLE
SITE-RELATED VOC CONCENTRATIONS IN GROUNDWATER
Annual 2026 - 4366 North Old US Highway 31, Rochester, Indiana

PROJECT NO. US0041841.4751 | REV. | FIGURE 6

P:\Textron\TFSIDrawings\TFS Closure Sampling.dwg - VOCs 2026 - Aug. 24, 2026



LEGEND

- MW-65(32) — Annual Monitoring Network Overburden Monitoring Well Location
- MW-28 — Overburden Monitoring Well Location
- MW-40 — Bedrock Monitoring Well Location
- OW-5 — Observation Monitoring Well Location
- Approximate Property Boundary *(from the Fulton County GIS website)*

MW-17 08/14/2024	Sample Identification / Date Sample Collected
VC 1.3	Compound Name and Result Value

NOTES:

- Results reported in micrograms per liter (µg/L).
- See laboratory report for complete list of analytes tested, results, and detection limits.
- See report for quality control results.

1,1-DCE - 1,1-Dichloroethene
c-1,2-DCE - cis-1,2-Dichloroethene
t-1,2-DCE - trans-1,2-Dichloroethene
TCE - Trichloroethene
VC - Vinyl Chloride

0 500 1,000
APPROXIMATE SCALE IN FEET

REFERENCES:
Wells surveyed by Territorial Engineering; features from Fulton County, Indiana GIS, 2005.

CONSULTANT
WSP USA Inc.

CONSULTANT

DATE	08/24/2026
DESIGNED	---
PREPARED	RLB
REVIEWED	RED
APPROVED	RED/PJS

PROJECT/CLIENT
TEXTRON
TORX Facility

TITLE
SOUTHERN MONITORING WELL NETWORK
Annual 2026 - 4366 North Old US Highway 31, Rochester, Indiana

PROJECT NO. US0041841.4751
REV.
FIGURE 7

P:\Textron\TFS\Drawings\TFS Closure Sampling.dwg - South Area 2026 - Aug. 24, 2026

Appendix A Groundwater Sample Collection Low-Flow Test Reports

Low-Flow Test Report:

Test Date / Time: 8/5/2026 2:06:49 PM
Project: Textron (87)
Operator Name: Dornbusch

Location Name: ATRMW-1 **Latitude: 39.6282753** **Longitude: -84.2359034** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 35 ft** **Total Depth: 40.06 ft** **Initial Depth to Water: 32.25 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 37.5 ft** **Estimated Total Volume Pumped: 7500 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/5/2026 2:06 PM	00:00	6.686 pH	19.58 °C	1,102 µS/cm	1.670 mg/L	0.000 NTU	18.0 mV	32.25 ft	250.0 ml/min
8/5/2026 2:11 PM	05:00	6.538 pH	17.24 °C	1,124 µS/cm	3.264 mg/L	0.000 NTU	-13.1 mV	32.25 ft	250.0 ml/min
8/5/2026 2:16 PM	10:00	6.519 pH	16.56 °C	1,174 µS/cm	3.306 mg/L	0.000 NTU	-42.4 mV	32.25 ft	250.0 ml/min
8/5/2026 2:21 PM	15:00	6.520 pH	16.41 °C	1,219 µS/cm	3.208 mg/L	0.000 NTU	-52.2 mV	32.25 ft	250.0 ml/min
8/5/2026 2:26 PM	20:00	6.545 pH	16.93 °C	1,238 µS/cm	3.133 mg/L	0.000 NTU	-53.9 mV	32.25 ft	250.0 ml/min
8/5/2026 2:31 PM	25:00	6.581 pH	16.75 °C	1,247 µS/cm	3.065 mg/L	0.000 NTU	-54.5 mV	32.25 ft	250.0 ml/min
8/5/2026 2:36 PM	30:00	6.601 pH	16.66 °C	1,255 µS/cm	2.984 mg/L	0.000 NTU	-54.4 mV	32.25 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW1-G080526	Sample collected at 1438 for VOCs

Low-Flow Test Report:

Test Date / Time: 8/5/2026 3:01:12 PM
Project: Textron (88)
Operator Name: Dornbusch

Location Name: ATRMW-3 **Latitude: 39.62839771** **Longitude: -84.23594454** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 28 ft** **Total Depth: 33.33 ft** **Initial Depth to Water: 23.29 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 30 ft** **Estimated Total Volume Pumped: 20000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0.01 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/5/2026 3:01 PM	00:00	6.976 pH	20.87 °C	1,231 µS/cm	1.889 mg/L	193.5 NTU	-11.8 mV	23.29 ft	250.0 ml/min
8/5/2026 3:06 PM	05:00	6.843 pH	16.22 °C	1,084 µS/cm	0.102 mg/L	383.7 NTU	-0.8 mV	23.29 ft	250.0 ml/min
8/5/2026 3:11 PM	10:00	6.875 pH	16.01 °C	892.1 µS/cm	0.173 mg/L	0.000 NTU	-20.4 mV	23.30 ft	250.0 ml/min
8/5/2026 3:16 PM	15:00	6.902 pH	15.80 °C	775.2 µS/cm	0.242 mg/L	0.000 NTU	-35.0 mV	23.30 ft	250.0 ml/min
8/5/2026 3:21 PM	20:00	6.926 pH	15.79 °C	708.0 µS/cm	0.297 mg/L	0.000 NTU	-45.3 mV	23.30 ft	250.0 ml/min
8/5/2026 3:26 PM	25:00	6.952 pH	15.60 °C	659.6 µS/cm	0.345 mg/L	0.000 NTU	-53.7 mV	23.30 ft	250.0 ml/min
8/5/2026 3:31 PM	30:00	6.974 pH	15.64 °C	621.7 µS/cm	0.379 mg/L	0.000 NTU	-59.9 mV	23.30 ft	250.0 ml/min
8/5/2026 3:36 PM	35:00	6.990 pH	15.82 °C	594.4 µS/cm	0.412 mg/L	0.000 NTU	-64.2 mV	23.30 ft	250.0 ml/min
8/5/2026 3:41 PM	40:00	7.018 pH	15.94 °C	577.7 µS/cm	0.444 mg/L	0.000 NTU	-68.0 mV	23.30 ft	250.0 ml/min
8/5/2026 3:46 PM	45:00	7.044 pH	15.79 °C	562.1 µS/cm	0.477 mg/L	0.000 NTU	-71.8 mV	23.30 ft	250.0 ml/min
8/5/2026 3:51 PM	50:00	7.066 pH	15.57 °C	546.7 µS/cm	0.503 mg/L	0.000 NTU	-75.1 mV	23.30 ft	250.0 ml/min
8/5/2026 3:56 PM	55:00	7.085 pH	15.53 °C	532.5 µS/cm	0.510 mg/L	0.000 NTU	-77.8 mV	23.30 ft	250.0 ml/min
8/5/2026 4:01 PM	01:00:00	7.107 pH	15.79 °C	523.2 µS/cm	0.532 mg/L	0.000 NTU	-80.6 mV	23.30 ft	250.0 ml/min
8/5/2026 4:06 PM	01:05:00	7.128 pH	15.64 °C	514.9 µS/cm	0.552 mg/L	0.000 NTU	-82.7 mV	23.30 ft	250.0 ml/min
8/5/2026 4:11 PM	01:10:00	7.164 pH	15.43 °C	505.1 µS/cm	0.560 mg/L	0.000 NTU	-85.4 mV	23.30 ft	250.0 ml/min

8/5/2026 4:16 PM	01:15:00	7.177 pH	15.39 °C	498.7 µS/cm	0.576 mg/L	0.000 NTU	-87.0 mV	23.30 ft	250.0 ml/min
8/5/2026 4:21 PM	01:20:00	7.194 pH	15.82 °C	492.2 µS/cm	0.591 mg/L	0.000 NTU	-88.3 mV	23.30 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW3-080526	Sample collected at 1624 for VOCs

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/5/2026 1:00:32 PM
Project: Textron (86)
Operator Name: Dornbusch

Location Name: ATRMW-20(51) **Latitude: 39.6284079** **Longitude: -84.2359411** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 45 ft** **Total Depth: 50.35 ft** **Initial Depth to Water: 28.47 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 49 ft** **Estimated Total Volume Pumped: 11250 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/5/2026 1:00 PM	00:00	7.367 pH	19.89 °C	635.6 µS/cm	6.602 mg/L	0.000 NTU	-164.2 mV	28.47 ft	250.0 ml/min
8/5/2026 1:05 PM	05:00	7.247 pH	15.63 °C	440.5 µS/cm	0.654 mg/L	0.000 NTU	-139.7 mV	28.47 ft	250.0 ml/min
8/5/2026 1:10 PM	10:00	7.211 pH	15.49 °C	439.8 µS/cm	1.066 mg/L	0.000 NTU	-126.4 mV	28.47 ft	250.0 ml/min
8/5/2026 1:15 PM	15:00	7.227 pH	15.38 °C	443.8 µS/cm	1.217 mg/L	0.000 NTU	-125.5 mV	28.47 ft	250.0 ml/min
8/5/2026 1:20 PM	20:00	7.207 pH	15.46 °C	450.1 µS/cm	1.014 mg/L	0.000 NTU	-127.4 mV	28.47 ft	250.0 ml/min
8/5/2026 1:25 PM	25:00	7.300 pH	15.16 °C	457.8 µS/cm	0.734 mg/L	0.000 NTU	-136.4 mV	28.47 ft	250.0 ml/min
8/5/2026 1:30 PM	30:00	7.317 pH	15.21 °C	469.2 µS/cm	0.462 mg/L	0.000 NTU	-141.7 mV	28.47 ft	250.0 ml/min
8/5/2026 1:35 PM	35:00	7.344 pH	15.06 °C	472.8 µS/cm	0.136 mg/L	0.000 NTU	-151.2 mV	28.47 ft	250.0 ml/min
8/5/2026 1:40 PM	40:00	7.361 pH	15.13 °C	473.9 µS/cm	0.084 mg/L	0.000 NTU	-154.9 mV	28.47 ft	250.0 ml/min
8/5/2026 1:45 PM	45:00	7.401 pH	15.10 °C	473.9 µS/cm	0.040 mg/L	0.000 NTU	-160.1 mV	28.47 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW20(51)-G080526	Sample collected at 1348 for VOCs

Low-Flow Test Report:

Test Date / Time: 8/5/2026 1:11:33 PM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-19(53) **Latitude: 39.6283929** **Longitude: -84.23594497** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 42 ft** **Total Depth: 52.86 ft** **Initial Depth to Water: 27.59 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 47 ft** **Estimated Total Volume Pumped: 5750 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 240 ml/min** **Final Draw Down: -0.09 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
82F, mostly sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/5/2026 1:11 PM	00:00	7.293 pH	22.52 °C	510.8 µS/cm	6.617 mg/L	6.599 NTU	61.2 mV	27.59 ft	190.0 ml/min
8/5/2026 1:16 PM	05:00	7.054 pH	18.82 °C	498.1 µS/cm	1.218 mg/L	3.539 NTU	-63.0 mV	27.50 ft	240.0 ml/min
8/5/2026 1:21 PM	10:00	7.042 pH	16.49 °C	504.0 µS/cm	0.301 mg/L	6.901 NTU	-70.8 mV	27.50 ft	240.0 ml/min
8/5/2026 1:26 PM	15:00	7.044 pH	15.96 °C	568.2 µS/cm	0.203 mg/L	4.667 NTU	-72.9 mV	27.50 ft	240.0 ml/min
8/5/2026 1:31 PM	20:00	7.047 pH	16.15 °C	572.0 µS/cm	0.160 mg/L	2.604 NTU	-75.6 mV	27.50 ft	240.0 ml/min
8/5/2026 1:36 PM	25:00	7.062 pH	15.73 °C	571.0 µS/cm	0.151 mg/L	1.093 NTU	-77.4 mV	27.50 ft	240.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-19(53)-G080526	Sample collected at 1340

Low-Flow Test Report:

Test Date / Time: 8/5/2026 11:18:13 AM
Project: Textron (84)
Operator Name: Dornbusch

Location Name: ATRMW-17 **Latitude: 39.62839738** **Longitude: -84.23594519** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 37 ft** **Total Depth: 42.62 ft** **Initial Depth to Water: 5.69 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 34.5 ft** **Estimated Total Volume Pumped: 6250 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/5/2026 11:18 AM	00:00	7.142 pH	22.57 °C	605.7 µS/cm	0.997 mg/L	0.000 NTU	-122.8 mV	5.690 ft	250.0 ml/min
8/5/2026 11:23 AM	05:00	7.091 pH	21.45 °C	614.3 µS/cm	0.176 mg/L	0.000 NTU	-125.8 mV	5.690 ft	250.0 ml/min
8/5/2026 11:28 AM	10:00	7.113 pH	20.14 °C	614.2 µS/cm	0.143 mg/L	0.000 NTU	-118.1 mV	5.690 ft	250.0 ml/min
8/5/2026 11:33 AM	15:00	7.091 pH	19.08 °C	612.2 µS/cm	0.109 mg/L	0.000 NTU	-121.5 mV	5.690 ft	250.0 ml/min
8/5/2026 11:38 AM	20:00	7.125 pH	19.27 °C	611.7 µS/cm	0.107 mg/L	0.000 NTU	-127.4 mV	5.690 ft	250.0 ml/min
8/5/2026 11:43 AM	25:00	7.139 pH	18.91 °C	610.7 µS/cm	0.099 mg/L	0.000 NTU	-129.9 mV	5.690 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW17-G080526	Sample collected 1145 for VOCs

Low-Flow Test Report:

Test Date / Time: 8/5/2026 12:09:14 PM
Project: Textron (85)
Operator Name: Dornbusch

Location Name: ATRMW-25(82) **Latitude: 39.62839119** **Longitude: -84.23594869** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 71 ft** **Total Depth: 81.41 ft** **Initial Depth to Water: 12.28 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 76 ft** **Estimated Total Volume Pumped: 7500 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/5/2026 12:09 PM	00:00	7.298 pH	22.09 °C	581.1 µS/cm	7.874 mg/L	0.000 NTU	47.5 mV	12.28 ft	250.0 ml/min
8/5/2026 12:14 PM	05:00	7.088 pH	17.28 °C	644.7 µS/cm	0.485 mg/L	0.000 NTU	-72.1 mV	12.28 ft	250.0 ml/min
8/5/2026 12:19 PM	10:00	7.108 pH	16.83 °C	648.5 µS/cm	0.162 mg/L	0.000 NTU	-88.7 mV	12.28 ft	250.0 ml/min
8/5/2026 12:24 PM	15:00	7.134 pH	15.32 °C	644.3 µS/cm	0.011 mg/L	0.000 NTU	-96.0 mV	12.28 ft	250.0 ml/min
8/5/2026 12:29 PM	20:00	7.146 pH	15.02 °C	647.9 µS/cm	0.009 mg/L	0.000 NTU	-102.9 mV	12.28 ft	250.0 ml/min
8/5/2026 12:34 PM	25:00	7.154 pH	15.00 °C	648.2 µS/cm	0.006 mg/L	0.000 NTU	-106.6 mV	12.28 ft	250.0 ml/min
8/5/2026 12:39 PM	30:00	7.166 pH	14.96 °C	648.4 µS/cm	0.006 mg/L	0.000 NTU	-108.4 mV	12.28 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW25(82)-G080526	Sample collected at 1242 for VOCs

Low-Flow Test Report:

Test Date / Time: 8/5/2026 10:29:38 AM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-27(53.05) **Latitude: 39.6283857** **Longitude: -84.235962** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 47.5 ft** **Total Depth: 55.35 ft** **Initial Depth to Water: 5.99 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 53 ft** **Estimated Total Volume Pumped: 12650 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 230 ml/min** **Final Draw Down: -0.1 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
76F, mostly cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/5/2026 10:29 AM	00:00	7.772 pH	17.87 °C	503.7 µS/cm	8.187 mg/L	0.044 NTU	-50.9 mV	5.990 ft	230.0 ml/min
8/5/2026 10:34 AM	05:00	7.157 pH	15.56 °C	610.2 µS/cm	0.746 mg/L	1.913 NTU	29.0 mV	5.990 ft	230.0 ml/min
8/5/2026 10:39 AM	10:00	7.163 pH	15.19 °C	621.4 µS/cm	1.704 mg/L	1.912 NTU	41.7 mV	5.990 ft	230.0 ml/min
8/5/2026 10:44 AM	15:00	7.176 pH	15.08 °C	618.8 µS/cm	2.831 mg/L	0.680 NTU	52.7 mV	5.990 ft	230.0 ml/min
8/5/2026 10:49 AM	20:00	7.182 pH	15.13 °C	617.5 µS/cm	3.757 mg/L	0.481 NTU	63.5 mV	5.990 ft	230.0 ml/min
8/5/2026 10:54 AM	25:00	7.188 pH	15.09 °C	615.1 µS/cm	4.435 mg/L	0.853 NTU	71.9 mV	5.890 ft	230.0 ml/min
8/5/2026 10:59 AM	30:00	7.191 pH	15.05 °C	614.8 µS/cm	4.900 mg/L	0.369 NTU	77.3 mV	5.890 ft	230.0 ml/min
8/5/2026 11:04 AM	35:00	7.192 pH	15.03 °C	615.9 µS/cm	5.396 mg/L	0.790 NTU	81.8 mV	5.890 ft	230.0 ml/min
8/5/2026 11:09 AM	40:00	7.197 pH	15.07 °C	614.1 µS/cm	5.590 mg/L	1.034 NTU	85.3 mV	5.890 ft	230.0 ml/min
8/5/2026 11:14 AM	45:00	7.200 pH	14.99 °C	612.5 µS/cm	5.734 mg/L	1.751 NTU	88.9 mV	5.890 ft	230.0 ml/min
8/5/2026 11:19 AM	50:00	7.201 pH	14.81 °C	612.6 µS/cm	5.843 mg/L	3.427 NTU	91.7 mV	5.890 ft	230.0 ml/min
8/5/2026 11:24 AM	55:00	7.200 pH	14.98 °C	612.3 µS/cm	5.870 mg/L	6.486 NTU	94.2 mV	5.890 ft	230.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-27(53.05)-G080526	Sample collected at 1130 for VOCs.

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/5/2026 11:44:58 AM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-27(18) **Latitude: 39.6283742** **Longitude: -84.235957** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 14.5 ft** **Total Depth: 20.19 ft** **Initial Depth to Water: 6.72 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 18 ft** **Estimated Total Volume Pumped: 12650 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 230 ml/min** **Final Draw Down: -0.05 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
80F, mostly sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/5/2026 11:44 AM	00:00	7.371 pH	17.50 °C	609.9 µS/cm	1.042 mg/L	7.007 NTU	-132.5 mV	6.720 ft	230.0 ml/min
8/5/2026 11:49 AM	05:00	7.380 pH	16.31 °C	600.9 µS/cm	0.711 mg/L	10.39 NTU	-132.8 mV	6.720 ft	230.0 ml/min
8/5/2026 11:54 AM	10:00	7.379 pH	16.30 °C	593.9 µS/cm	1.472 mg/L	17.69 NTU	-125.1 mV	6.720 ft	230.0 ml/min
8/5/2026 11:59 AM	15:00	7.388 pH	15.86 °C	588.7 µS/cm	1.962 mg/L	13.84 NTU	-121.1 mV	6.720 ft	230.0 ml/min
8/5/2026 12:04 PM	20:00	7.395 pH	15.82 °C	587.6 µS/cm	2.136 mg/L	14.45 NTU	-119.5 mV	6.720 ft	230.0 ml/min
8/5/2026 12:09 PM	25:00	7.396 pH	15.73 °C	587.7 µS/cm	2.179 mg/L	12.45 NTU	-118.6 mV	6.720 ft	230.0 ml/min
8/5/2026 12:14 PM	30:00	7.395 pH	15.78 °C	586.1 µS/cm	2.190 mg/L	13.11 NTU	-118.8 mV	6.680 ft	230.0 ml/min
8/5/2026 12:19 PM	35:00	7.396 pH	15.63 °C	584.7 µS/cm	2.204 mg/L	14.82 NTU	-118.5 mV	6.680 ft	230.0 ml/min
8/5/2026 12:24 PM	40:00	7.395 pH	15.99 °C	587.2 µS/cm	2.219 mg/L	18.20 NTU	-119.2 mV	6.680 ft	230.0 ml/min
8/5/2026 12:29 PM	45:00	7.399 pH	16.07 °C	587.1 µS/cm	2.216 mg/L	12.58 NTU	-120.6 mV	6.670 ft	230.0 ml/min
8/5/2026 12:34 PM	50:00	7.400 pH	15.84 °C	587.1 µS/cm	2.199 mg/L	13.46 NTU	-120.4 mV	6.670 ft	230.0 ml/min
8/5/2026 12:39 PM	55:00	7.399 pH	15.93 °C	587.2 µS/cm	2.182 mg/L	13.48 NTU	-120.8 mV	6.670 ft	230.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-27(18)-G080526	Sample collected at 1245 for VOCs.

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/5/2026 9:49:30 AM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-27(75.4) **Latitude: 39.6283836** **Longitude: -84.2359611** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 72 ft** **Total Depth: 77.76 ft** **Initial Depth to Water: 5.93 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 75 ft** **Estimated Total Volume Pumped: 4250 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 220 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
73F, partly cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/5/2026 9:49 AM	00:00	7.540 pH	18.93 °C	643.7 µS/cm	7.085 mg/L	0.142 NTU	-66.7 mV	5.930 ft	190.0 ml/min
8/5/2026 9:54 AM	05:00	7.163 pH	15.00 °C	851.9 µS/cm	0.210 mg/L	0.035 NTU	-85.4 mV	5.930 ft	220.0 ml/min
8/5/2026 9:59 AM	10:00	7.171 pH	14.60 °C	860.7 µS/cm	0.175 mg/L	0.074 NTU	-84.9 mV	5.930 ft	220.0 ml/min
8/5/2026 10:04 AM	15:00	7.170 pH	14.56 °C	861.9 µS/cm	0.141 mg/L	1.260 NTU	-85.5 mV	5.930 ft	220.0 ml/min
8/5/2026 10:09 AM	20:00	7.171 pH	14.35 °C	856.2 µS/cm	0.111 mg/L	2.112 NTU	-85.0 mV	5.930 ft	220.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-27(75.4)-G080526	Sample collected at 1015 for VOCs.

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/5/2026 9:05:57 AM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-27(104.2) **Latitude: 39.6283863** **Longitude: -84.235963** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 101 ft** **Total Depth: 106.55 ft** **Initial Depth to Water: 6.38 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 104 ft** **Estimated Total Volume Pumped: 6000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 300 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
69F, partly cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/5/2026 9:05 AM	00:00	7.419 pH	15.39 °C	607.0 µS/cm	3.159 mg/L	0.337 NTU	-63.9 mV	6.380 ft	300.0 ml/min
8/5/2026 9:10 AM	05:00	7.354 pH	14.08 °C	639.5 µS/cm	0.181 mg/L	0.301 NTU	-81.4 mV	6.380 ft	300.0 ml/min
8/5/2026 9:15 AM	10:00	7.362 pH	14.08 °C	639.4 µS/cm	0.144 mg/L	0.000 NTU	-84.7 mV	6.380 ft	300.0 ml/min
8/5/2026 9:20 AM	15:00	7.376 pH	13.95 °C	640.1 µS/cm	0.119 mg/L	0.000 NTU	-85.8 mV	6.380 ft	300.0 ml/min
8/5/2026 9:25 AM	20:00	7.384 pH	14.02 °C	641.4 µS/cm	0.105 mg/L	0.000 NTU	-86.7 mV	6.380 ft	300.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-27(104.2)-G080526	Sample collected at 0930 for VOCs.

Low-Flow Test Report:

Test Date / Time: 8/5/2026 8:21:38 AM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-27(135) **Latitude: 39.6284263** **Longitude: -84.2359403** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 131 ft** **Total Depth: 137.29 ft** **Initial Depth to Water: 6.39 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 135 ft** **Estimated Total Volume Pumped: 6600 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 340 ml/min** **Final Draw Down: 0.01 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
65F, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/5/2026 8:21 AM	00:00	7.409 pH	15.09 °C	529.9 µS/cm	3.353 mg/L	0.306 NTU	-53.4 mV	6.390 ft	320.0 ml/min
8/5/2026 8:26 AM	05:00	7.241 pH	13.89 °C	576.8 µS/cm	0.166 mg/L	1.413 NTU	-94.2 mV	6.400 ft	320.0 ml/min
8/5/2026 8:31 AM	10:00	7.255 pH	13.69 °C	580.8 µS/cm	0.131 mg/L	0.082 NTU	-99.2 mV	6.400 ft	340.0 ml/min
8/5/2026 8:36 AM	15:00	7.281 pH	13.64 °C	583.9 µS/cm	0.112 mg/L	0.000 NTU	-102.2 mV	6.400 ft	340.0 ml/min
8/5/2026 8:41 AM	20:00	7.313 pH	13.65 °C	585.2 µS/cm	0.099 mg/L	0.000 NTU	-104.9 mV	6.400 ft	340.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-27(135)-G080526	Sample collected at 0845 for VOCs.

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/5/2026 8:50:11 AM
Project: Textron (81)
Operator Name: Dornbusch

Location Name: ATRMW-29(82.5) **Latitude: 39.62838862** **Longitude: -84.23595478** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 76 ft** **Total Depth: 81.93 ft** **Initial Depth to Water: 28.28 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 78 ft** **Estimated Total Volume Pumped: 12000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 300 ml/min** **Final Draw Down: 0.02 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/5/2026 8:50 AM	00:00	7.576 pH	13.89 °C	551.7 µS/cm	6.042 mg/L	0.000 NTU	-70.1 mV	28.28 ft	300.0 ml/min
8/5/2026 8:55 AM	05:00	7.400 pH	12.47 °C	577.1 µS/cm	7.758 mg/L	0.000 NTU	28.6 mV	28.28 ft	300.0 ml/min
8/5/2026 9:00 AM	10:00	7.370 pH	12.51 °C	583.6 µS/cm	6.208 mg/L	0.000 NTU	43.4 mV	28.28 ft	300.0 ml/min
8/5/2026 9:05 AM	15:00	7.352 pH	12.48 °C	585.1 µS/cm	3.838 mg/L	0.000 NTU	-15.1 mV	28.30 ft	300.0 ml/min
8/5/2026 9:10 AM	20:00	7.343 pH	12.43 °C	603.4 µS/cm	1.700 mg/L	0.000 NTU	-90.1 mV	28.30 ft	300.0 ml/min
8/5/2026 9:15 AM	25:00	7.348 pH	12.48 °C	610.5 µS/cm	1.018 mg/L	0.000 NTU	-102.3 mV	28.30 ft	300.0 ml/min
8/5/2026 9:20 AM	30:00	7.352 pH	12.50 °C	612.1 µS/cm	0.794 mg/L	0.000 NTU	-106.9 mV	28.30 ft	300.0 ml/min
8/5/2026 9:25 AM	35:00	7.356 pH	12.53 °C	612.4 µS/cm	0.670 mg/L	0.000 NTU	-109.5 mV	28.30 ft	300.0 ml/min
8/5/2026 9:30 AM	40:00	7.359 pH	12.46 °C	611.6 µS/cm	0.626 mg/L	0.000 NTU	-110.5 mV	28.30 ft	300.0 ml/min

Samples

Sample ID:	Description:
ATR-MW29(82.5)-G080526	Sample collected at 0932

Low-Flow Test Report:

Test Date / Time: 8/5/2026 7:50:10 AM
Project: Textron (80)
Operator Name: Dornbusch

Location Name: ATRMW-29(103.3) **Latitude: 39.62838874** **Longitude: -84.23595737** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 95 ft** **Total Depth: 101.13 ft** **Initial Depth to Water: 30.22 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 98.5 ft** **Estimated Total Volume Pumped: 11250 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/5/2026 7:50 AM	00:00	7.671 pH	16.93 °C	482.3 µS/cm	8.690 mg/L	0.000 NTU	208.6 mV	30.22 ft	250.0 ml/min
8/5/2026 7:55 AM	05:00	7.380 pH	15.04 °C	508.3 µS/cm	3.660 mg/L	0.000 NTU	-53.0 mV	30.22 ft	250.0 ml/min
8/5/2026 8:00 AM	10:00	7.389 pH	15.23 °C	512.2 µS/cm	1.245 mg/L	0.000 NTU	-95.4 mV	30.22 ft	250.0 ml/min
8/5/2026 8:05 AM	15:00	7.418 pH	13.23 °C	511.9 µS/cm	0.315 mg/L	0.000 NTU	-119.1 mV	30.22 ft	250.0 ml/min
8/5/2026 8:10 AM	20:00	7.387 pH	12.62 °C	514.8 µS/cm	0.247 mg/L	0.000 NTU	-126.4 mV	30.22 ft	250.0 ml/min
8/5/2026 8:15 AM	25:00	7.386 pH	12.55 °C	514.9 µS/cm	0.164 mg/L	0.000 NTU	-133.3 mV	30.22 ft	250.0 ml/min
8/5/2026 8:20 AM	30:00	7.405 pH	12.42 °C	516.3 µS/cm	0.105 mg/L	0.000 NTU	-138.7 mV	30.22 ft	250.0 ml/min
8/5/2026 8:25 AM	35:00	7.426 pH	12.38 °C	514.6 µS/cm	0.072 mg/L	0.000 NTU	-144.2 mV	30.22 ft	250.0 ml/min
8/5/2026 8:30 AM	40:00	7.449 pH	12.40 °C	515.1 µS/cm	0.052 mg/L	0.000 NTU	-149.0 mV	30.22 ft	250.0 ml/min
8/5/2026 8:35 AM	45:00	7.473 pH	12.39 °C	514.9 µS/cm	0.037 mg/L	0.000 NTU	-152.9 mV	30.22 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW29(103.3)-G080526	Sample collected at 0836 for VOCs

Low-Flow Test Report:

Test Date / Time: 8/4/2026 2:27:57 PM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-30(41.1) **Latitude: 39.62838589** **Longitude: -84.23597214** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 35 ft** **Total Depth: 40.52 ft** **Initial Depth to Water: 23.1 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 38 ft** **Estimated Total Volume Pumped: 6825 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 195 ml/min** **Final Draw Down: -0.07 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
81F, partly cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/4/2026 2:27 PM	00:00	7.224 pH	19.68 °C	617.3 µS/cm	1.490 mg/L	13.24 NTU	-90.3 mV	23.10 ft	195.0 ml/min
8/4/2026 2:32 PM	05:00	7.088 pH	16.19 °C	618.1 µS/cm	0.415 mg/L	11.20 NTU	-79.7 mV	23.10 ft	195.0 ml/min
8/4/2026 2:37 PM	10:00	7.103 pH	15.22 °C	616.3 µS/cm	1.258 mg/L	8.539 NTU	-72.1 mV	23.03 ft	195.0 ml/min
8/4/2026 2:42 PM	15:00	7.104 pH	14.60 °C	619.0 µS/cm	1.997 mg/L	6.018 NTU	-66.7 mV	23.03 ft	195.0 ml/min
8/4/2026 2:47 PM	20:00	7.130 pH	14.88 °C	616.5 µS/cm	2.319 mg/L	6.439 NTU	-66.3 mV	23.03 ft	195.0 ml/min
8/4/2026 2:52 PM	25:00	7.148 pH	14.77 °C	614.1 µS/cm	2.497 mg/L	4.549 NTU	-66.7 mV	23.03 ft	195.0 ml/min
8/4/2026 2:57 PM	30:00	7.170 pH	14.93 °C	615.1 µS/cm	2.604 mg/L	4.777 NTU	-68.2 mV	23.03 ft	195.0 ml/min
8/4/2026 3:02 PM	35:00	7.196 pH	14.81 °C	614.7 µS/cm	2.649 mg/L	4.721 NTU	-69.8 mV	23.03 ft	195.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-30(41.1)-G080426	Sample collected at 1510 for VOCs.

Low-Flow Test Report:

Test Date / Time: 8/4/2026 12:39:01 PM
Project: Textron (78)
Operator Name: Dornbusch

Location Name: ATRMW-31(55.5) **Latitude: 39.6283843** **Longitude: -84.2359642** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 50 ft** **Total Depth: 56.1 ft** **Initial Depth to Water: 12.57 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 51.5 ft** **Estimated Total Volume Pumped: 6750 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/4/2026 12:39 PM	00:00	7.376 pH	21.03 °C	629.3 µS/cm	2.235 mg/L	3.085 NTU	-67.0 mV	12.57 ft	200.0 ml/min
8/4/2026 12:44 PM	05:00	7.213 pH	16.97 °C	656.4 µS/cm	1.741 mg/L	10.04 NTU	12.4 mV	12.57 ft	200.0 ml/min
8/4/2026 12:49 PM	10:00	7.194 pH	16.81 °C	678.5 µS/cm	0.523 mg/L	5.960 NTU	-19.8 mV	12.57 ft	200.0 ml/min
8/4/2026 12:54 PM	15:00	7.206 pH	16.34 °C	687.2 µS/cm	0.363 mg/L	4.236 NTU	-74.4 mV	12.57 ft	250.0 ml/min
8/4/2026 12:59 PM	20:00	7.206 pH	16.09 °C	687.5 µS/cm	0.310 mg/L	0.821 NTU	-83.4 mV	12.57 ft	250.0 ml/min
8/4/2026 1:04 PM	25:00	7.206 pH	15.97 °C	692.1 µS/cm	0.241 mg/L	0.057 NTU	-88.2 mV	12.57 ft	250.0 ml/min
8/4/2026 1:09 PM	30:00	7.199 pH	15.94 °C	692.4 µS/cm	0.230 mg/L	0.000 NTU	-89.6 mV	12.57 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW31(55.5)-G080426	Sample collected at 1310 for VOCs

Low-Flow Test Report:

Test Date / Time: 8/4/2026 1:23:45 PM
Project: Textron (79)
Operator Name: Dornbusch

Location Name: ATRMW-31(30.9) **Latitude: 39.62838621** **Longitude: -84.23597225** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 24.5 ft** **Total Depth: 30.74 ft** **Initial Depth to Water: 12.31 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 26.5 ft** **Estimated Total Volume Pumped: 6250 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/4/2026 1:23 PM	00:00	7.139 pH	18.93 °C	706.5 µS/cm	1.813 mg/L	13.02 NTU	-86.6 mV	12.31 ft	250.0 ml/min
8/4/2026 1:28 PM	05:00	7.070 pH	14.75 °C	724.6 µS/cm	0.045 mg/L	5.057 NTU	-116.3 mV	12.31 ft	250.0 ml/min
8/4/2026 1:33 PM	10:00	7.072 pH	14.61 °C	726.1 µS/cm	0.033 mg/L	5.507 NTU	-123.5 mV	12.31 ft	250.0 ml/min
8/4/2026 1:38 PM	15:00	7.128 pH	14.65 °C	727.6 µS/cm	0.030 mg/L	4.744 NTU	-130.4 mV	12.31 ft	250.0 ml/min
8/4/2026 1:43 PM	20:00	7.171 pH	14.56 °C	728.0 µS/cm	0.037 mg/L	2.924 NTU	-135.2 mV	12.31 ft	250.0 ml/min
8/4/2026 1:48 PM	25:00	7.191 pH	14.44 °C	728.5 µS/cm	0.061 mg/L	5.298 NTU	-137.1 mV	12.31 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW31(30.9)-G080426 INCLUDING MS AND MSD	Samples collected at 1353 all three sets collected at same time

Low-Flow Test Report:

Test Date / Time: 8/4/2026 11:52:54 AM
Project: Textron (77)
Operator Name: Dornbusch

Location Name: ATRMW-31(98.5) **Latitude: 39.6283742** **Longitude: -84.2359624** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 92 ft** **Total Depth: 97.98 ft** **Initial Depth to Water: 17.34 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 94 ft** **Estimated Total Volume Pumped: 6250 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/4/2026 11:52 AM	00:00	7.271 pH	18.55 °C	577.2 µS/cm	7.026 mg/L	5.733 NTU	136.6 mV	17.34 ft	250.0 ml/min
8/4/2026 11:57 AM	05:00	7.069 pH	14.49 °C	668.8 µS/cm	0.205 mg/L	6.743 NTU	-49.0 mV	17.34 ft	250.0 ml/min
8/4/2026 12:02 PM	10:00	7.063 pH	14.45 °C	670.3 µS/cm	0.125 mg/L	0.656 NTU	-59.8 mV	17.34 ft	250.0 ml/min
8/4/2026 12:07 PM	15:00	7.067 pH	14.10 °C	670.0 µS/cm	0.070 mg/L	3.738 NTU	-65.4 mV	17.34 ft	250.0 ml/min
8/4/2026 12:12 PM	20:00	7.078 pH	13.95 °C	671.0 µS/cm	0.043 mg/L	0.365 NTU	-70.2 mV	17.34 ft	250.0 ml/min
8/4/2026 12:17 PM	25:00	7.080 pH	13.88 °C	667.9 µS/cm	0.023 mg/L	0.000 NTU	-73.8 mV	17.34 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW31(98.5)-G080426 AND ATR-MW31(98.5)-G080426R	Sample and duplicate collected at 1224

Low-Flow Test Report:

Test Date / Time: 8/4/2026 1:18:05 PM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-32(24.1) **Latitude: 39.62838635** **Longitude: -84.23597161** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 19 ft** **Total Depth: 24.04 ft** **Initial Depth to Water: 22.82 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 26 ft** **Estimated Total Volume Pumped: 8750 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0.01 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
81F, partly cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/4/2026 1:18 PM	00:00	7.392 pH	17.19 °C	469.0 µS/cm	0.745 mg/L	50.30 NTU	-42.4 mV	22.82 ft	250.0 ml/min
8/4/2026 1:23 PM	05:00	7.339 pH	15.86 °C	460.0 µS/cm	1.523 mg/L	19.80 NTU	-13.0 mV	22.82 ft	250.0 ml/min
8/4/2026 1:28 PM	10:00	7.359 pH	15.43 °C	450.1 µS/cm	2.183 mg/L	9.894 NTU	-3.6 mV	22.82 ft	250.0 ml/min
8/4/2026 1:33 PM	15:00	7.390 pH	15.65 °C	444.6 µS/cm	2.502 mg/L	7.932 NTU	-1.2 mV	22.82 ft	250.0 ml/min
8/4/2026 1:38 PM	20:00	7.410 pH	15.74 °C	437.8 µS/cm	2.692 mg/L	3.796 NTU	-0.6 mV	22.82 ft	250.0 ml/min
8/4/2026 1:43 PM	25:00	7.431 pH	15.37 °C	434.5 µS/cm	2.806 mg/L	1.444 NTU	0.2 mV	22.82 ft	250.0 ml/min
8/4/2026 1:48 PM	30:00	7.442 pH	15.32 °C	432.9 µS/cm	2.895 mg/L	1.352 NTU	2.7 mV	22.83 ft	250.0 ml/min
8/4/2026 1:53 PM	35:00	7.450 pH	15.45 °C	432.3 µS/cm	2.901 mg/L	0.749 NTU	0.2 mV	22.83 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-32(24.1)-G080426	Sample collected at 1400 for VOCs.

Low-Flow Test Report:

Test Date / Time: 8/4/2026 12:32:48 PM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-32(89) **Latitude: 39.6284053** **Longitude: -84.2359566** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 82 ft** **Total Depth: 88.56 ft** **Initial Depth to Water: 36.12 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 86 ft** **Estimated Total Volume Pumped: 3200 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 160 ml/min** **Final Draw Down: -0.16 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
79F, partly cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/4/2026 12:32 PM	00:00	7.712 pH	19.98 °C	566.9 µS/cm	8.780 mg/L	0.282 NTU	69.0 mV	36.12 ft	160.0 ml/min
8/4/2026 12:37 PM	05:00	7.230 pH	17.19 °C	601.9 µS/cm	0.576 mg/L	0.000 NTU	-89.5 mV	36.12 ft	160.0 ml/min
8/4/2026 12:42 PM	10:00	7.206 pH	16.67 °C	606.0 µS/cm	0.367 mg/L	0.000 NTU	-86.7 mV	36.12 ft	160.0 ml/min
8/4/2026 12:47 PM	15:00	7.223 pH	16.78 °C	610.3 µS/cm	0.305 mg/L	0.000 NTU	-84.8 mV	35.96 ft	160.0 ml/min
8/4/2026 12:52 PM	20:00	7.254 pH	16.78 °C	611.9 µS/cm	0.279 mg/L	0.000 NTU	-85.4 mV	35.96 ft	160.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-32(89)-G080426	Sample collected at 1300 for VOCs.

Low-Flow Test Report:

Test Date / Time: 8/4/2026 10:59:02 AM
Project: Textron (76)
Operator Name: Dornbusch

Location Name: ATRMW-34(37) **Latitude: 39.6284044** **Longitude: -84.2359556** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 31.5 ft** **Total Depth: 36.74 ft** **Initial Depth to Water: 25.98 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 33 ft** **Estimated Total Volume Pumped: 5000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/4/2026 10:59 AM	00:00	7.188 pH	18.76 °C	667.1 µS/cm	4.192 mg/L	12.19 NTU	89.6 mV	25.98 ft	250.0 ml/min
8/4/2026 11:04 AM	05:00	7.198 pH	14.17 °C	692.5 µS/cm	2.147 mg/L	0.000 NTU	97.8 mV	25.98 ft	250.0 ml/min
8/4/2026 11:09 AM	10:00	7.203 pH	14.17 °C	689.6 µS/cm	2.088 mg/L	0.000 NTU	101.1 mV	25.98 ft	250.0 ml/min
8/4/2026 11:14 AM	15:00	7.233 pH	14.35 °C	692.9 µS/cm	2.016 mg/L	0.195 NTU	101.6 mV	25.98 ft	250.0 ml/min
8/4/2026 11:19 AM	20:00	7.241 pH	14.51 °C	693.5 µS/cm	2.007 mg/L	1.745 NTU	102.9 mV	25.98 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW34(37)-G080426	Sample collected at 1120 for VOCs

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/4/2026 10:23:44 AM
Project: Textron (75)
Operator Name: Dornbusch

Location Name: ATRMW-34(85) **Latitude: 39.62838512** **Longitude: -84.23597377** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 77 ft** **Total Depth: 83.42 ft** **Initial Depth to Water: 25.93 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 80 ft** **Estimated Total Volume Pumped: 5000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0.01 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/4/2026 10:23 AM	00:00	7.249 pH	19.28 °C	709.7 µS/cm	7.476 mg/L	0.000 NTU	91.2 mV	25.93 ft	250.0 ml/min
8/4/2026 10:28 AM	05:00	7.173 pH	17.73 °C	712.9 µS/cm	3.220 mg/L	0.000 NTU	95.6 mV	25.93 ft	250.0 ml/min
8/4/2026 10:33 AM	10:00	7.141 pH	15.87 °C	726.1 µS/cm	0.734 mg/L	0.000 NTU	93.6 mV	25.93 ft	250.0 ml/min
8/4/2026 10:38 AM	15:00	7.147 pH	15.70 °C	727.1 µS/cm	0.711 mg/L	0.000 NTU	91.6 mV	25.94 ft	250.0 ml/min
8/4/2026 10:43 AM	20:00	7.156 pH	15.70 °C	729.2 µS/cm	0.803 mg/L	0.000 NTU	90.7 mV	25.94 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR - MW34(85)-G080426	Sample collected at 1045 for VOCs

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/3/2026 4:19:50 PM
Project: Textron (72)
Operator Name: Dornbusch

Location Name: ATRMW-35(45) **Latitude: 39.62838523** **Longitude: -84.23597365** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 39 ft** **Total Depth: 44.58 ft** **Initial Depth to Water: 29.81 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 41.25 ft** **Estimated Total Volume Pumped: 7500 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0.01 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/3/2026 4:19 PM	00:00	7.403 pH	17.87 °C	437.6 µS/cm	3.184 mg/L	22.95 NTU	29.6 mV	29.81 ft	250.0 ml/min
8/3/2026 4:24 PM	05:00	7.213 pH	14.37 °C	449.6 µS/cm	0.200 mg/L	4.457 NTU	52.9 mV	29.81 ft	250.0 ml/min
8/3/2026 4:29 PM	10:00	7.180 pH	14.21 °C	450.5 µS/cm	0.192 mg/L	2.079 NTU	55.2 mV	29.82 ft	250.0 ml/min
8/3/2026 4:34 PM	15:00	7.179 pH	13.97 °C	450.2 µS/cm	0.176 mg/L	1.122 NTU	60.2 mV	29.82 ft	250.0 ml/min
8/3/2026 4:39 PM	20:00	7.436 pH	13.80 °C	451.6 µS/cm	0.131 mg/L	0.350 NTU	49.5 mV	29.82 ft	250.0 ml/min
8/3/2026 4:44 PM	25:00	7.446 pH	13.83 °C	450.8 µS/cm	0.137 mg/L	0.000 NTU	50.7 mV	29.82 ft	250.0 ml/min
8/3/2026 4:49 PM	30:00	7.460 pH	13.97 °C	451.0 µS/cm	0.156 mg/L	0.000 NTU	52.2 mV	29.82 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW35(45)-G080326	Sample collected at 1652 for VOCs

Low-Flow Test Report:

Test Date / Time: 8/3/2026 3:13:16 PM
Project: Textron (71)
Operator Name: Dornbusch

Location Name: ATRMW-35(90) **Latitude: 39.62838408** **Longitude: -84.23597599** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 84 ft** **Total Depth: 89.53 ft** **Initial Depth to Water: 29.75 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 86.5 ft** **Estimated Total Volume Pumped: 12500 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/3/2026 3:13 PM	00:00	7.561 pH	23.49 °C	571.6 µS/cm	8.568 mg/L	1.723 NTU	53.9 mV	29.75 ft	250.0 ml/min
8/3/2026 3:18 PM	05:00	7.276 pH	19.38 °C	646.2 µS/cm	2.297 mg/L	0.291 NTU	-70.0 mV	29.75 ft	250.0 ml/min
8/3/2026 3:23 PM	10:00	7.235 pH	19.97 °C	661.0 µS/cm	0.613 mg/L	0.392 NTU	-82.6 mV	29.75 ft	250.0 ml/min
8/3/2026 3:28 PM	15:00	7.270 pH	19.95 °C	666.1 µS/cm	0.444 mg/L	0.464 NTU	-88.6 mV	29.75 ft	250.0 ml/min
8/3/2026 3:33 PM	20:00	7.311 pH	20.94 °C	669.6 µS/cm	0.448 mg/L	0.831 NTU	-91.3 mV	29.75 ft	250.0 ml/min
8/3/2026 3:38 PM	25:00	7.339 pH	21.49 °C	670.4 µS/cm	0.477 mg/L	0.839 NTU	-93.0 mV	29.75 ft	250.0 ml/min
8/3/2026 3:43 PM	30:00	7.343 pH	21.81 °C	664.8 µS/cm	0.532 mg/L	1.592 NTU	-90.9 mV	29.75 ft	250.0 ml/min
8/3/2026 3:48 PM	35:00	7.327 pH	20.11 °C	665.3 µS/cm	0.635 mg/L	2.498 NTU	-86.6 mV	29.75 ft	250.0 ml/min
8/3/2026 3:53 PM	40:00	7.340 pH	18.49 °C	664.6 µS/cm	0.666 mg/L	4.165 NTU	-83.5 mV	29.75 ft	250.0 ml/min
8/3/2026 3:58 PM	45:00	7.308 pH	18.15 °C	663.6 µS/cm	0.568 mg/L	3.516 NTU	-82.4 mV	29.75 ft	250.0 ml/min
8/3/2026 4:03 PM	50:00	7.314 pH	18.47 °C	663.6 µS/cm	0.467 mg/L	3.253 NTU	-85.1 mV	29.75 ft	250.0 ml/min

Samples

Sample ID:	Description:

ATR-MW35(90)-G080326	Sample collected at 1605 for VOCs

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/4/2026 9:40:07 AM
Project: Textron (74)
Operator Name: Dornbusch

Location Name: ATRMW-36(35.2) **Latitude: 39.62838398** **Longitude: -84.23597579** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 29 ft** **Total Depth: 34.82 ft** **Initial Depth to Water: 18.63 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 31 ft** **Estimated Total Volume Pumped: 6000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 300 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/4/2026 9:40 AM	00:00	7.280 pH	14.57 °C	716.2 µS/cm	4.065 mg/L	4.973 NTU	30.2 mV	18.63 ft	300.0 ml/min
8/4/2026 9:45 AM	05:00	7.194 pH	13.23 °C	727.2 µS/cm	0.106 mg/L	0.405 NTU	45.9 mV	18.63 ft	300.0 ml/min
8/4/2026 9:50 AM	10:00	7.189 pH	13.08 °C	726.2 µS/cm	0.113 mg/L	0.118 NTU	52.1 mV	18.63 ft	300.0 ml/min
8/4/2026 9:55 AM	15:00	7.218 pH	13.03 °C	721.6 µS/cm	0.154 mg/L	0.000 NTU	55.1 mV	18.63 ft	300.0 ml/min
8/4/2026 10:00 AM	20:00	7.233 pH	13.02 °C	720.7 µS/cm	0.185 mg/L	0.000 NTU	57.9 mV	18.63 ft	300.0 ml/min

Samples

Sample ID:	Description:
ATR-MW36(35.2)-G080426	Sample collected at 1001 for VOCs

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/4/2026 8:29:21 AM
Project: Textron (73)
Operator Name: Dornbusch

Location Name: ATRMW-36(92.4) **Latitude: 39.62838402** **Longitude: -84.2359755** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 86 ft** **Total Depth: 91.9 ft** **Initial Depth to Water: 18.64 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 88 ft** **Estimated Total Volume Pumped: 13750 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/4/2026 8:29 AM	00:00	7.479 pH	16.45 °C	599.6 µS/cm	8.720 mg/L	0.000 NTU	211.1 mV	18.64 ft	250.0 ml/min
8/4/2026 8:34 AM	05:00	7.104 pH	15.19 °C	611.8 µS/cm	5.212 mg/L	13.62 NTU	129.9 mV	18.64 ft	250.0 ml/min
8/4/2026 8:39 AM	10:00	7.096 pH	14.92 °C	612.5 µS/cm	3.401 mg/L	31.76 NTU	16.3 mV	18.64 ft	250.0 ml/min
8/4/2026 8:44 AM	15:00	7.114 pH	14.92 °C	611.5 µS/cm	2.734 mg/L	36.90 NTU	-14.9 mV	18.64 ft	250.0 ml/min
8/4/2026 8:49 AM	20:00	7.148 pH	14.73 °C	611.7 µS/cm	1.873 mg/L	22.65 NTU	-32.9 mV	18.64 ft	250.0 ml/min
8/4/2026 8:54 AM	25:00	7.166 pH	14.53 °C	613.0 µS/cm	1.373 mg/L	7.241 NTU	-47.8 mV	18.64 ft	250.0 ml/min
8/4/2026 8:59 AM	30:00	7.189 pH	14.68 °C	614.1 µS/cm	1.056 mg/L	0.108 NTU	-54.8 mV	18.64 ft	250.0 ml/min
8/4/2026 9:04 AM	35:00	7.203 pH	13.54 °C	612.7 µS/cm	1.069 mg/L	0.000 NTU	-63.7 mV	18.64 ft	250.0 ml/min
8/4/2026 9:09 AM	40:00	7.202 pH	13.49 °C	613.0 µS/cm	0.567 mg/L	0.000 NTU	-66.6 mV	18.64 ft	250.0 ml/min
8/4/2026 9:14 AM	45:00	7.207 pH	13.44 °C	614.7 µS/cm	0.404 mg/L	0.000 NTU	-72.6 mV	18.64 ft	250.0 ml/min
8/4/2026 9:19 AM	50:00	7.214 pH	13.39 °C	615.6 µS/cm	0.363 mg/L	0.000 NTU	-75.3 mV	18.64 ft	250.0 ml/min
8/4/2026 9:24 AM	55:00	7.218 pH	13.37 °C	616.9 µS/cm	0.365 mg/L	0.000 NTU	-77.7 mV	18.64 ft	250.0 ml/min

Samples

Sample ID:	Description:

ATR-MW36(92.4)-G080426	Sample collected at 0925 for VOCs

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/3/2026 2:20:50 PM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-37(23.3) **Latitude: 39.62838434** **Longitude: -84.23597521** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 17 ft** **Total Depth: 22.22 ft** **Initial Depth to Water: 10.2 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 19 ft** **Estimated Total Volume Pumped: 4250 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 220 ml/min** **Final Draw Down: 0.05 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
80F, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/3/2026 2:20 PM	00:00	7.346 pH	16.90 °C	625.5 µS/cm	0.900 mg/L	150.1 NTU	96.3 mV	10.20 ft	190.0 ml/min
8/3/2026 2:25 PM	05:00	7.286 pH	15.77 °C	623.6 µS/cm	0.166 mg/L	46.61 NTU	35.6 mV	10.25 ft	220.0 ml/min
8/3/2026 2:30 PM	10:00	7.277 pH	15.47 °C	616.7 µS/cm	0.171 mg/L	24.37 NTU	20.1 mV	10.25 ft	220.0 ml/min
8/3/2026 2:35 PM	15:00	7.269 pH	15.44 °C	604.6 µS/cm	0.192 mg/L	11.40 NTU	15.0 mV	10.25 ft	220.0 ml/min
8/3/2026 2:40 PM	20:00	7.266 pH	15.45 °C	601.2 µS/cm	0.213 mg/L	9.706 NTU	11.1 mV	10.25 ft	220.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-37(23.3)-G080326	Sample collected at 1445 for VOCs.

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/3/2026 1:29:14 PM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-37(70) **Latitude: 39.62838447** **Longitude: -84.23597507** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 65 ft** **Total Depth: 70.54 ft** **Initial Depth to Water: 8.22 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 67 ft** **Estimated Total Volume Pumped: 5700 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 190 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
79F, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/3/2026 1:29 PM	00:00	7.738 pH	19.84 °C	741.7 µS/cm	8.002 mg/L	0.735 NTU	2.7 mV	8.220 ft	190.0 ml/min
8/3/2026 1:34 PM	05:00	7.288 pH	16.48 °C	750.6 µS/cm	3.597 mg/L	0.000 NTU	86.4 mV	8.220 ft	190.0 ml/min
8/3/2026 1:39 PM	10:00	7.257 pH	15.77 °C	757.3 µS/cm	3.849 mg/L	0.000 NTU	107.3 mV	8.220 ft	190.0 ml/min
8/3/2026 1:44 PM	15:00	7.252 pH	15.58 °C	760.9 µS/cm	3.864 mg/L	0.000 NTU	119.2 mV	8.220 ft	190.0 ml/min
8/3/2026 1:49 PM	20:00	7.259 pH	15.66 °C	761.3 µS/cm	3.923 mg/L	0.000 NTU	126.2 mV	8.220 ft	190.0 ml/min
8/3/2026 1:54 PM	25:00	7.271 pH	15.68 °C	760.8 µS/cm	3.948 mg/L	0.000 NTU	131.6 mV	8.220 ft	190.0 ml/min
8/3/2026 1:59 PM	30:00	7.275 pH	15.38 °C	760.8 µS/cm	3.943 mg/L	0.000 NTU	136.0 mV	8.220 ft	190.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-37(70)-G080326	Sample collected at 1405 for VOCs.

Low-Flow Test Report:

Test Date / Time: 8/3/2026 12:39:57 PM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-37(98) **Latitude: 39.62839138** **Longitude: -84.23601892** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 92 ft** **Total Depth: 97.07 ft** **Initial Depth to Water: 8.22 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 9 ft** **Estimated Total Volume Pumped: 7350 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 280 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
77F, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.2	+/- 0.5	+/- 3 %	+/- 0.2	+/- 10	+/- 20	+/- 5	
8/3/2026 12:39 PM	00:00	7.204 pH	15.64 °C	677.8 µS/cm	0.603 mg/L	18.44 NTU	11.9 mV	8.220 ft	350.0 ml/min
8/3/2026 12:44 PM	05:00	7.243 pH	14.80 °C	681.6 µS/cm	0.299 mg/L	2.528 NTU	-22.4 mV	8.220 ft	280.0 ml/min
8/3/2026 12:49 PM	10:00	7.228 pH	14.88 °C	681.6 µS/cm	0.131 mg/L	0.229 NTU	-36.5 mV	8.220 ft	280.0 ml/min
8/3/2026 12:54 PM	15:00	7.228 pH	14.87 °C	681.6 µS/cm	0.105 mg/L	0.000 NTU	-50.0 mV	8.220 ft	280.0 ml/min
8/3/2026 12:59 PM	20:00	7.227 pH	14.97 °C	681.7 µS/cm	0.091 mg/L	0.000 NTU	-56.7 mV	8.220 ft	280.0 ml/min
8/3/2026 1:04 PM	25:00	7.228 pH	14.83 °C	681.8 µS/cm	0.079 mg/L	0.000 NTU	-57.8 mV	8.220 ft	280.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-37(98)-G080326	Sample collected at 1310 for VOCs.

Low-Flow Test Report:

Test Date / Time: 8/3/2026 12:34:58 PM
Project: Textron (68)
Operator Name: Dornbusch

Location Name: ATRMW-38(69.9) **Latitude: 39.6283881** **Longitude: -84.2359641** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 64 ft** **Total Depth: 69.55 ft** **Initial Depth to Water: 7.71 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 66 ft** **Estimated Total Volume Pumped: 5000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0.03 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.2	+/- 0.5	+/- 3 %	+/- 0.2	+/- 10	+/- 20	+/- 5	
8/3/2026 12:34 PM	00:00	6.436 pH	33.07 °C	0.048 µS/cm	7.438 mg/L	0.032 NTU	228.4 mV	7.710 ft	250.0 ml/min
8/3/2026 12:39 PM	05:00	7.119 pH	15.02 °C	612.5 µS/cm	0.150 mg/L	0.905 NTU	-69.8 mV	7.740 ft	250.0 ml/min
8/3/2026 12:44 PM	10:00	7.286 pH	14.13 °C	610.5 µS/cm	0.030 mg/L	0.000 NTU	-109.8 mV	7.740 ft	250.0 ml/min
8/3/2026 12:49 PM	15:00	7.284 pH	13.91 °C	610.4 µS/cm	0.010 mg/L	0.000 NTU	-122.1 mV	7.740 ft	250.0 ml/min
8/3/2026 12:54 PM	20:00	7.270 pH	14.29 °C	611.6 µS/cm	0.008 mg/L	0.000 NTU	-128.4 mV	7.740 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW38(69.9)-G080326 & ATR-MW38(69.9)-G080326R	Sample collected at 1258 for VOC 's

Low-Flow Test Report:

Test Date / Time: 8/3/2026 1:14:56 PM
Project: Textron (69)
Operator Name: Dornbusch

Location Name: ATRMW-38(29.1) **Latitude: 39.6283898** **Longitude: -84.2359638** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 23 ft** **Total Depth: 28.76 ft** **Initial Depth to Water: 8.09 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 26 ft** **Estimated Total Volume Pumped: 8750 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.2	+/- 0.5	+/- 3 %	+/- 0.2	+/- 10	+/- 20	+/- 5	
8/3/2026 1:14 PM	00:00	7.532 pH	16.98 °C	479.7 µS/cm	4.247 mg/L	16.30 NTU	69.8 mV	8.090 ft	250.0 ml/min
8/3/2026 1:19 PM	05:00	7.253 pH	14.07 °C	500.3 µS/cm	0.105 mg/L	4.727 NTU	56.4 mV	8.090 ft	250.0 ml/min
8/3/2026 1:24 PM	10:00	7.214 pH	13.87 °C	507.6 µS/cm	0.104 mg/L	3.640 NTU	52.2 mV	8.090 ft	250.0 ml/min
8/3/2026 1:29 PM	15:00	7.203 pH	14.01 °C	509.7 µS/cm	0.120 mg/L	7.471 NTU	47.4 mV	8.090 ft	250.0 ml/min
8/3/2026 1:34 PM	20:00	7.210 pH	14.00 °C	510.6 µS/cm	0.140 mg/L	8.705 NTU	40.1 mV	8.090 ft	250.0 ml/min
8/3/2026 1:39 PM	25:00	7.224 pH	13.86 °C	511.2 µS/cm	0.152 mg/L	9.860 NTU	32.5 mV	8.090 ft	250.0 ml/min
8/3/2026 1:44 PM	30:00	7.239 pH	14.09 °C	510.1 µS/cm	0.165 mg/L	10.34 NTU	27.3 mV	8.090 ft	250.0 ml/min
8/3/2026 1:49 PM	35:00	7.259 pH	14.08 °C	511.2 µS/cm	0.186 mg/L	10.05 NTU	27.1 mV	8.090 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW38(29.1)-G080326	Sample collected at 1350 for VOCs

Low-Flow Test Report:

Test Date / Time: 8/3/2026 2:03:59 PM
Project: Textron (70)
Operator Name: Dornbusch

Location Name: ATRMW-38(20.8) **Latitude: 39.62838453** **Longitude: -84.23597426** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 15 ft** **Total Depth: 20.42 ft** **Initial Depth to Water: 8.07 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 17.5 ft** **Estimated Total Volume Pumped: 10000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/3/2026 2:03 PM	00:00	7.339 pH	18.02 °C	460.2 µS/cm	1.974 mg/L	141.8 NTU	-106.0 mV	8.070 ft	250.0 ml/min
8/3/2026 2:08 PM	05:00	7.280 pH	14.58 °C	472.7 µS/cm	0.019 mg/L	107.4 NTU	-152.7 mV	8.070 ft	250.0 ml/min
8/3/2026 2:13 PM	10:00	7.280 pH	14.48 °C	472.6 µS/cm	0.008 mg/L	33.55 NTU	-140.6 mV	8.070 ft	250.0 ml/min
8/3/2026 2:18 PM	15:00	7.311 pH	14.30 °C	476.8 µS/cm	0.016 mg/L	26.64 NTU	-133.0 mV	8.070 ft	250.0 ml/min
8/3/2026 2:23 PM	20:00	7.378 pH	14.10 °C	471.5 µS/cm	0.023 mg/L	15.25 NTU	-133.6 mV	8.070 ft	250.0 ml/min
8/3/2026 2:28 PM	25:00	7.402 pH	13.86 °C	469.8 µS/cm	0.183 mg/L	35.65 NTU	-116.8 mV	8.070 ft	250.0 ml/min
8/3/2026 2:33 PM	30:00	7.403 pH	13.65 °C	470.0 µS/cm	0.221 mg/L	27.98 NTU	-112.7 mV	8.070 ft	250.0 ml/min
8/3/2026 2:38 PM	35:00	7.391 pH	13.93 °C	470.1 µS/cm	0.306 mg/L	30.45 NTU	-108.0 mV	8.070 ft	250.0 ml/min
8/3/2026 2:43 PM	40:00	7.403 pH	13.78 °C	469.7 µS/cm	0.336 mg/L	29.89 NTU	-106.6 mV	8.070 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW38(20.8)-G080326	Sample collected at 1445 for VOCs

Low-Flow Test Report:

Test Date / Time: 8/3/2026 4:30:46 PM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-39(13) **Latitude: 39.62838474** **Longitude: -84.23597308** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 11 ft** **Total Depth: 16.43 ft** **Initial Depth to Water: 5.11 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 14 ft** **Estimated Total Volume Pumped: 7500 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0.21 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
81F, cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/3/2026 4:30 PM	00:00	7.149 pH	18.70 °C	858.0 µS/cm	2.370 mg/L	12.97 NTU	37.7 mV	5.110 ft	250.0 ml/min
8/3/2026 4:35 PM	05:00	7.073 pH	16.64 °C	867.5 µS/cm	0.111 mg/L	1.478 NTU	62.1 mV	5.310 ft	250.0 ml/min
8/3/2026 4:40 PM	10:00	7.072 pH	16.09 °C	864.9 µS/cm	0.101 mg/L	4.705 NTU	70.5 mV	5.310 ft	250.0 ml/min
8/3/2026 4:45 PM	15:00	7.076 pH	15.76 °C	929.0 µS/cm	0.167 mg/L	24.75 NTU	76.0 mV	5.410 ft	250.0 ml/min
8/3/2026 4:50 PM	20:00	7.077 pH	15.79 °C	924.5 µS/cm	0.086 mg/L	0.861 NTU	87.4 mV	5.410 ft	250.0 ml/min
8/3/2026 4:55 PM	25:00	7.082 pH	15.59 °C	925.7 µS/cm	0.090 mg/L	1.388 NTU	88.3 mV	5.320 ft	250.0 ml/min
8/3/2026 5:00 PM	30:00	7.083 pH	15.74 °C	924.2 µS/cm	0.081 mg/L	2.309 NTU	90.1 mV	5.320 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-39(13)-G080326	Sample collected at 1710 for VOCs.
ATR-MW-39(13)-G080326MS	Sample collected at 1710 for VOCs.

ATR-MW-39(13)-G080326MSD	Sample collected at 1710 for VOCs.

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/3/2026 3:10:50 PM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-39(29.3) **Latitude: 39.62838486** **Longitude: -84.23597283** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 27 ft** **Total Depth: 32.57 ft** **Initial Depth to Water: 4.87 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 30 ft** **Estimated Total Volume Pumped: 14400 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 240 ml/min** **Final Draw Down: 0.12 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
80F, mostly cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/3/2026 3:10 PM	00:00	7.358 pH	19.62 °C	676.3 µS/cm	4.805 mg/L	98.85 NTU	22.9 mV	4.870 ft	240.0 ml/min
8/3/2026 3:15 PM	05:00	7.085 pH	16.56 °C	680.1 µS/cm	0.970 mg/L	105.8 NTU	-35.9 mV	4.870 ft	240.0 ml/min
8/3/2026 3:20 PM	10:00	7.103 pH	15.96 °C	682.4 µS/cm	1.673 mg/L	57.33 NTU	-35.1 mV	4.870 ft	240.0 ml/min
8/3/2026 3:25 PM	15:00	7.127 pH	15.65 °C	670.1 µS/cm	1.977 mg/L	59.62 NTU	-36.8 mV	4.970 ft	240.0 ml/min
8/3/2026 3:30 PM	20:00	7.147 pH	15.25 °C	785.2 µS/cm	2.258 mg/L	54.29 NTU	-37.4 mV	4.970 ft	240.0 ml/min
8/3/2026 3:35 PM	25:00	7.240 pH	15.65 °C	781.6 µS/cm	3.015 mg/L	24.68 NTU	-44.1 mV	4.970 ft	240.0 ml/min
8/3/2026 3:40 PM	30:00	7.231 pH	15.29 °C	786.7 µS/cm	2.474 mg/L	20.58 NTU	-47.5 mV	4.970 ft	240.0 ml/min
8/3/2026 3:45 PM	35:00	7.248 pH	14.82 °C	788.9 µS/cm	2.508 mg/L	39.69 NTU	-47.8 mV	4.970 ft	240.0 ml/min
8/3/2026 3:50 PM	40:00	7.258 pH	14.83 °C	791.7 µS/cm	2.499 mg/L	43.62 NTU	-48.4 mV	4.970 ft	240.0 ml/min
8/3/2026 3:55 PM	45:00	7.279 pH	15.08 °C	796.3 µS/cm	2.574 mg/L	27.44 NTU	-50.3 mV	4.990 ft	240.0 ml/min
8/3/2026 4:00 PM	50:00	7.293 pH	14.87 °C	799.4 µS/cm	2.400 mg/L	37.36 NTU	-52.3 mV	4.990 ft	240.0 ml/min
8/3/2026 4:05 PM	55:00	7.308 pH	14.80 °C	801.7 µS/cm	2.387 mg/L	45.37 NTU	-53.0 mV	4.990 ft	240.0 ml/min
8/3/2026 4:10 PM	01:00:00	7.323 pH	15.10 °C	797.1 µS/cm	2.208 mg/L	8.467 NTU	-55.1 mV	4.990 ft	240.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-39(29.3)-G080326	Sample collected at 1620 for VOCs.

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/4/2026 3:39:13 PM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-48(159) **Latitude: 39.6283866** **Longitude: -84.2359633** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 148 ft** **Total Depth: 158.73 ft** **Initial Depth to Water: 29.42 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 153 ft** **Estimated Total Volume Pumped: 10400 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 260 ml/min** **Final Draw Down: 0.36 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
81F, mostly cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/4/2026 3:39 PM	00:00	7.455 pH	16.16 °C	586.0 µS/cm	1.793 mg/L	0.088 NTU	86.0 mV	29.42 ft	260.0 ml/min
8/4/2026 3:44 PM	05:00	7.247 pH	14.94 °C	587.7 µS/cm	1.273 mg/L	0.000 NTU	95.3 mV	29.42 ft	260.0 ml/min
8/4/2026 3:49 PM	10:00	7.255 pH	14.60 °C	589.7 µS/cm	0.912 mg/L	2.442 NTU	95.6 mV	29.42 ft	260.0 ml/min
8/4/2026 3:54 PM	15:00	7.263 pH	14.23 °C	589.3 µS/cm	0.568 mg/L	0.000 NTU	10.2 mV	29.42 ft	260.0 ml/min
8/4/2026 3:59 PM	20:00	7.263 pH	14.17 °C	585.8 µS/cm	0.205 mg/L	0.000 NTU	-78.6 mV	29.78 ft	260.0 ml/min
8/4/2026 4:04 PM	25:00	7.293 pH	13.88 °C	581.4 µS/cm	0.166 mg/L	0.000 NTU	-96.3 mV	29.78 ft	260.0 ml/min
8/4/2026 4:09 PM	30:00	7.315 pH	14.06 °C	579.3 µS/cm	0.151 mg/L	0.000 NTU	-103.1 mV	29.78 ft	260.0 ml/min
8/4/2026 4:14 PM	35:00	7.337 pH	14.06 °C	578.8 µS/cm	0.138 mg/L	0.000 NTU	-107.2 mV	29.78 ft	260.0 ml/min
8/4/2026 4:19 PM	40:00	7.369 pH	14.15 °C	578.5 µS/cm	0.139 mg/L	0.000 NTU	-109.9 mV	29.78 ft	260.0 ml/min

Samples

Sample ID:	Description:

ATR-MW-48(159)-G080426	Sample collected at 1625 for VOCs.
ATR-EB002-080426	Sample collected at 1645 for VOCs.

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/4/2026 11:32:09 AM
Project: Textron (68)
Operator Name: Fick

Location Name: ATRMW-50(45) **Latitude: 39.6283888** **Longitude: -84.2359661** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 39.5 ft** **Total Depth: 45.05 ft** **Initial Depth to Water: 9.44 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 40 ft** **Estimated Total Volume Pumped: 6000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 240 ml/min** **Final Draw Down: -0.04 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
77F, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/4/2026 11:32 AM	00:00	7.510 pH	15.89 °C	643.8 µS/cm	8.510 mg/L	2.406 NTU	16.7 mV	9.440 ft	240.0 ml/min
8/4/2026 11:37 AM	05:00	7.251 pH	14.77 °C	691.1 µS/cm	1.070 mg/L	1.851 NTU	-51.9 mV	9.440 ft	240.0 ml/min
8/4/2026 11:42 AM	10:00	7.236 pH	14.51 °C	691.8 µS/cm	0.263 mg/L	0.000 NTU	-66.6 mV	9.400 ft	240.0 ml/min
8/4/2026 11:47 AM	15:00	7.241 pH	14.43 °C	690.1 µS/cm	0.202 mg/L	0.000 NTU	-71.7 mV	9.400 ft	240.0 ml/min
8/4/2026 11:52 AM	20:00	7.254 pH	14.61 °C	684.4 µS/cm	0.165 mg/L	0.000 NTU	-76.9 mV	9.400 ft	240.0 ml/min
8/4/2026 11:57 AM	25:00	7.267 pH	14.61 °C	680.7 µS/cm	0.145 mg/L	0.000 NTU	-80.1 mV	9.400 ft	240.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-50(45)-G080426	Sample collected at 1205 for VOCs.

Low-Flow Test Report:

Test Date / Time: 8/4/2026 10:33:04 AM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-50(80) **Latitude: 39.6283794** **Longitude: -84.2359651** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 60 ft** **Total Depth: 79.75 ft** **Initial Depth to Water: 10.3 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 74 ft** **Estimated Total Volume Pumped: 8200 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 240 ml/min** **Final Draw Down: 0.06 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
75F, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/4/2026 10:33 AM	00:00	7.275 pH	21.78 °C	540.9 µS/cm	1.851 mg/L	3.844 NTU	-34.4 mV	10.30 ft	200.0 ml/min
8/4/2026 10:38 AM	05:00	7.397 pH	15.96 °C	586.4 µS/cm	0.277 mg/L	0.000 NTU	-148.8 mV	10.30 ft	240.0 ml/min
8/4/2026 10:43 AM	10:00	7.329 pH	15.23 °C	613.5 µS/cm	0.216 mg/L	0.000 NTU	-130.6 mV	10.36 ft	240.0 ml/min
8/4/2026 10:48 AM	15:00	7.167 pH	14.86 °C	661.8 µS/cm	0.104 mg/L	0.000 NTU	-80.1 mV	10.36 ft	240.0 ml/min
8/4/2026 10:53 AM	20:00	7.139 pH	14.68 °C	671.7 µS/cm	0.082 mg/L	0.300 NTU	-64.3 mV	10.36 ft	240.0 ml/min
8/4/2026 10:58 AM	25:00	7.121 pH	14.65 °C	673.7 µS/cm	0.076 mg/L	2.124 NTU	-57.2 mV	10.36 ft	240.0 ml/min
8/4/2026 11:03 AM	30:00	7.121 pH	14.38 °C	677.9 µS/cm	0.074 mg/L	0.889 NTU	-53.5 mV	10.36 ft	240.0 ml/min
8/4/2026 11:08 AM	35:00	7.123 pH	14.30 °C	678.8 µS/cm	0.072 mg/L	0.000 NTU	-51.5 mV	10.36 ft	240.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-50(80)-G080426	Sample collected at 1115 for VOCs.

Low-Flow Test Report:

Test Date / Time: 8/4/2026 9:30:28 AM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-51(25) **Latitude: 39.6283881** **Longitude: -84.2359683** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 18.5 ft** **Total Depth: 24.75 ft** **Initial Depth to Water: 4.11 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 20 ft** **Estimated Total Volume Pumped: 5000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: -0.06 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
63F, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/4/2026 9:30 AM	00:00	7.302 pH	17.65 °C	582.8 µS/cm	2.013 mg/L	25.16 NTU	-88.2 mV	4.110 ft	250.0 ml/min
8/4/2026 9:35 AM	05:00	7.270 pH	16.82 °C	583.6 µS/cm	0.237 mg/L	0.000 NTU	-97.3 mV	4.110 ft	250.0 ml/min
8/4/2026 9:40 AM	10:00	7.276 pH	16.62 °C	583.7 µS/cm	0.178 mg/L	0.000 NTU	-98.8 mV	4.050 ft	250.0 ml/min
8/4/2026 9:45 AM	15:00	7.280 pH	16.48 °C	584.5 µS/cm	0.167 mg/L	0.000 NTU	-98.4 mV	4.050 ft	250.0 ml/min
8/4/2026 9:50 AM	20:00	7.281 pH	16.56 °C	584.7 µS/cm	0.173 mg/L	0.000 NTU	-97.5 mV	4.050 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-51(25)-G080426	Sample collected at 0955 for VOCs.

Low-Flow Test Report:

Test Date / Time: 8/4/2026 8:35:51 AM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-51(70) **Latitude: 39.62838458** **Longitude: -84.23597395** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 59 ft** **Total Depth: 69.66 ft** **Initial Depth to Water: 4.13 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 64 ft** **Estimated Total Volume Pumped: 6600 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 220 ml/min** **Final Draw Down: -0.07 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
63F, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/4/2026 8:35 AM	00:00	7.674 pH	16.76 °C	535.8 µS/cm	8.396 mg/L	1.272 NTU	237.2 mV	4.130 ft	220.0 ml/min
8/4/2026 8:40 AM	05:00	7.308 pH	15.85 °C	577.4 µS/cm	0.408 mg/L	0.116 NTU	-9.0 mV	4.130 ft	220.0 ml/min
8/4/2026 8:45 AM	10:00	7.317 pH	15.63 °C	591.3 µS/cm	0.188 mg/L	0.000 NTU	-64.5 mV	4.130 ft	220.0 ml/min
8/4/2026 8:50 AM	15:00	7.333 pH	15.50 °C	594.2 µS/cm	0.154 mg/L	0.000 NTU	-79.7 mV	4.130 ft	220.0 ml/min
8/4/2026 8:55 AM	20:00	7.341 pH	15.59 °C	595.9 µS/cm	0.129 mg/L	0.000 NTU	-85.9 mV	4.060 ft	220.0 ml/min
8/4/2026 9:00 AM	25:00	7.348 pH	15.74 °C	597.0 µS/cm	0.114 mg/L	0.000 NTU	-90.1 mV	4.060 ft	220.0 ml/min
8/4/2026 9:05 AM	30:00	7.355 pH	15.85 °C	597.8 µS/cm	0.102 mg/L	0.000 NTU	-92.1 mV	4.060 ft	220.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-51(70)-G080426	Sample collected at 0910 for VOCs.

Low-Flow Test Report:

Test Date / Time: 8/6/2026 7:59:51 AM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-52(55) **Latitude: 39.62838448** **Longitude: -84.23597371** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 44 ft** **Total Depth: 54.65 ft** **Initial Depth to Water: 17.03 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 49 ft** **Estimated Total Volume Pumped: 5300 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 220 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
67F, cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/6/2026 7:59 AM	00:00	7.243 pH	19.56 °C	140.1 µS/cm	7.659 mg/L	8.586 NTU	194.2 mV	17.03 ft	180.0 ml/min
8/6/2026 8:04 AM	05:00	6.721 pH	16.84 °C	237.6 µS/cm	2.361 mg/L	5.508 NTU	207.5 mV	17.03 ft	220.0 ml/min
8/6/2026 8:09 AM	10:00	7.122 pH	15.80 °C	788.6 µS/cm	0.832 mg/L	3.736 NTU	-52.9 mV	17.03 ft	220.0 ml/min
8/6/2026 8:14 AM	15:00	7.171 pH	15.64 °C	827.1 µS/cm	1.027 mg/L	1.191 NTU	-68.0 mV	17.03 ft	220.0 ml/min
8/6/2026 8:19 AM	20:00	7.203 pH	15.62 °C	831.7 µS/cm	1.154 mg/L	0.999 NTU	-70.4 mV	17.03 ft	220.0 ml/min
8/6/2026 8:24 AM	25:00	7.227 pH	15.48 °C	834.3 µS/cm	0.986 mg/L	0.647 NTU	-72.1 mV	17.03 ft	220.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-52(55)-G080626	Sample collected at 0830 for VOCs.
ATR-MW-52(55)-G080626MS	Sample collected at 0830 for VOCs.
ATR-MW-52(55)-G080626MSD	Sample collected at 0830 for VOCs.

ATR-EB004-080626	Sample collected at 0850 for VOCs.

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/5/2026 2:14:03 PM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-57(38) **Latitude: 39.6283864** **Longitude: -84.2359598** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 27 ft** **Total Depth: 37.54 ft** **Initial Depth to Water: 11.23 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 32 ft** **Estimated Total Volume Pumped: 6600 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 220 ml/min** **Final Draw Down: -0.04 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
83F, mostly cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/5/2026 2:14 PM	00:00	7.093 pH	20.16 °C	690.4 µS/cm	5.806 mg/L	4.484 NTU	118.2 mV	11.23 ft	220.0 ml/min
8/5/2026 2:19 PM	05:00	6.745 pH	16.38 °C	1,008 µS/cm	0.466 mg/L	1.404 NTU	120.8 mV	11.23 ft	220.0 ml/min
8/5/2026 2:24 PM	10:00	6.749 pH	16.52 °C	1,030 µS/cm	0.182 mg/L	0.882 NTU	106.0 mV	11.23 ft	220.0 ml/min
8/5/2026 2:29 PM	15:00	6.763 pH	16.26 °C	1,023 µS/cm	0.140 mg/L	0.540 NTU	78.2 mV	11.19 ft	220.0 ml/min
8/5/2026 2:34 PM	20:00	6.785 pH	15.81 °C	1,018 µS/cm	0.120 mg/L	0.546 NTU	60.6 mV	11.19 ft	220.0 ml/min
8/5/2026 2:39 PM	25:00	6.798 pH	15.96 °C	1,017 µS/cm	0.118 mg/L	0.655 NTU	61.6 mV	11.19 ft	220.0 ml/min
8/5/2026 2:44 PM	30:00	6.821 pH	15.68 °C	1,014 µS/cm	0.108 mg/L	0.184 NTU	65.3 mV	11.19 ft	220.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-57(38)-G080526	Sample collected at 1450 for VOCs.

Low-Flow Test Report:

Test Date / Time: 8/6/2026 7:58:05 AM
Project: Textron (89)
Operator Name: Dornbusch

Location Name: ATRMW-59(46) **Latitude: 39.6283913** **Longitude: -84.235964** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 41 ft** **Total Depth: 46.13 ft** **Initial Depth to Water: 17.01 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 43 ft** **Estimated Total Volume Pumped: 5000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/6/2026 7:58 AM	00:00	7.478 pH	18.35 °C	380.1 µS/cm	4.609 mg/L	128.6 NTU	-55.0 mV	17.01 ft	250.0 ml/min
8/6/2026 8:03 AM	05:00	7.514 pH	15.67 °C	379.4 µS/cm	0.220 mg/L	7.785 NTU	-145.4 mV	17.01 ft	250.0 ml/min
8/6/2026 8:08 AM	10:00	7.533 pH	15.53 °C	388.6 µS/cm	0.127 mg/L	2.662 NTU	-153.3 mV	17.01 ft	250.0 ml/min
8/6/2026 8:13 AM	15:00	7.545 pH	15.32 °C	396.1 µS/cm	0.115 mg/L	0.000 NTU	-155.1 mV	17.01 ft	250.0 ml/min
8/6/2026 8:18 AM	20:00	7.569 pH	15.43 °C	399.7 µS/cm	0.116 mg/L	0.000 NTU	-157.3 mV	17.01 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW59(46)-G080626	Sample collected at 0820 for VOCs

Low-Flow Test Report:

Test Date / Time: 8/5/2026 3:20:59 PM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-60(38) **Latitude: 39.62838464** **Longitude: -84.23597698** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 32 ft** **Total Depth: 37.97 ft** **Initial Depth to Water: 16.06 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 35 ft** **Estimated Total Volume Pumped: 7000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 200 ml/min** **Final Draw Down: -0.08 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Weather Conditions:
83F, cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/5/2026 3:20 PM	00:00	7.501 pH	22.92 °C	243.5 µS/cm	4.174 mg/L	8.036 NTU	-137.0 mV	16.06 ft	200.0 ml/min
8/5/2026 3:25 PM	05:00	7.253 pH	17.09 °C	218.6 µS/cm	0.512 mg/L	1.987 NTU	-125.8 mV	16.06 ft	200.0 ml/min
8/5/2026 3:30 PM	10:00	7.338 pH	16.72 °C	241.8 µS/cm	0.368 mg/L	1.290 NTU	-131.3 mV	15.98 ft	200.0 ml/min
8/5/2026 3:35 PM	15:00	7.399 pH	16.57 °C	285.2 µS/cm	0.424 mg/L	0.821 NTU	-133.6 mV	15.98 ft	200.0 ml/min
8/5/2026 3:40 PM	20:00	7.453 pH	16.52 °C	309.6 µS/cm	0.539 mg/L	0.522 NTU	-132.9 mV	15.98 ft	200.0 ml/min
8/5/2026 3:45 PM	25:00	7.475 pH	16.10 °C	316.3 µS/cm	0.628 mg/L	1.120 NTU	-130.3 mV	15.98 ft	200.0 ml/min
8/5/2026 3:50 PM	30:00	7.489 pH	16.00 °C	321.0 µS/cm	0.652 mg/L	1.440 NTU	-129.5 mV	15.98 ft	200.0 ml/min
8/5/2026 3:55 PM	35:00	7.503 pH	16.10 °C	321.4 µS/cm	0.651 mg/L	1.368 NTU	-129.8 mV	15.98 ft	200.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-60(38)-G080526	Sample collected at 1600 for VOCs.

ATR-MW-60(38)-G080526R	Sample collected at 1600 for VOCs.

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/6/2026 9:12:39 AM
Project: Textron (90)
Operator Name: Dornbusch

Location Name: ATRMW-67(30) **Latitude: 39.62832584** **Longitude: -84.23598506** **Well Diameter: 1.5 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 25 ft** **Total Depth: 30.27 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 43 ft** **Estimated Total Volume Pumped: 3750 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/6/2026 9:12 AM	00:00	6.663 pH	18.22 °C	1,666 µS/cm	6.229 mg/L	112.7 NTU	-51.5 mV		250.0 ml/min
8/6/2026 9:17 AM	05:00	7.069 pH	19.27 °C	2.584 µS/cm	8.942 mg/L	1,378 NTU	-100.5 mV		250.0 ml/min
8/6/2026 9:22 AM	10:00	6.657 pH	16.75 °C	1,061 µS/cm	3.545 mg/L	575.3 NTU	-69.2 mV		250.0 ml/min
8/6/2026 9:27 AM	15:00	6.623 pH	16.69 °C	1,002 µS/cm	2.973 mg/L	1,250 NTU	-68.7 mV		250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW67(30)-G080626	Sample collected at 0930 for VOCs

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/6/2026 9:09:18 AM
Project: Textron
Operator Name: Fick

Location Name: ATRMW-71(33) **Latitude: 39.628383** **Longitude: -84.2359696** **Well Diameter: 1.5 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 27 ft** **Total Depth: 32.76 ft** **Initial Depth to Water: 27.02 ft**	**Pump Type: Bailer** **Tubing Type: HDPE** **Pump Intake From TOC: 32 ft** **Estimated Total Volume Pumped: 4858.333 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1034890**

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10 %	+/- 10	+/- 5	
8/6/2026 9:09 AM	00:00	7.285 pH	22.80 °C	9.548 µS/cm	8.493 mg/L	0.146 NTU	50.1 mV	27.02 ft	250.0 ml/min
8/6/2026 9:14 AM	05:00	6.747 pH	17.40 °C	888.0 µS/cm	3.800 mg/L	455.2 NTU	-98.0 mV	27.02 ft	250.0 ml/min
8/6/2026 9:19 AM	10:00	7.118 pH	19.08 °C	3.404 µS/cm	9.067 mg/L	0.000 NTU	-48.9 mV	27.02 ft	250.0 ml/min
8/6/2026 9:20 AM	11:07	6.806 pH	16.79 °C	849.0 µS/cm	6.573 mg/L	1,041 NTU	-87.1 mV	27.02 ft	250.0 ml/min
8/6/2026 9:25 AM	16:07	7.363 pH	18.37 °C	19.09 µS/cm	9.207 mg/L	18.85 NTU	-60.6 mV	27.02 ft	250.0 ml/min
8/6/2026 9:28 AM	19:26	6.880 pH	16.68 °C	843.5 µS/cm	6.854 mg/L	1,362 NTU	-93.5 mV	27.02 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-MW-71(33)-G080626	Sample collected at 0935 for VOCs.

Low-Flow Test Report:

Test Date / Time: 8/5/2026 9:55:12 AM
Project: Textron (82)
Operator Name: Dornbusch

Location Name: ATROW-6(63) **Latitude: 39.62838495** **Longitude: -84.23599538** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 57 ft** **Total Depth: 62.62 ft** **Initial Depth to Water: 10.81 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 59 ft** **Estimated Total Volume Pumped: 5000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/5/2026 9:55 AM	00:00	7.297 pH	15.68 °C	533.0 µS/cm	2.780 mg/L	0.000 NTU	-105.0 mV	10.81 ft	250.0 ml/min
8/5/2026 10:00 AM	05:00	7.300 pH	14.24 °C	532.1 µS/cm	0.130 mg/L	0.000 NTU	-124.0 mV	10.81 ft	250.0 ml/min
8/5/2026 10:05 AM	10:00	7.306 pH	14.23 °C	526.5 µS/cm	0.103 mg/L	0.000 NTU	-126.7 mV	10.81 ft	250.0 ml/min
8/5/2026 10:10 AM	15:00	7.319 pH	14.29 °C	527.9 µS/cm	0.098 mg/L	0.000 NTU	-128.6 mV	10.81 ft	250.0 ml/min
8/5/2026 10:15 AM	20:00	7.322 pH	14.30 °C	524.0 µS/cm	0.093 mg/L	0.000 NTU	-129.4 mV	10.81 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-OW6(63)-G080526	Sample collected at 1016 for VOCs

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 8/5/2026 10:30:17 AM
Project: Textron (83)
Operator Name: Dornbusch

Location Name: ATROW-6(38) **Latitude: 39.62838114** **Longitude: -84.23599582** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 32 ft** **Total Depth: 37.9 ft** **Initial Depth to Water: 11.28 ft**	**Pump Type: Bladder** **Tubing Type: HDPE** **Pump Intake From TOC: 34.5 ft** **Estimated Total Volume Pumped: 5000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 250 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1270671**

Test Notes:
X

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 0.2	+/- 10	+/- 10	+/- 5	
8/5/2026 10:30 AM	00:00	7.250 pH	17.57 °C	529.2 µS/cm	1.675 mg/L	239.7 NTU	-92.1 mV	11.28 ft	250.0 ml/min
8/5/2026 10:35 AM	05:00	7.275 pH	15.16 °C	547.9 µS/cm	0.396 mg/L	351.7 NTU	-101.3 mV	11.28 ft	250.0 ml/min
8/5/2026 10:40 AM	10:00	7.303 pH	15.14 °C	551.4 µS/cm	0.282 mg/L	0.000 NTU	-110.0 mV	11.28 ft	250.0 ml/min
8/5/2026 10:45 AM	15:00	7.317 pH	15.12 °C	553.6 µS/cm	0.295 mg/L	0.000 NTU	-113.3 mV	11.28 ft	250.0 ml/min
8/5/2026 10:50 AM	20:00	7.319 pH	15.13 °C	554.8 µS/cm	0.329 mg/L	0.000 NTU	-113.8 mV	11.28 ft	250.0 ml/min

Samples

Sample ID:	Description:
ATR-OW6(38)-G080526	Sample collected at 1053 Equipment blank collected after deconning

Created using VuSitu from In-Situ, Inc.

Appendix B Laboratory Reports

August 17, 2026

Russell Dornbusch
WSP USA
521 Byers Road
Suite 204
Miamisburg, OH 45342

Date Received: **08/06/2026**
Work Order: **HN2613678**

Re: **US0041841 Textron**

Dear Russell,

Enclosed are the results of the sample(s) submitted to our laboratory.

The analytical data provided relates directly to the samples received by ALS Environmental - Holland and for only the analyses requested.

Sample results are compliant with industry accepted practices and Quality Control results achieved laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to contact me:
ADDRESS: 3352 128th Avenue, Holland, MI, USA PHONE: +1 (616) 399-6070 FAX: +1 (616) 399-6185

Jodi Blouw
/S/ JODI BLOUW

Project Manager

Client: WSP USA **Work Order:** HN2613678

Project: US0041841 Textron **Date Received:** 06-Aug-2026

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt

56 groundwater samples were received for analysis at ALS Environmental on 06-Aug-2026. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Organics

EPA 8260D-FULL HN-W

Run ID: 4387335

•The MSD recovery was above the upper control limit. The corresponding result in the parent sample was non-detect, therefore no qualification is necessary: Chloroethane (Ethyl chloride), Vinyl chloride (Chloroethene)

•The LCS recovery was above the upper control limit. All the sample results in the batch were non-detect. No qualification is necessary for this analyte: See QC report

•The MS recovery was above the upper control limit. The corresponding result in the parent sample was non-detect, therefore no qualification is necessary: Chloroethane (Ethyl chloride), Vinyl chloride (Chloroethene)

•The Continuing Calibration Verification did not meet acceptance criteria with high bias, however, the sample results were non-detect for the following analytes: Chloroethane (Ethyl chloride), Methyl bromide (Bromomethane), Methyl chloride (Chloromethane), Vinyl chloride (Chloroethene)

Run ID: 4387154

•The LCS recovery was above the upper control limit. All the sample results in the batch were non-detect. No qualification is necessary for this analyte: Methyl chloride (Chloromethane)

Run ID: 4382907

•The Continuing Calibration Verification did not meet acceptance criteria with high bias, however, the sample results were non-detect for the following analytes: Chloroethane (Ethyl chloride), Methyl bromide (Bromomethane)

•The LCS recovery was above the upper control limit. All the sample results in the batch were non-detect. No qualification is necessary for this analyte: See QC report

Run ID: 4392014

•The MS recovery was above the upper control limit. The corresponding result in the parent sample may be biased high for this analyte: Vinyl chloride (Chloroethene)

•The MSD recovery was above the upper control limit. The corresponding result in the parent sample may be biased high for this analyte: Vinyl chloride (Chloroethene)

Run ID: 4389462

•The MS recovery was above the upper control limit. The corresponding result in the parent sample was non-detect, therefore no qualification is necessary: Chloroethane (Ethyl chloride), Methyl bromide (Bromomethane)
•Matrix spike duplicate value was outside upper limit of calibration. Processed at equivalent dilution level as the parent: Chloroethane (Ethyl chloride), Methyl bromide (Bromomethane)
•The LCS recovery was above the upper control limit. All the sample results in the batch were non-detect. No qualification is necessary for this analyte: See QC list
•Matrix spike value was outside upper limit of calibration. Processed at equivalent dilution level as the parent: Chloroethane (Ethyl chloride), Methyl bromide (Bromomethane)
•The MSD recovery was above the upper control limit. The corresponding result in the parent sample was non-detect, therefore no qualification is necessary: See QC list
•The Continuing Calibration Verification did not meet acceptance criteria with high bias, however, the sample results were non-detect for the following analytes: Carbon tetrachloride, Chloroethane (Ethyl chloride), Methyl bromide (Bromomethane), Trichloroethene (Trichloroethylene)

Run ID: 4388405

•The Continuing Calibration Verification did not meet acceptance criteria with high bias, however, the sample results were non-detect for the following analytes: Chloroethane (Ethyl chloride), Methyl bromide (Bromomethane)
•The MS recovery was above the upper control limit. The corresponding result in the parent sample was non-detect, therefore no qualification is necessary: Chloroethane (Ethyl chloride), Methyl bromide (Bromomethane)
•The Continuing Calibration Verification did not meet acceptance criteria with low bias. Instrument sensitivity was verified as sufficient through the analysis of a low-level standard. The following non-detects are reported without qualification:: 2-Butanone (Methyl ethyl ketone, MEK), 4-Methyl-2-pentanone (MIBK)
•The MSD recovery was outside of the control limit. However, the MS recovery and the RPD between the MS and MSD was in control. No qualification is required for this analyte: 1,1,1-Trichloroethane
•The LCS recovery was above the upper control limit. All the sample results in the batch were non-detect. No qualification is necessary for this analyte: Chloroethane (Ethyl chloride), Methyl chloride (Chloromethane), Vinyl chloride (Chloroethene)
•Matrix spike duplicate value was outside upper limit of calibration. Processed at equivalent dilution level as the parent: Chloroethane (Ethyl chloride), Methyl bromide (Bromomethane)
•The MSD recovery was above the upper control limit. The corresponding result in the parent sample was non-detect, therefore no qualification is necessary: Chloroethane (Ethyl chloride), Methyl bromide (Bromomethane)
•Matrix spike value was outside upper limit of calibration. Processed at equivalent dilution level as the parent: Chloroethane (Ethyl chloride), Methyl bromide (Bromomethane)
•HN2613678-009: The reporting limit is elevated due to high concentrations of target analyte(s).

Run ID: 4384820

•The Continuing Calibration Verification did not meet acceptance criteria with low bias. Instrument sensitivity was verified as sufficient through the analysis of a low-level standard. The following non-detects are reported without qualification: Chloroethane (Ethyl chloride), Methyl bromide (Bromomethane)
•The following analytes failed calibration refit conditions. All samples in this batch were non-detect. No qualification is necessary for these analytes: Chloroethane, methyl bromide
•The MSD recovery was above the upper control limit. The corresponding result in the parent sample was non-detect, therefore no qualification is necessary. see qc report
•The LCS recovery was above the upper control limit. All the sample results in the batch were non-detect. No qualification is necessary for this analyte: see qc report

SAMPLE DETECTION SUMMARY

This form includes only detections above the limits as presented.

For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: ATR-MW17-G080526			Lab ID: HN2613678-003		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
cis-1,2-Dichloroethylene	5.88		1.00	µg/L	EPA 8260D
Trichloroethene (Trichloroethylene)	7.12		1.00	µg/L	EPA 8260D

CLIENT ID: ATR-MW25(82)-G080526			Lab ID: HN2613678-004		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
cis-1,2-Dichloroethylene	2.12		1.00	µg/L	EPA 8260D
Vinyl chloride (Chloroethene)	4.88		1.00	µg/L	EPA 8260D

CLIENT ID: ATR-MW20(51)-G080526			Lab ID: HN2613678-005		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
Vinyl chloride (Chloroethene)	2.61		1.00	µg/L	EPA 8260D

CLIENT ID: ATR-MW1-G080526			Lab ID: HN2613678-006		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
Chlorobenzene	7.05		1.00	µg/L	EPA 8260D

CLIENT ID: ATR-MW59(46)-G080626			Lab ID: HN2613678-009		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
1,1-Dichloroethylene	104		100	µg/L	EPA 8260D
cis-1,2-Dichloroethylene	9290		200	µg/L	EPA 8260D
Trichloroethene (Trichloroethylene)	1440		100	µg/L	EPA 8260D
Vinyl chloride (Chloroethene)	5350		200	µg/L	EPA 8260D

CLIENT ID: ATR-MW38(69.9)-G080326			Lab ID: HN2613678-011		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
Vinyl chloride (Chloroethene)	5.27		1.00	µg/L	EPA 8260D

CLIENT ID: ATR-MW38(69.9)-G080326R			Lab ID: HN2613678-012		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
Vinyl chloride (Chloroethene)	6.33		1.00	µg/L	EPA 8260D

CLIENT ID: ATR-MW35(90)-G080326			Lab ID: HN2613678-016		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
Vinyl chloride (Chloroethene)	6.67		1.00	µg/L	EPA 8260D

CLIENT ID: ATR-MW34(85)-G080426			Lab ID: HN2613678-020		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
cis-1,2-Dichloroethylene	2.55		1.00	µg/L	EPA 8260D
Trichloroethene (Trichloroethylene)	11.6		1.00	µg/L	EPA 8260D

CLIENT ID: ATR-MW31(98.5)-G080426			Lab ID: HN2613678-022		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
Vinyl chloride (Chloroethene)	5.27		1.00	µg/L	EPA 8260D

SAMPLE DETECTION SUMMARY

This form includes only detections above the limits as presented.

For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: ATR-MW31(98.5)-G080426R			Lab ID: HN2613678-023		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
Vinyl chloride (Chloroethene)	4.82		1.00	µg/L	EPA 8260D

CLIENT ID: ATR-MW37(70)-G080326			Lab ID: HN2613678-030		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
cis-1,2-Dichloroethylene	1.51		1.00	µg/L	EPA 8260D
Trichloroethene (Trichloroethylene)	1.68		1.00	µg/L	EPA 8260D

CLIENT ID: ATR-MW51(70)-G080426			Lab ID: HN2613678-034		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
Vinyl chloride (Chloroethene)	1.09		1.00	µg/L	EPA 8260D

CLIENT ID: ATR-MW27(53.05)-G080526			Lab ID: HN2613678-036		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
Trichloroethene (Trichloroethylene)	1.65		1.00	µg/L	EPA 8260D

CLIENT ID: ATR-MW19(53)-G080526			Lab ID: HN2613678-038		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
cis-1,2-Dichloroethylene	18.2		1.00	µg/L	EPA 8260D
Vinyl chloride (Chloroethene)	15.5		1.00	µg/L	EPA 8260D

CLIENT ID: ATR-MW57(38)-G080526			Lab ID: HN2613678-039		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
cis-1,2-Dichloroethylene	3.15		1.00	µg/L	EPA 8260D
Trichloroethene (Trichloroethylene)	2.39		1.00	µg/L	EPA 8260D

CLIENT ID: ATR-MW60(38)-G080526			Lab ID: HN2613678-040		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
1,1-Dichloroethylene	1.06	S	1.00	µg/L	EPA 8260D
cis-1,2-Dichloroethylene	226		10.0	µg/L	EPA 8260D
Vinyl chloride (Chloroethene)	276		10.0	µg/L	EPA 8260D

CLIENT ID: ATR-MW60(38)-G080526R			Lab ID: HN2613678-041		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
1,1-Dichloroethylene	1.22	S	1.00	µg/L	EPA 8260D
cis-1,2-Dichloroethylene	206		10.0	µg/L	EPA 8260D
Vinyl chloride (Chloroethene)	246	S	10.0	µg/L	EPA 8260D

CLIENT ID: ATR-MW32(89)-G080426			Lab ID: HN2613678-046		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
Vinyl chloride (Chloroethene)	13.2		1.00	µg/L	EPA 8260D

CLIENT ID: ATR-MW32(24.1)-G080426			Lab ID: HN2613678-047		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
cis-1,2-Dichloroethylene	1.50		1.00	µg/L	EPA 8260D

SAMPLE DETECTION SUMMARY

This form includes only detections above the limits as presented.

For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: ATR-MW30(41.1)-G080426			Lab ID: HN2613678-048		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
cis-1,2-Dichloroethylene	20.7		1.00	µg/L	EPA 8260D
Trichloroethene (Trichloroethylene)	11.6		1.00	µg/L	EPA 8260D
Vinyl chloride (Chloroethene)	10.4		1.00	µg/L	EPA 8260D

CLIENT ID: ATR-MW48(158)-G080426			Lab ID: HN2613678-049		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
Vinyl chloride (Chloroethene)	7.56		1.00	µg/L	EPA 8260D

CLIENT ID: ATR-MW27(104.2)-G080526			Lab ID: HN2613678-052		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
cis-1,2-Dichloroethylene	6.89		1.00	µg/L	EPA 8260D

CLIENT ID: ATR-MW27(75.4)-G080526			Lab ID: HN2613678-053		
Analyte	**Results**	**Flag**	**MRL**	**Units**	**Method**
cis-1,2-Dichloroethylene	8.65		1.00	µg/L	EPA 8260D
Trichloroethene (Trichloroethylene)	7.38		1.00	µg/L	EPA 8260D
Vinyl chloride (Chloroethene)	4.47		1.00	µg/L	EPA 8260D

SAMPLE SUMMARY

Client: WSP USA
Project: US0041841 Textron
Workorder: HN2613678

Laboratory Sample ID	Client Sample ID	Sample Matrix	Collection Date	Date Received
HN2613678-001	ATR-OW6(38)-G080526	GROUNDWATER	08/05/26 10:53	08/06/26 12:45
HN2613678-002	ATR-EB003-G080526	GROUNDWATER	08/05/26 11:02	08/06/26 12:45
HN2613678-003	ATR-MW17-G080526	GROUNDWATER	08/05/26 11:45	08/06/26 12:45
HN2613678-004	ATR-MW25(82)-G080526	GROUNDWATER	08/05/26 12:42	08/06/26 12:45
HN2613678-005	ATR-MW20(51)-G080526	GROUNDWATER	08/05/26 13:48	08/06/26 12:45
HN2613678-006	ATR-MW1-G080526	GROUNDWATER	08/05/26 14:38	08/06/26 12:45
HN2613678-007	ATR-MW3-G080526	GROUNDWATER	08/05/26 16:24	08/06/26 12:45
HN2613678-008	ATR-FB001-G080526	GROUNDWATER	08/05/26 16:30	08/06/26 12:45
HN2613678-009	ATR-MW59(46)-G080626	GROUNDWATER	08/06/26 08:20	08/06/26 12:45
HN2613678-010	ATR-TB001-G080626	GROUNDWATER	08/06/26 08:00	08/06/26 12:45
HN2613678-011	ATR-MW38(69.9)-G080326	GROUNDWATER	08/03/26 12:58	08/06/26 12:45
HN2613678-012	ATR-MW38(69.9)-G080326R	GROUNDWATER	08/03/26 12:58	08/06/26 12:45
HN2613678-013	ATR-MW38(29.1)-G080326	GROUNDWATER	08/03/26 13:50	08/06/26 12:45
HN2613678-014	ATR-MW38(20.8)-G080326	GROUNDWATER	08/03/26 14:45	08/06/26 12:45
HN2613678-015	ATR-EB001-G080326	GROUNDWATER	08/03/26 14:55	08/06/26 12:45
HN2613678-016	ATR-MW35(90)-G080326	GROUNDWATER	08/03/26 16:05	08/06/26 12:45
HN2613678-017	ATR-MW35(45)-G080326	GROUNDWATER	08/03/26 16:52	08/06/26 12:45
HN2613678-018	ATR-MW36(92.4)-G080426	GROUNDWATER	08/04/26 09:25	08/06/26 12:45
HN2613678-019	ATR-MW36(35.2)-G080426	GROUNDWATER	08/04/26 10:01	08/06/26 12:45
HN2613678-020	ATR-MW34(85)-G080426	GROUNDWATER	08/04/26 10:45	08/06/26 12:45
HN2613678-021	ATR-MW34(37)-G080426	GROUNDWATER	08/04/26 11:20	08/06/26 12:45
HN2613678-022	ATR-MW31(98.5)-G080426	GROUNDWATER	08/04/26 12:24	08/06/26 12:45
HN2613678-023	ATR-MW31(98.5)-G080426R	GROUNDWATER	08/04/26 12:24	08/06/26 12:45
HN2613678-024	ATR-MW31(55.5)-G080426	GROUNDWATER	08/04/26 13:10	08/06/26 12:45
HN2613678-025	ATR-MW31(30.9)-G080426	GROUNDWATER	08/05/26 13:53	08/06/26 12:45
HN2613678-026	ATR-MW29(103.3)-G080526	GROUNDWATER	08/05/26 08:36	08/06/26 12:45
HN2613678-027	ATR-MW29(82.5)-G080526	GROUNDWATER	08/05/26 09:32	08/06/26 12:45
HN2613678-028	ATR-OW6(63)-G080526	GROUNDWATER	08/05/26 10:16	08/06/26 12:45
HN2613678-029	ATR-MW37(98)-G080326	GROUNDWATER	08/03/26 13:10	08/06/26 12:45
HN2613678-030	ATR-MW37(70)-G080326	GROUNDWATER	08/03/26 14:05	08/06/26 12:45
HN2613678-031	ATR-MW37(23.3)-G080326	GROUNDWATER	08/03/26 14:45	08/06/26 12:45
HN2613678-032	ATR-MW39(29.3)-G080326	GROUNDWATER	08/03/26 16:20	08/06/26 12:45
HN2613678-033	ATR-MW39(13)-G080326	GROUNDWATER	08/03/26 17:10	08/06/26 12:45
HN2613678-034	ATR-MW51(70)-G080426	GROUNDWATER	08/04/26 09:10	08/06/26 12:45

SAMPLE SUMMARY

Client: WSP USA
Project: US0041841 Textron
Workorder: HN2613678

Laboratory Sample ID	Client Sample ID	Sample Matrix	Collection Date	Date Received
HN2613678-035	ATR-MW51(25)-G080426	GROUNDWATER	08/04/26 09:55	08/06/26 12:45
HN2613678-036	ATR-MW27(53.05)-G080526	GROUNDWATER	08/05/26 11:30	08/06/26 12:45
HN2613678-037	ATR-MW27(18)-G080526	GROUNDWATER	08/05/26 12:45	08/06/26 12:45
HN2613678-038	ATR-MW19(53)-G080526	GROUNDWATER	08/05/26 13:40	08/06/26 12:45
HN2613678-039	ATR-MW57(38)-G080526	GROUNDWATER	08/05/26 14:50	08/06/26 12:45
HN2613678-040	ATR-MW60(38)-G080526	GROUNDWATER	08/05/26 16:00	08/06/26 12:45
HN2613678-041	ATR-MW60(38)-G080526R	GROUNDWATER	08/05/26 16:00	08/06/26 12:45
HN2613678-042	ATR-MW52(55)-G080626	GROUNDWATER	08/06/26 08:30	08/06/26 12:45
HN2613678-043	ATR-EB004-G080626	GROUNDWATER	08/06/26 08:30	08/06/26 12:45
HN2613678-044	ATR-MW50(80)-G080426	GROUNDWATER	08/04/26 11:15	08/06/26 12:45
HN2613678-045	ATR-MW50(45)-G080426	GROUNDWATER	08/04/26 12:05	08/06/26 12:45
HN2613678-046	ATR-MW32(89)-G080426	GROUNDWATER	08/04/26 13:00	08/06/26 12:45
HN2613678-047	ATR-MW32(24.1)-G080426	GROUNDWATER	08/04/26 14:00	08/06/26 12:45
HN2613678-048	ATR-MW30(41.1)-G080426	GROUNDWATER	08/04/26 15:10	08/06/26 12:45
HN2613678-049	ATR-MW48(158)-G080426	GROUNDWATER	08/04/26 16:25	08/06/26 12:45
HN2613678-050	ATR-EB002-G080426	GROUNDWATER	08/04/26 16:45	08/06/26 12:45
HN2613678-051	ATR-MW27(135)-G080526	GROUNDWATER	08/05/26 08:45	08/06/26 12:45
HN2613678-052	ATR-MW27(104.2)-G080526	GROUNDWATER	08/05/26 09:30	08/06/26 12:45
HN2613678-053	ATR-MW27(75.4)-G080526	GROUNDWATER	08/05/26 10:15	08/06/26 12:45
HN2613678-054	ATR-TB002-G080626	GROUNDWATER	08/06/26 08:00	08/06/26 12:45
HN2613678-055	ATR-MW67(30)-G080626	GROUNDWATER	08/06/26 09:30	08/06/26 12:45
HN2613678-056	ATR-MW71(33)-G080626	GROUNDWATER	08/05/26 09:35	08/06/26 12:45

Chain of Custody Form

Page 1 of 7

ALS Environmental
3352 128th Avenue
Holland, Michigan 49424
(Tel) 616.399.6070
(Fax) 616.399.6185

ALS Project Manager:		ALS Work Order #:	

Customer Information		Project Information		Parameter/Method Request for Analysis	
Purchase Order	P1637654S001	Project Name	Textron Rochester IN	A	VOCs-8260
Work Order		Project Number	US002118411	B	
Company Name	WSP USA INC	Bill To Company		C	
Send Report To	Russell Dornbusch	Invoice Attn.		D	
Address	521 Byers Rd Suite 204	Address		E	
				F	
City/State/Zip	Miamisburg Ohio 45342	City/State/Zip		G	
Phone	(937) 859-3600	Phone		H	
Fax		Fax		I	
e-Mail Address	Russell.Dornbusch@WSP.com			J	

Environmental Division
Holland
Work Order Reference
HN2613678

Telephone : +1 616 399 6070

No.	Sample Description	Date	Time	Matrix	Pres. Key Numbers	# Bottles	A	B	C	I	J	Hold
	ATR-OW16(38)-G080526	8/5/26	1053	GW	1,7,8	3	X					
	ATR-EB003-080526	8/5/26	1102	Lab	1,7,8	3	X					
	ATR-MW17-G080526	8/5/26	1145	GW	1,7,8	3	X					
	ATR-MW25(82)-G080526	8/5/26	1242	GW	1,7,8	3	X					
	ATR-MW20(51)-G080526	8/5/26	1348	GW	1,7,8	3	X					
	ATR-MW1-G080526	8/5/26	1438	GW	1,7,8	3	X					
	ATR-MW3-G080526	8/5/26	1624	GW	1,7,8	3	X					
	ATR-FB001-080526	8/5/26	1630	Lab	1,7,8	3	X					
	ATR-MW35(46)-G080626	8/6/26	0820	GW	1,7,8	3	X					
	ATR-TB001-080626	8/6/26	0800	Lab	1,7,8	3	X					

Sampler(s): Please Print & Sign: Derek Dornbusch

Shipment Method:

Turnaround Time: (Business Days) ☐ 10 BD ☐ 5 BD ☐ 3 BD ☐ 2 BD ☐ 1 BD ☐ Other

Results Due Date:

Relinquished by:	Date:	Time:	Received by:	Date:	Time:
	8/6/26	1101		8/6/26	1101
Relinquished by:	Date:	Time:	Received by (Laboratory):	Date:	Time:
	8/6/26		BH	8/6/26	1245
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):		
BH	8/6/26	1450			

Notes:

ALS Cooler ID	Cooler Temp

QC Package: (Check Box Below)
- ☑ Level II: Standard QC
- ☐ Level III: Raw Data
- ☐ TRRP LRC
- ☐ TRRP Level IV
- ☐ Level IV: SW846 Methods/CLP like
- ☐ Other:

Preservative Key: 1-HCl 2-HNO_3 3-H_2SO_4 4-NaOH 5-$Na_2S_2O_3$ 6-$NaHSO_4$ 7-Other 8-4°C

Note: Any changes must be made in writing once samples and COC Form have been submitted to ALS.

Copyright 2016 by ALS Environmental

Chain of Custody Form

Page 2 of 7

☑ ALS Environmental
3352 128th Avenue
Holland, Michigan 49424
(Tel) 616.399.6070
(Fax) 616.399.6185

ALS Project Manager:		ALS Work Order #:	

Customer Information		Project Information		Parameter/Method Request for Analysis	
Purchase Order	PI63765450O1	Project Name	Textron Rochester IN	A	VOC's - 8260
Work Order		Project Number	115004841.	B	
Company Name	WSP USA INC	Bill To Company		C	
Send Report To	Russell.Dornbusch	Invoice Attn.		D	
Address	521 Byers Rd Ste 204	Address		E	
				F	
City/State/Zip	Miamisburg Ohio 45342	City/State/Zip		G	
Phone	(937) 859-3200	Phone		H	
Fax		Fax		I	
e-Mail Address	Russell.Dornbusch@WSP.com			J	

No.	Sample Description	Date	Time	Matrix	Pres. Key Numbers	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
	ATR-MW38(69.9)-G080326	8/3/26	1258	GW	1,7,8	3	X										
	ATR-MW38(69.9)-G080326R	8/3/26	1258	GW	1,7,8	3	X										
	ATR-MW38(25.1)-G080326	8/3/26	1350	GW	1,7,8	3	X										
	ATR-MW38(20.8)-G080326	8/3/26	1445	GW	1,7,8	3	X										
	ATR-EB001-080326	8/3/26	1455	Lab	1,7,8	3	X										
	ATR-MW35(90)-G080326	8/3/26	1605	GW	1,7,8	3	X										
	ATR-MW35(45)-G080326	8/3/26	1652	GW	1,7,8	3	X										
	ATR-MW36(92.4)-G080426	8/4/26	0925	GW	1,7,8	3	X										
	ATR-MW36(35.2)-G080426	8/4/26	1001	GW	1,7,8	3	X										
	ATR-MW34(85)-G080426	8/4/26	1045	GW	1,7,8	3	X										

Sampler(s): Please Print & Sign	Shipment Method:	Turnaround Time: (Business Days)	Results Due Date:
Russell Dornbusch		☐ 10 BD ☐ 5 BD ☐ 3 BD ☐ 2 BD ☐ 1 BD ☐ Other	

Relinquished by:	Date:	Time:	Received by:	Date:	Time:	Notes:
	8/6/26	1101		8.6.26	1101	
Relinquished by:	Date:	Time:	Received by (Laboratory):	Date:	Time:	
	8.6.26		BHazzard	8/6/26	1245	
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):			
BH	8/6/26	1450				

ALS Cooler ID	Cooler Temp	QC Package: (Check Box Below)	
		☑ Level II: Standard QC	☐ Level III: Raw Data
		☐ TRRP LRC	☐ TRRP Level IV
		☐ Level IV: SW846 Methods/CLP like	
		☐ Other:	

ative Key: 1-HCl 2-HNO_3 3-H_2SO_4 4-NaOH 5-$Na_2S_2O_3$ 6-$NaHSO_4$ 7-Other 8-4°C

Note: Any changes must be made in writing once samples and COC Form have been submitted to ALS.

Copyright 2016 by ALS Environmental

Chain of Custody Form

Page 3 of 7

☑ ALS Environmental
3352 128th Avenue
Holland, Michigan 49424
(Tel) 616.399.6070
(Fax) 616.399.6185

ALS Project Manager:		ALS Work Order #:	

Customer Information		Project Information		Parameter/Method Request for Analysis	
Purchase Order	P163765US001	Project Name	Textron Rochester IN	A	VOCs - 8260
Work Order		Project Number	US0041841	B	
Company Name	WSP USA INC	Bill To Company		C	
Send Report To	Russell Dornbusch	Invoice Attn.		D	
Address	521 Byers Rd Suite 204	Address		E	
				F	
City/State/Zip	Miamisburg Ohio 45342	City/State/Zip		G	
Phone	(937) 859-3600	Phone		H	
Fax		Fax		I	
e-Mail Address	Russell.Dornbusch@wsp.com			J	

No.	Sample Description	Date	Time	Matrix	Pres. Key Numbers	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
	ATR-MW34(37)-G080426	8/4/26	1120	GW	1,7,8	3	X										
	ATR-MW31(98.5)-G080426	8/4/26	1224	GW	1,7,8	3	X										
	ATR-MW31(98.5)-G080426R	8/4/26	1224	GW	1,7,8	3	X										
	ATR-MW31(55.5)-G080426	8/4/26	1310	GW	1,7,8	3	X										
	ATR-MW31(30.5)-G080426	8/4/26	1353	GW	1,7,8	3	X										
	ATR-MW31(30.5)-G080426MS	8/4/26	1353	GW	1,7,8	3	X	Perform				MS					
	ATR-MW31(30.5)-G080426MSD	8/4/26	1353	GW	1,7,8	3	X	Perform				MSD					
	ATR-MW29(103.3)-G080526	8/5/26	0836	GW	1,7,8	3	X										
	ATR-MW29(82.5)-G080526	8/5/26	0932	GW	1,7,8	3	X										
	ATR-DW6(63)-G080526	8/5/26	1016	GW	1,7,8	3	X										

Sampler(s): Please Print & Sign
Gerald L. Dornbusch

Shipment Method:

Turnaround Time: (Business Days)
☐ 10 BD ☐ 5 BD ☐ 3 BD ☐ 2 BD ☐ 1 BD ☐ Other _____

Results Due Date:

Relinquished by:	Date:	Time:	Received by:	Date:	Time:
	8/6/26	1101		8.6.26	1101
Relinquished by:	Date:	Time:	Received by (Laboratory):	Date:	Time:
	8.6.26			8/6/26	1245
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):		
BH	8/6/26	1450			

Notes:

ALS Cooler ID	Cooler Temp

QC Package: (Check Box Below)
☑ Level II: Standard QC ☐ Level III: Raw Data
☐ TRRP LRC ☐ TRRP Level IV
☐ Level IV: SW846 Methods/CLP like
☐ Other: _____

Preservative Key: 1-HCl 2-HNO_3 3-H_2SO_4 4-NaOH 5-$Na_2S_2O_3$ 6-$NaHSO_4$ 7-Other 8-4°C

Note: Any changes must be made in writing once samples and COC Form have been submitted to ALS.

Copyright 2016 by ALS Environmental

Alliance TECHNICAL GROUP

3310 Win Street
Cuyahoga Falls, Ohio 44223
(330) 253-8211

Analysis Request / Chain of Custody

https://www.alliancetg.com/services/environmental
https://settek.com/

LAB WO NO.:	For Alliance Technical Group, LLC-Akron use only

Client Name: WSP USA INC	Project Identification: Textron Rochester IN
Client Street Address: 521 Byers Road Suite 204	Project Street Address:
City: Miamisburg State: Ohio Zip: 45342	City State Zip
Client Phone: (937) 859-3600	Report To
Contact Person: Russell.Dornbusch	PO #: P163765US001 Quote Number
Client Email Address: Russell.Dornbusch@WSP.com	PWS ID Facility ID
Sampled By (Print Name and Provide Signature) Print: Kevin Fick Sign:	Reporting/Accreditation Requirements: Ohio VAP Ohio EPA Pb, Cu Drinking Water Compliance BUSTR
For DW only, results to be reported to state by lab? If yes, lab fee may apply: Y N	Other Compliance (List State/ Program):

Matrix: S = Solid, SL = Sludge, L = Liquid, O = Oil, A = Air, NPW = Non-Potable Water, DW = Drinking Water

Preservation: 1) HNO3; 2) H2SO4; 3) HCl; 4) Zinc Acetate; 5) NaOH; 6) EDA; 7) none; 8) other (specify in comments)

Analytical Parameters and Methods Requested

#	Sample Point ID	Sample Identification	Date Collected	Time Collected	Grab Sample	Composite Sample	Matrix	Preservation	Number of Containers per Sample	VOCs										For DW Only: Special Compliance or Routine (S/R)
		ATR-MW-37(98)-G0803260	8/13/26	1310	x		NPW	3	3	3										
		ATR-MW-37(70)-G0803260	8/13/26	1405	x		NPW	3	3	3										
		ATR-MW-37(23.3)-G0803260	8/13/26	1445	x		NPW	3	3	3										
		ATR-MW-39(29.3)-G0803260	8/13/26	1620	x		NPW	3	3	3										
—	———	~~ATR-MW-39(83)~~ ~~ATR-MW-13~~	—	—	—	—	—	—	—	-										
		ATR-MW-39(13)-G0803260	8/13/26	1710	x		NPW	3	3	3										
		ATR-MW-39(13)-G0803260MS	8/13/26	1710	x		NPW	3	3	3	Perform MS									
		ATR-MW-39(13)-G0803260MSD	8/13/26	1710	x		NPW	3	3	3	Perform MSD									
		ATR-MW-51(70)-G0804260	8/14/26	0910	x		NPW	3	3	3										
		ATR-MW-51(25)-G0804260	8/14/26	0955	x		NPW	3	3	3										

Relinquished by:	Date	Time	Received by:	Date	Time
	8/16/26	1101		8.16.26	1101
	8.16.26			8/16/26	1245

Notes / Comments: Logged BH 8/16/26 1450

Sufficient volume for analysis? YES NO

Cooler? YES NO N/A

Received at ATG-Akron by:	Date	Time	Carrier

RUSH Requested: ____Day(s) Please provide advanced notice of rush requests whenever possible.

Receipt Temperature: °C

Cooler Seals? INTACT NOT INTACT N/A

Sample Seals? INTACT NOT INTACT N/A

Ice Present? YES NO MELTED N/A

Alliance TECHNICAL GROUP

3310 Win Street
Cuyahoga Falls, Ohio 44223
(330) 253-8211

Analysis Request / Chain of Custody

https://www.alliancetg.com/services/environmental

https://settek.com/

LAB WO NO.:	For Alliance Technical Group, LLC-Akron use only

Client Name: WSP USA INC	Project Identification: Exhaust Rochester IN
Client Street Address: 521 Byers Rd Suite 204	Project Street Address:
City: Miamisburg State: Ohio Zip: 45342	City State Zip
Client Phone: (937) 859-3600	Report To
Contact Person: Russell Dornbusch	PO #: P1637654500 / Quote Number
Client Email Address: Russell.Dornbusch@WSP.com	PWS ID / Facility ID
Sampled By (Print Name and Provide Signature) Print: Kevin Fick Sign:	Reporting/Accreditation Requirements: Ohio VAP; Ohio EPA Pb, Cu; Drinking Water Compliance; BUSTR
For DW only, results to be reported to state by lab? If yes, lab fee may apply: Y N	Other Compliance (List State/ Program):

Analytical Parameters and Methods Requested

#	Sample Point ID	Sample Identification	Date Collected	Time Collected	Grab Sample	Composite Sample	Matrix: S = Solid, SL = Sludge, L = Liquid, O = Oil, A = Air, NPW = Non-Potable Water, DW = Drinking Water	Preservation: 1) HNO3; 2) H2SO4; 3) HCl; 4) Zinc Acetate; 5) NaOH; 6) EDA; 7) none; 8) other (specify in comments)	Number of Containers per Sample	VOCs									For DW Only: Special Compliance or Routine (S/R)
		ATR-MW-27(53.05)-G0805260	8/5/26	1130	x		NPW	3	3	3										
		ATR-MW-27(18)-G0805260	8/5/26	1245	x		NPW	3	3	3										
		ATR-MW-19(53)-G0805260	8/5/26	1340	x		NPW	3	3	3										
		ATR-MW-57(38)-G0805260	8/5/26	1450	x		NPW	3	3	3										
		ATR-MW-60(38)-G0805260	8/5/26	1600	x		NPW	3	3	3										
		ATR-MW-60(38)-G0805260R	8/5/26	1600	x		NPW	3	3	3										
		ATR-MW-52(55)-G0806260	8/6/26	0830	x		NPW	3	3	3										
		ATR-MW-52(55)-G0806260MS	8/6/26	0830	x		NPW	3	3	3	Perform MS									
		ATR-MW-52(55)-G0806260MSD	8/6/26	0830	x		NPW	3	3	3	Perform MSD									
		ATR-EB004-0806260	8/6/26	0850	x		NPW	3	3	3										

Relinquished by:	Date	Time	Received by:	Date	Time
	8/6/26	1101		8/6/26	1101
	8/6/26		Bradley H	8/6/26	1245

Notes / Comments: Logged BH 8/6/26 1450

Sufficient volume for analysis? YES NO

Cooler? YES NO N/A

Received at ATG-Akron by:	Date	Time	Carrier

RUSH Requested: ____ Day(s) Please provide advanced notice of rush requests whenever possible.

Receipt Temperature: °C

Cooler Seals? INTACT NOT INTACT N/A

Sample Seals? INTACT NOT INTACT N/A

Ice Present? YES NO MELTED N/A

Alliance TECHNICAL GROUP

3310 Win Street
Cuyahoga Falls, Ohio 44223
(330) 253-8211

Analysis Request / Chain of Custody

https://www.alliancetg.com/services/environmental

https://settek.com/

LAB WO NO.:	For Alliance Technical Group, LLC-Akron use only

Client Name: WSP USA INC	Project Identification: Textron Rochester IN
Client Street Address: 524 Byers Road Suite 204	Project Street Address:
City: Miamisburg State: Ohio Zip: 45342	City State Zip
Client Phone: (937) 859-3600	Report To:
Contact Person: Russell Dornbusch	PO#: P1637655USC01 Quote Number:
Client Email Address: Russell.Dornbusch@WSP.com	PWS ID: Facility ID:
Sampled By (Print Name and Provide Signature) Print: Kevin Fick Sign:	Reporting/Accreditation Requirements: Ohio VAP; Ohio EPA Pb, Cu; Drinking Water Compliance; BUSTR
For DW only, results to be reported to state by lab? If yes, lab fee may apply: Y N	Other Compliance (List State/ Program):

Matrix: S = Solid, SL = Sludge, L = Liquid, O = Oil, A = Air, NPW = Non-Potable Water, DW = Drinking Water

Preservation: 1) HNO3; 2) H2SO4; 3) HCl; 4) Zinc Acetate; 5) NaOH; 6) EDA; 7) none; 8) other (specify in comments)

Analytical Parameters and Methods Requested

#	Sample Point ID	Sample Identification	Date Collected	Time Collected	Grab Sample	Composite Sample	Matrix	Preservation	Number of Containers per Sample	VOCs									For DW Only: Special Compliance or Routine (S/R)
		ATR-MW-50(80)-G0804260	8/4/26	1115	x		NPW	3	3	3									
		ATR-MW-50(45)-G0804260	8/4/26	1205	x		NPW	3	3	3									
		ATR-MW-32(89)-G0804260	8/4/26	1300	x		NPW	3	3	3									
		ATR-MW-32(24.1)-G0804260	8/4/26	1400	x		NPW	3	3	3									
		ATR-MW-30(41.1)-G0804260	8/4/26	1510	x		NPW	3	3	3									
		ATR-MW-48(159)-G0804260	8/4/26	1625	x		NPW	3	3	3									
		ATR-EB002-0804260	8/4/26	1645	x		NPW	3	3	3									
		ATR-MW-27(135)-G0805260	8/5/26	0845	x		NPW	3	3	3									
		ATR-MW-27(104.2)-G0805260	8/5/26	0930	x		NPW	3	3	3									
		ATR-MW-27(75.4)-G0805260	8/5/26	1015	x		NPW	3	3	3									

Relinquished by:	Date	Time	Received by:	Date	Time
[signature]	8/6/26	1101	[signature]	8.6.26	1101
[signature]	8.6.26		[signature]	8/6/26	1245

Notes / Comments: Logged BH 8/6/26 1450

Sufficient volume for analysis? YES NO

Cooler? YES NO N/A

Received at ATG-Akron by:	Date	Time	Carrier

RUSH Requested: ____Day(s) Please provide advanced notice of rush requests whenever possible.

Receipt Temperature: °C

Cooler Seals? INTACT NOT INTACT N/A

Sample Seals? INTACT NOT INTACT N/A

Ice Present? YES NO MELTED N/A

Chain of Custody Form

Page 4 of 7

☑ ALS Environmental
3352 128th Avenue
Holland, Michigan 49424
(Tel) 616.399.6070
(Fax) 616.399.6185

ALS Project Manager:		ALS Work Order #:	

Customer Information		Project Information		Parameter/Method Request for Analysis	
Purchase Order	P1637605US001	Project Name	Texas Rockstar IN	A	VOC's - 8260
Work Order		Project Number	US004184	B	
Company Name	WSP USA INC	Bill To Company		C	
Send Report To	Russell Dornbusch	Invoice Attn.		D	
Address	521 Byers Rd Suite 204	Address		E	
				F	
City/State/Zip	Miamisburg OH 45342	City/State/Zip		G	
Phone	(937) 859-3600	Phone		H	
Fax		Fax		I	
e-Mail Address	Russell.Dornbusch@wsp.com			J	

No.	Sample Description	Date	Time	Matrix	Pres. Key Numbers	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
	ATR-TB002-08060624	8/6/24	0800	Lab	1,7,8	3	X										
	ATR-MW107(30)-60806062	8/6/24	0930	GW	1,7,8	3	X										
	ATR-MW171(33)-60806062	8/6/24	0935	GW	1,7,8	3	X										

Sampler(s): Please Print & Sign: Donald Dornbusch

Shipment Method:

Turnaround Time: (Business Days) ☐ 10 BD ☐ 5 BD ☐ 3 BD ☐ 2 BD ☐ 1 BD ☐ Other

Results Due Date:

Relinquished by:	Date:	Time:	Received by:	Date:	Time:	Notes:
	8/6/24	1101		8/6/24	1101	
Relinquished by:	Date:	Time:	Received by (Laboratory):	Date:	Time:	
	8/6/24	1245	Brittney Hansel	8/6/24	1245	
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):			
BH	8/6/24	1450				

ALS Cooler ID	Cooler Temp	QC Package: (Check Box Below)	
		☑ Level II: Standard QC	☐ Level III: Raw Data
		☐ TRRP LRC	☐ TRRP Level IV
		☐ Level IV: SW846 Methods/CLP like	
		☐ Other:	

Preservative Key: 1-HCl 2-HNO_3 3-H_2SO_4 4-NaOH 5-$Na_2S_2O_3$ 6-$NaHSO_4$ 7-Other 8-4°C

Note: Any changes must be made in writing once samples and COC Form have been submitted to ALS.

Copyright 2016 by ALS Environmental

ALS Holland
3352 128th Ave., Holland MI 49424

ALS Holland Sample Receiving Checklist

Received by:	BH
Date/Time:	8/6/26 1245
Carrier Name:	Client
Shipping container/cooler in good condition?	(Yes) / No / Not Present
Custody seals intact on shipping container/cooler?	(Yes) / No / Not Present
Custody seals intact on sample bottles?	Yes / No / (Not Present)
Chain of Custody present?	(Yes) / No
COC signed when relinquished and received?	(Yes) / No
COC agrees with sample labels?	(Yes) / No
Samples in proper container/bottle?	(Yes) / No
Sample containers intact?	(Yes) / No
Sufficient sample volume for indicated test?	(Yes) / No
All samples received within holding time?	(Yes) / No
Container/Temp Blank temperature in compliance?	(Yes) / No
Temperature(s) (°C):	1.9/1.9c ice cold
Thermometer(s):	IR9
Sample(s) received on ice?	(Yes) / No
Matrix/Matrices:	water
Cooler(s)/Kit(s):	2
Date/Time sample(s) sent to storage:	8/6/26 1450
Water – VOA vials have zero headspace?	(Yes) / No / No Vials
Water – pH acceptable upon receipt? *	Yes / No / (N/A)

*Volatile organics, oil and grease, LLHg and PFAS samples are not verified at time of sample receipt

pH strip lot #: _____ < 2 _____ > 12 _____ Other _____

pH adjusted (note adjustments below)?	Yes / No / (N/A)
pH adjusted by:	_____

Login Notes:

HN-SHT-160-R02, Sample Receipt Checklist

REPORT QUALIFIERS AND DEFINITIONS

*	Value exceeds Regulatory Limit (if MCL displayed)
a	Analyte is non-accredited
B	Analyte detected in the associated Method Blank above the Method criteria
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte is present at an estimated concentration between the MDL and Report Limit
NC	Not Calculated
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL
V	The Continuing Calibration Verification was outside of control criteria
X	Analyte was detected in the Method Blank between the MDL and Reporting Limit, sample results may exhibit background or reagent contamination at the observed level.

LABORATORY CERTIFICATIONS[1]

Agency	Type	ID	Issued	Expires
Colorado	UST		07/01/2025	06/30/2026
Connecticut	Drinking Water (Secondary)	PH-0155	12/10/2024	12/31/2026
Florida	NELAP (Primary)	E871106	07/01/2025	06/30/2026
Illinois	NELAP (Secondary)	200076	12/08/2025	12/31/2026
Indiana	Drinking Water (Secondary)	C-MI-08	12/31/2024	09/04/2026
Iowa	State Specific	403	09/01/2025	09/01/2027
Kansas	NELAP (Secondary)	E-10411	08/01/2025	07/31/2026
Kentucky	Waste Water	KY98004	1/1/2026	12/31/2026
Kentucky	UST	120474	07/07/2025	06/30/2026
Michigan	Drinking Water (Primary)	0022	12/19/2023	09/04/2026
Minnesota	NELAP (Secondary)	026-999-449	12/10/2025	12/31/2026
Missouri	Drinking Water (Secondary)	01262	11/14/2024	12/30/2027
New Jersey	NELAP (Secondary)	MI015	07/01/2025	6/30/2026
New York	NELAP (Secondary)	12128	04/01/2025	04/01/2026
North Dakota	State Specific	R-192	11/18/2024	06/30/2025
Ohio	Drinking Water (Secondary)	87783	06/26/2025	6/30/2026
Pennsylvania	NELAP (Secondary)	68-03827	11/25/2025	07/31/2026
Texas	NELAP (Secondary)	T104704494	02/01/2026	01/31/2027
USDA	Domestic CA	Soil-MI-007	02/06/2025	08/07/2026
USDA	Soil Import	525-23-62-77572R1	01/28/2026	03/03/2029
West Virginia	State Specific	355	06/07/2025	08/31/2026
Wisconsin	State Specific	399084510	08/08/2025	08/31/2026

1 – Scope available upon request

ANALYST SUMMARY

Client: WSP USA
Project: US0041841 Textron
Work Order: HN2613678

Sample Name: ATR-OW6(38)-G080526
Laboratory Code: HN2613678-001
Sample Matrix: GROUNDWATER
Date Collected: 08/05/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		001-AA	2765993		4388405	Quoc Nguyen

Sample Name: ATR-EB003-G080526
Laboratory Code: HN2613678-002
Sample Matrix: GROUNDWATER
Date Collected: 08/05/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		002-AA	2765993		4388405	Quoc Nguyen

Sample Name: ATR-MW17-G080526
Laboratory Code: HN2613678-003
Sample Matrix: GROUNDWATER
Date Collected: 08/05/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		003-AA	2765993		4388405	Quoc Nguyen

Sample Name: ATR-MW25(82)-G080526
Laboratory Code: HN2613678-004
Sample Matrix: GROUNDWATER
Date Collected: 08/05/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		004-AA	2765993		4388405	Quoc Nguyen
EPA 8260D		004-AA	2768194		4392014	Quoc Nguyen

ANALYST SUMMARY

Client: WSP USA
Project: US0041841 Textron
Work Order: HN2613678

Sample Name: ATR-MW20(51)-G080526
Laboratory Code: HN2613678-005
Sample Matrix: GROUNDWATER
Date Collected: 08/05/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		005-AA	2765993		4388405	Quoc Nguyen
EPA 8260D		005-AA	2772527		4398334	Kelsey Beaudette

Sample Name: ATR-MW1-G080526
Laboratory Code: HN2613678-006
Sample Matrix: GROUNDWATER
Date Collected: 08/05/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		006-AA	2765993		4388405	Quoc Nguyen

Sample Name: ATR-MW3-G080526
Laboratory Code: HN2613678-007
Sample Matrix: GROUNDWATER
Date Collected: 08/05/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		007-AA	2765993		4388405	Quoc Nguyen

Sample Name: ATR-FB001-G080526
Laboratory Code: HN2613678-008
Sample Matrix: GROUNDWATER
Date Collected: 08/05/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		008-AA	2765993		4388405	Quoc Nguyen

ANALYST SUMMARY

Client: WSP USA
Project: US0041841 Textron
Work Order: HN2613678

Sample Name: ATR-MW59(46)-G080626
Laboratory Code: HN2613678-009
Sample Matrix: GROUNDWATER
Date Collected: 08/06/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		009-AA	2765993		4388405	Quoc Nguyen
EPA 8260D		009-AA	2768194		4392014	Quoc Nguyen

Sample Name: ATR-TB001-G080626
Laboratory Code: HN2613678-010
Sample Matrix: GROUNDWATER
Date Collected: 08/06/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		010-AA	2766651		4389462	Quoc Nguyen

Sample Name: ATR-MW38(69.9)-G080326
Laboratory Code: HN2613678-011
Sample Matrix: GROUNDWATER
Date Collected: 08/03/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		011-AA	2763767		4384820	John Garvale
EPA 8260D		011-AA	2768194		4392014	Quoc Nguyen

Sample Name: ATR-MW38(69.9)-G080326R
Laboratory Code: HN2613678-012
Sample Matrix: GROUNDWATER
Date Collected: 08/03/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		012-AA	2763767		4384820	John Garvale
EPA 8260D		012-AA	2768194		4392014	Quoc Nguyen

ANALYST SUMMARY

Client: WSP USA **Work Order:** HN2613678
Project: US0041841 Textron

Sample Name: ATR-MW38(29.1)-G080326 **Date Collected:** 08/03/26
Laboratory Code: HN2613678-013 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		013-AA	2763767		4384820	John Garvale

Sample Name: ATR-MW38(20.8)-G080326 **Date Collected:** 08/03/26
Laboratory Code: HN2613678-014 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		014-AA	2763767		4384820	John Garvale

Sample Name: ATR-EB001-G080326 **Date Collected:** 08/03/26
Laboratory Code: HN2613678-015 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		015-AA	2763767		4384820	John Garvale

Sample Name: ATR-MW35(90)-G080326 **Date Collected:** 08/03/26
Laboratory Code: HN2613678-016 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		016-AA	2763767		4384820	John Garvale
EPA 8260D		016-AA	2768194		4392014	Quoc Nguyen

ANALYST SUMMARY

Client: WSP USA **Work Order:** HN2613678
Project: US0041841 Textron

Sample Name: ATR-MW35(45)-G080326 **Date Collected:** 08/03/26
Laboratory Code: HN2613678-017 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		017-AA	2763767		4384820	John Garvale

Sample Name: ATR-MW36(92.4)-G080426 **Date Collected:** 08/04/26
Laboratory Code: HN2613678-018 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		018-AA	2765993		4388405	Quoc Nguyen

Sample Name: ATR-MW36(35.2)-G080426 **Date Collected:** 08/04/26
Laboratory Code: HN2613678-019 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		019-AA	2765993		4388405	Quoc Nguyen

Sample Name: ATR-MW34(85)-G080426 **Date Collected:** 08/04/26
Laboratory Code: HN2613678-020 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		020-AA	2765993		4388405	Quoc Nguyen

ANALYST SUMMARY

Client: WSP USA **Work Order:** HN2613678
Project: US0041841 Textron

Sample Name: ATR-MW34(37)-G080426 **Date Collected:** 08/04/26
Laboratory Code: HN2613678-021 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		021-AA	2765993		4388405	Quoc Nguyen

Sample Name: ATR-MW31(98.5)-G080426 **Date Collected:** 08/04/26
Laboratory Code: HN2613678-022 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		022-AA	2765993		4388405	Quoc Nguyen
EPA 8260D		022-AA	2768194		4392014	Quoc Nguyen

Sample Name: ATR-MW31(98.5)-G080426R **Date Collected:** 08/04/26
Laboratory Code: HN2613678-023 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		023-AA	2765993		4388405	Quoc Nguyen
EPA 8260D		023-AA	2768194		4392014	Quoc Nguyen

Sample Name: ATR-MW31(55.5)-G080426 **Date Collected:** 08/04/26
Laboratory Code: HN2613678-024 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		024-AA	2765993		4388405	Quoc Nguyen

ANALYST SUMMARY

Client: WSP USA
Project: US0041841 Textron
Work Order: HN2613678

Sample Name: ATR-MW31(30.9)-G080426
Laboratory Code: HN2613678-025
Sample Matrix: GROUNDWATER
Date Collected: 08/05/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		025-AA	2765993		4388405	Quoc Nguyen

Sample Name: ATR-MW29(103.3)-G080526
Laboratory Code: HN2613678-026
Sample Matrix: GROUNDWATER
Date Collected: 08/05/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		026-AA	2766651		4389462	Quoc Nguyen

Sample Name: ATR-MW29(82.5)-G080526
Laboratory Code: HN2613678-027
Sample Matrix: GROUNDWATER
Date Collected: 08/05/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		027-AA	2766651		4389462	Quoc Nguyen

Sample Name: ATR-OW6(63)-G080526
Laboratory Code: HN2613678-028
Sample Matrix: GROUNDWATER
Date Collected: 08/05/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		028-AA	2766651		4389462	Quoc Nguyen

ANALYST SUMMARY

Client: WSP USA
Project: US0041841 Textron
Work Order: HN2613678

Sample Name: ATR-MW37(98)-G080326
Laboratory Code: HN2613678-029
Sample Matrix: GROUNDWATER
Date Collected: 08/03/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		029-AA	2762679		4382907	Benjamin Korte
EPA 8260D		029-AA	2765452		4387335	Caroline Cox

Sample Name: ATR-MW37(70)-G080326
Laboratory Code: HN2613678-030
Sample Matrix: GROUNDWATER
Date Collected: 08/03/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		030-AA	2762679		4382907	Benjamin Korte
EPA 8260D		030-AA	2765452		4387335	Caroline Cox

Sample Name: ATR-MW37(23.3)-G080326
Laboratory Code: HN2613678-031
Sample Matrix: GROUNDWATER
Date Collected: 08/03/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		031-AA	2762679		4382907	Benjamin Korte
EPA 8260D		031-AA	2765452		4387335	Caroline Cox

Sample Name: ATR-MW39(29.3)-G080326
Laboratory Code: HN2613678-032
Sample Matrix: GROUNDWATER
Date Collected: 08/03/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		032-AA	2762679		4382907	Benjamin Korte
EPA 8260D		032-AA	2765452		4387335	Caroline Cox

ANALYST SUMMARY

Client: WSP USA **Work Order:** HN2613678
Project: US0041841 Textron

Sample Name: ATR-MW39(13)-G080326 **Date Collected:** 08/03/26
Laboratory Code: HN2613678-033 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		033-AA	2765452		4387335	Caroline Cox

Sample Name: ATR-MW51(70)-G080426 **Date Collected:** 08/04/26
Laboratory Code: HN2613678-034 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		034-AA	2766651		4389462	Quoc Nguyen
EPA 8260D		034-AA	2768194		4392014	Quoc Nguyen

Sample Name: ATR-MW51(25)-G080426 **Date Collected:** 08/04/26
Laboratory Code: HN2613678-035 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		035-AA	2766651		4389462	Quoc Nguyen

Sample Name: ATR-MW27(53.05)-G080526 **Date Collected:** 08/05/26
Laboratory Code: HN2613678-036 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		036-AA	2766651		4389462	Quoc Nguyen
EPA 8260D		036-AA	2768194		4392014	Quoc Nguyen

ANALYST SUMMARY

Client: WSP USA **Work Order:** HN2613678
Project: US0041841 Textron

Sample Name: ATR-MW27(18)-G080526 **Date Collected:** 08/05/26
Laboratory Code: HN2613678-037 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		037-AA	2766651		4389462	Quoc Nguyen

Sample Name: ATR-MW19(53)-G080526 **Date Collected:** 08/05/26
Laboratory Code: HN2613678-038 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		038-AA	2766651		4389462	Quoc Nguyen
EPA 8260D		038-AA	2768194		4392014	Quoc Nguyen

Sample Name: ATR-MW57(38)-G080526 **Date Collected:** 08/05/26
Laboratory Code: HN2613678-039 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		039-AA	2766651		4389462	Quoc Nguyen
EPA 8260D		039-AA	2768194		4392014	Quoc Nguyen

Sample Name: ATR-MW60(38)-G080526 **Date Collected:** 08/05/26
Laboratory Code: HN2613678-040 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		040-AA	2766651		4389462	Quoc Nguyen
EPA 8260D		040-AA	2768194		4392014	Quoc Nguyen

ANALYST SUMMARY

Client: WSP USA
Project: US0041841 Textron
Work Order: HN2613678

Sample Name: ATR-MW60(38)-G080526R
Laboratory Code: HN2613678-041
Sample Matrix: GROUNDWATER
Date Collected: 08/05/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		041-AA	2766651		4389462	Quoc Nguyen
EPA 8260D		041-AA	2768194		4392014	Quoc Nguyen

Sample Name: ATR-MW52(55)-G080626
Laboratory Code: HN2613678-042
Sample Matrix: GROUNDWATER
Date Collected: 08/06/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		042-AA	2766651		4389462	Quoc Nguyen

Sample Name: ATR-EB004-G080626
Laboratory Code: HN2613678-043
Sample Matrix: GROUNDWATER
Date Collected: 08/06/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		043-AA	2766651		4389462	Quoc Nguyen

Sample Name: ATR-MW50(80)-G080426
Laboratory Code: HN2613678-044
Sample Matrix: GROUNDWATER
Date Collected: 08/04/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		044-AA	2766651		4389462	Quoc Nguyen

ANALYST SUMMARY

Client: WSP USA **Work Order:** HN2613678
Project: US0041841 Textron

Sample Name: ATR-MW50(45)-G080426 **Date Collected:** 08/04/26
Laboratory Code: HN2613678-045 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		045-AA	2766651		4389462	Quoc Nguyen

Sample Name: ATR-MW32(89)-G080426 **Date Collected:** 08/04/26
Laboratory Code: HN2613678-046 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		046-AA	2766651		4389462	Quoc Nguyen
EPA 8260D		046-AA	2768194		4392014	Quoc Nguyen

Sample Name: ATR-MW32(24.1)-G080426 **Date Collected:** 08/04/26
Laboratory Code: HN2613678-047 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		047-AA	2766651		4389462	Quoc Nguyen

Sample Name: ATR-MW30(41.1)-G080426 **Date Collected:** 08/04/26
Laboratory Code: HN2613678-048 **Date Received:** 08/06/26
Sample Matrix: GROUNDWATER

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		048-AA	2766651		4389462	Quoc Nguyen
EPA 8260D		048-AA	2768194		4392014	Quoc Nguyen

ANALYST SUMMARY

Client: WSP USA
Project: US0041841 Textron
Work Order: HN2613678

Sample Name: ATR-MW48(158)-G080426
Laboratory Code: HN2613678-049
Sample Matrix: GROUNDWATER
Date Collected: 08/04/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		049-AA	2766651		4389462	Quoc Nguyen
EPA 8260D		049-AA	2768194		4392014	Quoc Nguyen

Sample Name: ATR-EB002-G080426
Laboratory Code: HN2613678-050
Sample Matrix: GROUNDWATER
Date Collected: 08/04/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		050-AA	2765345		4387154	Jonathan Vazquez

Sample Name: ATR-MW27(135)-G080526
Laboratory Code: HN2613678-051
Sample Matrix: GROUNDWATER
Date Collected: 08/05/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		051-AA	2766406		4389165	Jonathan Vazquez

Sample Name: ATR-MW27(104.2)-G080526
Laboratory Code: HN2613678-052
Sample Matrix: GROUNDWATER
Date Collected: 08/05/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		052-AA	2766406		4389165	Jonathan Vazquez

ANALYST SUMMARY

Client: WSP USA
Project: US0041841 Textron
Work Order: HN2613678

Sample Name: ATR-MW27(75.4)-G080526
Laboratory Code: HN2613678-053
Sample Matrix: GROUNDWATER
Date Collected: 08/05/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		053-AA	2766406		4389165	Jonathan Vazquez

Sample Name: ATR-TB002-G080626
Laboratory Code: HN2613678-054
Sample Matrix: GROUNDWATER
Date Collected: 08/06/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		054-AA	2766406		4389165	Jonathan Vazquez

Sample Name: ATR-MW67(30)-G080626
Laboratory Code: HN2613678-055
Sample Matrix: GROUNDWATER
Date Collected: 08/06/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		055-AA	2766406		4389165	Jonathan Vazquez

Sample Name: ATR-MW71(33)-G080626
Laboratory Code: HN2613678-056
Sample Matrix: GROUNDWATER
Date Collected: 08/05/26
Date Received: 08/06/26

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		056-AA	2766406		4389165	Jonathan Vazquez

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 10:53
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-OW6(38)-G080526 **Lab ID: HN2613678-001**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 18:38	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 18:38	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 18:38	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 18:38	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 18:38	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 18:38	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 18:38	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 10:53
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-OW6(38)-G080526 **Lab ID: HN2613678-001**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:38	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 18:38	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***105***		*%REC*	*80-120*	*1*	*08/12/26 18:38*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***91.8***		*%REC*	*80-120*	*1*	*08/12/26 18:38*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***102***		*%REC*	*80-120*	*1*	*08/12/26 18:38*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***95.2***		*%REC*	*80-120*	*1*	*08/12/26 18:38*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 11:02
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-EB003-G080526 **Lab ID: HN2613678-002**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 18:59	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 18:59	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 18:59	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 18:59	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 18:59	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 18:59	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 18:59	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 11:02
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-EB003-G080526 **Lab ID: HN2613678-002**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 18:59	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 18:59	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***108***		*%REC*	*80-120*	*1*	*08/12/26 18:59*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***94.1***		*%REC*	*80-120*	*1*	*08/12/26 18:59*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***102***		*%REC*	*80-120*	*1*	*08/12/26 18:59*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***96.0***		*%REC*	*80-120*	*1*	*08/12/26 18:59*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 11:45
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW17-G080526 **Lab ID: HN2613678-003**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 19:20	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 19:20	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 19:20	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 19:20	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
cis-1,2-Dichloroethylene	EPA 8260D	**5.88**		µg/L	1.00	1	08/12/26 19:20	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 19:20	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 19:20	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 19:20	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 11:45
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW17-G080526 **Lab ID: HN2613678-003**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:20	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	**7.12**		µg/L	1.00	1	08/12/26 19:20	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 19:20	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***106***		*%REC*	*80-120*	*1*	*08/12/26 19:20*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***91.7***		*%REC*	*80-120*	*1*	*08/12/26 19:20*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***105***		*%REC*	*80-120*	*1*	*08/12/26 19:20*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***94.6***		*%REC*	*80-120*	*1*	*08/12/26 19:20*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 12:42
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW25(82)-G080526 **Lab ID: HN2613678-004**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 19:41	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 19:41	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 19:41	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 19:41	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
cis-1,2-Dichloroethylene	EPA 8260D	**2.12**		µg/L	1.00	1	08/12/26 19:41	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 19:41	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 19:41	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 19:41	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 12:42
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW25(82)-G080526 **Lab ID: HN2613678-004**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 19:41	NA
Vinyl chloride (Chloroethene)	EPA 8260D	**4.88**		µg/L	1.00	1	08/13/26 17:54	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***107***		*%REC*	*80-120*	*1*	*08/12/26 19:41*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***94.5***		*%REC*	*80-120*	*1*	*08/12/26 19:41*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***103***		*%REC*	*80-120*	*1*	*08/12/26 19:41*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***94.6***		*%REC*	*80-120*	*1*	*08/12/26 19:41*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 13:48
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW20(51)-G080526 **Lab ID: HN2613678-005**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 20:02	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 20:02	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 20:02	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 20:02	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 20:02	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 20:02	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 20:02	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 13:48
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW20(51)-G080526 **Lab ID: HN2613678-005**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:02	NA
Vinyl chloride (Chloroethene)	EPA 8260D	**2.61**		µg/L	1.00	1	08/14/26 17:13	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***103***		*%REC*	*80-120*	*1*	*08/12/26 20:02*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***94.1***		*%REC*	*80-120*	*1*	*08/12/26 20:02*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***105***		*%REC*	*80-120*	*1*	*08/12/26 20:02*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***95.2***		*%REC*	*80-120*	*1*	*08/12/26 20:02*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 14:38
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW1-G080526 **Lab ID: HN2613678-006**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 20:23	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 20:23	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 20:23	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
Chlorobenzene	EPA 8260D	**7.05**		µg/L	1.00	1	08/12/26 20:23	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 20:23	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 20:23	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 20:23	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 20:23	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 14:38
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW1-G080526 **Lab ID: HN2613678-006**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:23	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 20:23	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***107***		*%REC*	*80-120*	*1*	*08/12/26 20:23*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***93.4***		*%REC*	*80-120*	*1*	*08/12/26 20:23*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***104***		*%REC*	*80-120*	*1*	*08/12/26 20:23*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***98.2***		*%REC*	*80-120*	*1*	*08/12/26 20:23*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 16:24
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW3-G080526 **Lab ID: HN2613678-007**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 20:44	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 20:44	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 20:44	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 20:44	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 20:44	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 20:44	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 20:44	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 16:24
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW3-G080526 **Lab ID: HN2613678-007**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 20:44	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 20:44	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***110***		*%REC*	*80-120*	*1*	*08/12/26 20:44*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***96.2***		*%REC*	*80-120*	*1*	*08/12/26 20:44*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***108***		*%REC*	*80-120*	*1*	*08/12/26 20:44*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***93.0***		*%REC*	*80-120*	*1*	*08/12/26 20:44*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 16:30
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-FB001-G080526 **Lab ID: HN2613678-008**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 21:05	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 21:05	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 21:05	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 21:05	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 21:05	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 21:05	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 21:05	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 16:30
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-FB001-G080526 **Lab ID: HN2613678-008**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:05	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 21:05	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***107***		*%REC*	*80-120*	*1*	*08/12/26 21:05*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***95.4***		*%REC*	*80-120*	*1*	*08/12/26 21:05*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***103***		*%REC*	*80-120*	*1*	*08/12/26 21:05*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***92.6***		*%REC*	*80-120*	*1*	*08/12/26 21:05*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/06/26 08:20
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW59(46)-G080626 **Lab ID: HN2613678-009**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
1,1-Dichloroethylene	EPA 8260D	**104**		µg/L	100	100	08/12/26 21:26	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	500	100	08/12/26 21:26	NA
2-Hexanone	EPA 8260D	ND		µg/L	500	100	08/12/26 21:26	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
Acetone	EPA 8260D	ND		µg/L	1000	100	08/12/26 21:26	NA
Benzene	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
Bromoform	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
Carbon disulfide	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
Chlorobenzene	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	100	100	08/12/26 21:26	NA
Chloroform	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
cis-1,2-Dichloroethylene	EPA 8260D	**9290**		µg/L	200	200	08/13/26 18:15	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
Ethylbenzene	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
m+p-Xylene	EPA 8260D	ND		µg/L	200	100	08/12/26 21:26	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	100	100	08/12/26 21:26	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	500	100	08/12/26 21:26	NA
o-Xylene	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/06/26 08:20
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW59(46)-G080626 **Lab ID: HN2613678-009**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
Toluene	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
Total Xylene	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	100	100	08/12/26 21:26	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	**1440**		µg/L	100	100	08/12/26 21:26	NA
Vinyl chloride (Chloroethene)	EPA 8260D	**5350**		µg/L	200	200	08/13/26 18:15	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***106***		*%REC*	*80-120*	*100*	*08/12/26 21:26*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***94.4***		*%REC*	*80-120*	*100*	*08/12/26 21:26*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***107***		*%REC*	*80-120*	*100*	*08/12/26 21:26*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***97.2***		*%REC*	*80-120*	*100*	*08/12/26 21:26*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/06/26 08:00
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-TB001-G080626 **Lab ID: HN2613678-010**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 04:47	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 04:47	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 04:47	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 04:47	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 04:47	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 04:47	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 04:47	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 04:47	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/06/26 08:00
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-TB001-G080626 **Lab ID: HN2613678-010**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:47	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 04:47	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***108***		*%REC*	*80-120*	*1*	*08/13/26 04:47*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***93.0***		*%REC*	*80-120*	*1*	*08/13/26 04:47*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***101***		*%REC*	*80-120*	*1*	*08/13/26 04:47*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***94.7***		*%REC*	*80-120*	*1*	*08/13/26 04:47*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 12:58
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW38(69.9)-G080326 **Lab ID: HN2613678-011**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 04:43	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 04:43	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 04:43	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 04:43	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 04:43	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 04:43	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 04:43	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 04:43	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 12:58
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW38(69.9)-G080326 **Lab ID: HN2613678-011**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 04:43	NA
Vinyl chloride (Chloroethene)	EPA 8260D	**5.27**		µg/L	1.00	1	08/13/26 18:36	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***104***		*%REC*	*80-120*	*1*	*08/12/26 04:43*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***96.8***		*%REC*	*80-120*	*1*	*08/12/26 04:43*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***96.6***		*%REC*	*80-120*	*1*	*08/12/26 04:43*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***95.4***		*%REC*	*80-120*	*1*	*08/12/26 04:43*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 12:58
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW38(69.9)-G080326R **Lab ID: HN2613678-012**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 05:04	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 05:04	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 05:04	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 05:04	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 05:04	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 05:04	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 05:04	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 05:04	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 05:04	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 12:58
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW38(69.9)-G080326R **Lab ID: HN2613678-012**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:04	NA
Vinyl chloride (Chloroethene)	EPA 8260D	**6.33**		µg/L	1.00	1	08/13/26 18:57	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***111***		*%REC*	*80-120*	*1*	*08/12/26 05:04*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***95.8***		*%REC*	*80-120*	*1*	*08/12/26 05:04*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***104***		*%REC*	*80-120*	*1*	*08/12/26 05:04*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***94.8***		*%REC*	*80-120*	*1*	*08/12/26 05:04*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 13:50
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW38(29.1)-G080326 **Lab ID: HN2613678-013**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 05:25	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 05:25	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 05:25	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 05:25	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 05:25	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 05:25	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 05:25	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 05:25	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 13:50
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW38(29.1)-G080326 **Lab ID: HN2613678-013**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:25	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 05:25	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***102***		*%REC*	*80-120*	*1*	*08/12/26 05:25*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***95.8***		*%REC*	*80-120*	*1*	*08/12/26 05:25*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***97.2***		*%REC*	*80-120*	*1*	*08/12/26 05:25*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***96.0***		*%REC*	*80-120*	*1*	*08/12/26 05:25*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 14:45
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW38(20.8)-G080326 **Lab ID: HN2613678-014**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 05:46	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 05:46	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 05:46	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 05:46	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 05:46	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 05:46	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 05:46	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 05:46	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 14:45
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW38(20.8)-G080326 **Lab ID: HN2613678-014**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 05:46	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 05:46	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***112***		*%REC*	*80-120*	*1*	*08/12/26 05:46*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***97.9***		*%REC*	*80-120*	*1*	*08/12/26 05:46*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***107***		*%REC*	*80-120*	*1*	*08/12/26 05:46*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***95.7***		*%REC*	*80-120*	*1*	*08/12/26 05:46*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 14:55
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-EB001-G080326 **Lab ID: HN2613678-015**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 06:07	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 06:07	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 06:07	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 06:07	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 06:07	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 06:07	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 06:07	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 06:07	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 14:55
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-EB001-G080326 **Lab ID: HN2613678-015**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:07	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 06:07	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***104***		*%REC*	*80-120*	*1*	*08/12/26 06:07*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***99.5***		*%REC*	*80-120*	*1*	*08/12/26 06:07*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***103***		*%REC*	*80-120*	*1*	*08/12/26 06:07*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***91.0***		*%REC*	*80-120*	*1*	*08/12/26 06:07*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 16:05
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW35(90)-G080326 **Lab ID: HN2613678-016**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 06:28	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 06:28	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 06:28	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 06:28	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 06:28	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 06:28	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 06:28	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 06:28	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 16:05
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW35(90)-G080326 **Lab ID: HN2613678-016**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:28	NA
Vinyl chloride (Chloroethene)	EPA 8260D	**6.67**		µg/L	1.00	1	08/13/26 19:18	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***104***		*%REC*	*80-120*	*1*	*08/12/26 06:28*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***94.6***		*%REC*	*80-120*	*1*	*08/12/26 06:28*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***98.8***		*%REC*	*80-120*	*1*	*08/12/26 06:28*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***100***		*%REC*	*80-120*	*1*	*08/12/26 06:28*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 16:52
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW35(45)-G080326 **Lab ID: HN2613678-017**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 06:49	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 06:49	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 06:49	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 06:49	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 06:49	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 06:49	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 06:49	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 06:49	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 16:52
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW35(45)-G080326 **Lab ID: HN2613678-017**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 06:49	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 06:49	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***106***		*%REC*	*80-120*	*1*	*08/12/26 06:49*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***93.6***		*%REC*	*80-120*	*1*	*08/12/26 06:49*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***102***		*%REC*	*80-120*	*1*	*08/12/26 06:49*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***98.4***		*%REC*	*80-120*	*1*	*08/12/26 06:49*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 09:25
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW36(92.4)-G080426 **Lab ID: HN2613678-018**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 21:47	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 21:47	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 21:47	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 21:47	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 21:47	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 21:47	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 21:47	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 09:25
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW36(92.4)-G080426 **Lab ID: HN2613678-018**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 21:47	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 21:47	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***111***		*%REC*	*80-120*	*1*	*08/12/26 21:47*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***95.8***		*%REC*	*80-120*	*1*	*08/12/26 21:47*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***104***		*%REC*	*80-120*	*1*	*08/12/26 21:47*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***93.0***		*%REC*	*80-120*	*1*	*08/12/26 21:47*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 10:01
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW36(35.2)-G080426 **Lab ID: HN2613678-019**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 22:08	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 22:08	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 22:08	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 22:08	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 22:08	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 22:08	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 22:08	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 10:01
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW36(35.2)-G080426 **Lab ID: HN2613678-019**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:08	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 22:08	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***107***		*%REC*	*80-120*	*1*	*08/12/26 22:08*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***92.4***		*%REC*	*80-120*	*1*	*08/12/26 22:08*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***106***		*%REC*	*80-120*	*1*	*08/12/26 22:08*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***95.9***		*%REC*	*80-120*	*1*	*08/12/26 22:08*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 10:45
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW34(85)-G080426 **Lab ID: HN2613678-020**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 22:29	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 22:29	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 22:29	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 22:29	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
cis-1,2-Dichloroethylene	EPA 8260D	**2.55**		µg/L	1.00	1	08/12/26 22:29	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 22:29	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 22:29	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 22:29	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 10:45
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW34(85)-G080426 **Lab ID: HN2613678-020**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:29	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	**11.6**		µg/L	1.00	1	08/12/26 22:29	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 22:29	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***113***		*%REC*	*80-120*	*1*	*08/12/26 22:29*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***95.6***		*%REC*	*80-120*	*1*	*08/12/26 22:29*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***108***		*%REC*	*80-120*	*1*	*08/12/26 22:29*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***95.2***		*%REC*	*80-120*	*1*	*08/12/26 22:29*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 11:20
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW34(37)-G080426 **Lab ID: HN2613678-021**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 22:50	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 22:50	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 22:50	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 22:50	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 22:50	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 22:50	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 22:50	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 11:20
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW34(37)-G080426 **Lab ID: HN2613678-021**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 22:50	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 22:50	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***112***		*%REC*	*80-120*	*1*	*08/12/26 22:50*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***93.5***		*%REC*	*80-120*	*1*	*08/12/26 22:50*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***107***		*%REC*	*80-120*	*1*	*08/12/26 22:50*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***96.4***		*%REC*	*80-120*	*1*	*08/12/26 22:50*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 12:24
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW31(98.5)-G080426 **Lab ID: HN2613678-022**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 23:10	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 23:10	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 23:10	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 23:10	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 23:10	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 23:10	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 23:10	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 12:24
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW31(98.5)-G080426 **Lab ID: HN2613678-022**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:10	NA
Vinyl chloride (Chloroethene)	EPA 8260D	**5.27**		µg/L	1.00	1	08/13/26 19:39	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***107***		*%REC*	*80-120*	*1*	*08/12/26 23:10*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***96.0***		*%REC*	*80-120*	*1*	*08/12/26 23:10*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***104***		*%REC*	*80-120*	*1*	*08/12/26 23:10*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***94.3***		*%REC*	*80-120*	*1*	*08/12/26 23:10*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 12:24
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW31(98.5)-G080426R **Lab ID: HN2613678-023**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 23:31	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 23:31	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 23:31	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 23:31	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 23:31	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 23:31	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 23:31	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 12:24
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW31(98.5)-G080426R **Lab ID: HN2613678-023**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:31	NA
Vinyl chloride (Chloroethene)	EPA 8260D	**4.82**		µg/L	1.00	1	08/13/26 20:00	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***115***		*%REC*	*80-120*	*1*	*08/12/26 23:31*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***95.4***		*%REC*	*80-120*	*1*	*08/12/26 23:31*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***106***		*%REC*	*80-120*	*1*	*08/12/26 23:31*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***95.4***		*%REC*	*80-120*	*1*	*08/12/26 23:31*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 13:10
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW31(55.5)-G080426 **Lab ID: HN2613678-024**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 23:52	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 23:52	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 23:52	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 23:52	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 23:52	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 23:52	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 23:52	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 13:10
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW31(55.5)-G080426 **Lab ID: HN2613678-024**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:52	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 23:52	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***107***		*%REC*	*80-120*	*1*	*08/12/26 23:52*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***96.7***		*%REC*	*80-120*	*1*	*08/12/26 23:52*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***107***		*%REC*	*80-120*	*1*	*08/12/26 23:52*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***94.8***		*%REC*	*80-120*	*1*	*08/12/26 23:52*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 13:53
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW31(30.9)-G080426 **Lab ID: HN2613678-025**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 00:13	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 00:13	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 00:13	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 00:13	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 00:13	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 00:13	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 00:13	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 00:13	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 00:13	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 13:53
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW31(30.9)-G080426 **Lab ID: HN2613678-025**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 00:13	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 00:13	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***114***		*%REC*	*80-120*	*1*	*08/13/26 00:13*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***97.1***		*%REC*	*80-120*	*1*	*08/13/26 00:13*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***108***		*%REC*	*80-120*	*1*	*08/13/26 00:13*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***94.6***		*%REC*	*80-120*	*1*	*08/13/26 00:13*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 08:36
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW29(103.3)-G080526 **Lab ID: HN2613678-026**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 05:08	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:08	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:08	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 05:08	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 05:08	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 05:08	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 05:08	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:08	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 08:36
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW29(103.3)-G080526 **Lab ID: HN2613678-026**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:08	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 05:08	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***107***		*%REC*	*80-120*	*1*	*08/13/26 05:08*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***92.6***		*%REC*	*80-120*	*1*	*08/13/26 05:08*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***103***		*%REC*	*80-120*	*1*	*08/13/26 05:08*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***95.0***		*%REC*	*80-120*	*1*	*08/13/26 05:08*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 09:32
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW29(82.5)-G080526 **Lab ID: HN2613678-027**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 05:29	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:29	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:29	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 05:29	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 05:29	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 05:29	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 05:29	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:29	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 09:32
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW29(82.5)-G080526 **Lab ID: HN2613678-027**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:29	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 05:29	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***109***		*%REC*	*80-120*	*1*	*08/13/26 05:29*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***97.9***		*%REC*	*80-120*	*1*	*08/13/26 05:29*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***106***		*%REC*	*80-120*	*1*	*08/13/26 05:29*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***94.1***		*%REC*	*80-120*	*1*	*08/13/26 05:29*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 10:16
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-OW6(63)-G080526 **Lab ID: HN2613678-028**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 05:50	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:50	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:50	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 05:50	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 05:50	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 05:50	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 05:50	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:50	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 10:16
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-OW6(63)-G080526 **Lab ID: HN2613678-028**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:50	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 05:50	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***110***		*%REC*	*80-120*	*1*	*08/13/26 05:50*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***94.1***		*%REC*	*80-120*	*1*	*08/13/26 05:50*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***109***		*%REC*	*80-120*	*1*	*08/13/26 05:50*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***97.6***		*%REC*	*80-120*	*1*	*08/13/26 05:50*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 13:10
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW37(98)-G080326 **Lab ID: HN2613678-029**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/11/26 22:35	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 15:54	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/11/26 22:35	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 22:35	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/11/26 22:35	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 22:35	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 22:35	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/11/26 22:35	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 13:10
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW37(98)-G080326 **Lab ID: HN2613678-029**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:35	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 22:35	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***101***		*%REC*	*80-120*	*1*	*08/11/26 22:35*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***94.4***		*%REC*	*80-120*	*1*	*08/11/26 22:35*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***107***		*%REC*	*80-120*	*1*	*08/11/26 22:35*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***99.8***		*%REC*	*80-120*	*1*	*08/11/26 22:35*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 14:05
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW37(70)-G080326 **Lab ID: HN2613678-030**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/11/26 22:57	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 16:16	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/11/26 22:57	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 22:57	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
cis-1,2-Dichloroethylene	EPA 8260D	**1.51**		µg/L	1.00	1	08/11/26 22:57	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/11/26 22:57	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 22:57	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 22:57	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/11/26 22:57	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 14:05
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW37(70)-G080326 **Lab ID: HN2613678-030**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 22:57	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	**1.68**		µg/L	1.00	1	08/11/26 22:57	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 22:57	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***105***		*%REC*	*80-120*	*1*	*08/11/26 22:57*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***99.0***		*%REC*	*80-120*	*1*	*08/11/26 22:57*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***110***		*%REC*	*80-120*	*1*	*08/11/26 22:57*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***99.0***		*%REC*	*80-120*	*1*	*08/11/26 22:57*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 14:45
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW37(23.3)-G080326 **Lab ID: HN2613678-031**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/11/26 23:20	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 16:39	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/11/26 23:20	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 23:20	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/11/26 23:20	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 23:20	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 23:20	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/11/26 23:20	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 14:45
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW37(23.3)-G080326 **Lab ID: HN2613678-031**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:20	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 23:20	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***102***		*%REC*	*80-120*	*1*	*08/11/26 23:20*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***96.2***		*%REC*	*80-120*	*1*	*08/11/26 23:20*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***107***		*%REC*	*80-120*	*1*	*08/11/26 23:20*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***98.3***		*%REC*	*80-120*	*1*	*08/11/26 23:20*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 16:20
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW39(29.3)-G080326 **Lab ID: HN2613678-032**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/11/26 23:43	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 17:02	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/11/26 23:43	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 23:43	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/11/26 23:43	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 23:43	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 23:43	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/11/26 23:43	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 16:20
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW39(29.3)-G080326 **Lab ID: HN2613678-032**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 23:43	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 23:43	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***102***		*%REC*	*80-120*	*1*	*08/11/26 23:43*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***92.9***		*%REC*	*80-120*	*1*	*08/11/26 23:43*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***104***		*%REC*	*80-120*	*1*	*08/11/26 23:43*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***97.8***		*%REC*	*80-120*	*1*	*08/11/26 23:43*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 17:10
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW39(13)-G080326 **Lab ID: HN2613678-033**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 17:24	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 17:24	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 17:24	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 17:24	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 17:24	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 17:24	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 17:24	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 17:24	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 17:10
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW39(13)-G080326 **Lab ID: HN2613678-033**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 17:24	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 17:24	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***100***		*%REC*	*80-120*	*1*	*08/12/26 17:24*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***88.5***		*%REC*	*80-120*	*1*	*08/12/26 17:24*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***110***		*%REC*	*80-120*	*1*	*08/12/26 17:24*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***97.8***		*%REC*	*80-120*	*1*	*08/12/26 17:24*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 09:10
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW51(70)-G080426 **Lab ID: HN2613678-034**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 06:11	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 06:11	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 06:11	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 06:11	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 06:11	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 06:11	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 06:11	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 06:11	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 09:10
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW51(70)-G080426 **Lab ID: HN2613678-034**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:11	NA
Vinyl chloride (Chloroethene)	EPA 8260D	**1.09**		µg/L	1.00	1	08/13/26 20:21	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***113***		*%REC*	*80-120*	*1*	*08/13/26 06:11*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***95.3***		*%REC*	*80-120*	*1*	*08/13/26 06:11*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***106***		*%REC*	*80-120*	*1*	*08/13/26 06:11*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***97.2***		*%REC*	*80-120*	*1*	*08/13/26 06:11*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 09:55
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW51(25)-G080426 **Lab ID: HN2613678-035**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 06:32	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 06:32	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 06:32	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 06:32	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 06:32	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 06:32	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 06:32	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 06:32	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 09:55
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW51(25)-G080426 **Lab ID: HN2613678-035**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:32	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 06:32	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***110***		*%REC*	*80-120*	*1*	*08/13/26 06:32*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***94.2***		*%REC*	*80-120*	*1*	*08/13/26 06:32*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***109***		*%REC*	*80-120*	*1*	*08/13/26 06:32*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***95.9***		*%REC*	*80-120*	*1*	*08/13/26 06:32*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 11:30
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW27(53.05)-G080526 **Lab ID: HN2613678-036**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 06:53	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 06:53	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 06:53	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 06:53	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 06:53	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 06:53	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 06:53	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 06:53	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 11:30
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW27(53.05)-G080526 **Lab ID: HN2613678-036**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:53	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	**1.65**		µg/L	1.00	1	08/13/26 20:42	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 06:53	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***105***		*%REC*	*80-120*	*1*	*08/13/26 06:53*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***92.4***		*%REC*	*80-120*	*1*	*08/13/26 06:53*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***104***		*%REC*	*80-120*	*1*	*08/13/26 06:53*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***94.8***		*%REC*	*80-120*	*1*	*08/13/26 06:53*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 12:45
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW27(18)-G080526 **Lab ID: HN2613678-037**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 07:14	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 07:14	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 07:14	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 07:14	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 07:14	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 07:14	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 07:14	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 07:14	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 12:45
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW27(18)-G080526 **Lab ID: HN2613678-037**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:14	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 07:14	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***108***		*%REC*	*80-120*	*1*	*08/13/26 07:14*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***94.3***		*%REC*	*80-120*	*1*	*08/13/26 07:14*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***108***		*%REC*	*80-120*	*1*	*08/13/26 07:14*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***93.7***		*%REC*	*80-120*	*1*	*08/13/26 07:14*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 13:40
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW19(53)-G080526 **Lab ID: HN2613678-038**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 07:35	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 07:35	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 07:35	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 07:35	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 07:35	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
cis-1,2-Dichloroethylene	EPA 8260D	**18.2**		µg/L	1.00	1	08/13/26 07:35	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 07:35	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 07:35	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 07:35	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 13:40
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW19(53)-G080526 **Lab ID: HN2613678-038**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:35	NA
Vinyl chloride (Chloroethene)	EPA 8260D	**15.5**		µg/L	1.00	1	08/13/26 21:03	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***113***		*%REC*	*80-120*	*1*	*08/13/26 07:35*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***97.0***		*%REC*	*80-120*	*1*	*08/13/26 07:35*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***107***		*%REC*	*80-120*	*1*	*08/13/26 07:35*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***96.2***		*%REC*	*80-120*	*1*	*08/13/26 07:35*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 14:50
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW57(38)-G080526 **Lab ID: HN2613678-039**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 07:56	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 07:56	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 07:56	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 07:56	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 07:56	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
cis-1,2-Dichloroethylene	EPA 8260D	**3.15**		µg/L	1.00	1	08/13/26 07:56	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 07:56	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 07:56	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 07:56	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 14:50
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW57(38)-G080526 **Lab ID: HN2613678-039**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 07:56	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	**2.39**		µg/L	1.00	1	08/13/26 21:23	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 07:56	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***106***		*%REC*	*80-120*	*1*	*08/13/26 07:56*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***89.2***		*%REC*	*80-120*	*1*	*08/13/26 07:56*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***103***		*%REC*	*80-120*	*1*	*08/13/26 07:56*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***93.1***		*%REC*	*80-120*	*1*	*08/13/26 07:56*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 16:00
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW60(38)-G080526 **Lab ID: HN2613678-040**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
1,1-Dichloroethylene	EPA 8260D	**1.06**	S	µg/L	1.00	1	08/13/26 08:17	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 08:17	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 08:17	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 08:17	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 08:17	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
cis-1,2-Dichloroethylene	EPA 8260D	**226**		µg/L	10.0	10	08/13/26 21:44	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 08:17	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 08:17	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 08:17	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 16:00
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW60(38)-G080526 **Lab ID: HN2613678-040**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:17	NA
Vinyl chloride (Chloroethene)	EPA 8260D	**276**		µg/L	10.0	10	08/13/26 21:44	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***116***		*%REC*	*80-120*	*1*	*08/13/26 08:17*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***94.2***		*%REC*	*80-120*	*1*	*08/13/26 08:17*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***109***		*%REC*	*80-120*	*1*	*08/13/26 08:17*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***96.6***		*%REC*	*80-120*	*1*	*08/13/26 08:17*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 16:00
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW60(38)-G080526R **Lab ID: HN2613678-041**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
1,1-Dichloroethylene	EPA 8260D	**1.22**	S	µg/L	1.00	1	08/13/26 08:38	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 08:38	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 08:38	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 08:38	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 08:38	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
cis-1,2-Dichloroethylene	EPA 8260D	**206**		µg/L	10.0	10	08/13/26 22:05	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 08:38	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 08:38	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 08:38	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 16:00
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW60(38)-G080526R **Lab ID: HN2613678-041**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:38	NA
Vinyl chloride (Chloroethene)	EPA 8260D	**246**	S	µg/L	10.0	10	08/13/26 22:05	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***109***		*%REC*	*80-120*	*1*	*08/13/26 08:38*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***96.8***		*%REC*	*80-120*	*1*	*08/13/26 08:38*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***105***		*%REC*	*80-120*	*1*	*08/13/26 08:38*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***92.5***		*%REC*	*80-120*	*1*	*08/13/26 08:38*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/06/26 08:30
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW52(55)-G080626 **Lab ID: HN2613678-042**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 08:59	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 08:59	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 08:59	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 08:59	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 08:59	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
Carbon tetrachloride	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 08:59	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 08:59	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 08:59	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 08:59	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 08:59	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 08:59	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/06/26 08:30
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW52(55)-G080626 **Lab ID: HN2613678-042**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 08:59	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 08:59	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***111***		*%REC*	*80-120*	*1*	*08/13/26 08:59*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***91.6***		*%REC*	*80-120*	*1*	*08/13/26 08:59*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***106***		*%REC*	*80-120*	*1*	*08/13/26 08:59*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***93.2***		*%REC*	*80-120*	*1*	*08/13/26 08:59*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/06/26 08:30
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-EB004-G080626 **Lab ID: HN2613678-043**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 09:20	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 09:20	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 09:20	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 09:20	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 09:20	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 09:20	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 09:20	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 09:20	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/06/26 08:30
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-EB004-G080626 **Lab ID: HN2613678-043**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:20	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 09:20	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***107***		*%REC*	*80-120*	*1*	*08/13/26 09:20*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***94.8***		*%REC*	*80-120*	*1*	*08/13/26 09:20*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***104***		*%REC*	*80-120*	*1*	*08/13/26 09:20*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***94.8***		*%REC*	*80-120*	*1*	*08/13/26 09:20*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 11:15
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW50(80)-G080426 **Lab ID: HN2613678-044**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 09:41	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 09:41	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 09:41	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 09:41	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 09:41	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 09:41	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 09:41	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 09:41	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 11:15
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW50(80)-G080426 **Lab ID: HN2613678-044**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 09:41	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 09:41	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***109***		*%REC*	*80-120*	*1*	*08/13/26 09:41*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***93.7***		*%REC*	*80-120*	*1*	*08/13/26 09:41*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***107***		*%REC*	*80-120*	*1*	*08/13/26 09:41*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***100***		*%REC*	*80-120*	*1*	*08/13/26 09:41*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 12:05
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW50(45)-G080426 **Lab ID: HN2613678-045**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 10:02	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 10:02	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 10:02	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 10:02	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 10:02	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 10:02	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 10:02	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 10:02	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 12:05
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW50(45)-G080426 **Lab ID: HN2613678-045**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:02	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 10:02	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***111***		*%REC*	*80-120*	*1*	*08/13/26 10:02*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***95.1***		*%REC*	*80-120*	*1*	*08/13/26 10:02*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***104***		*%REC*	*80-120*	*1*	*08/13/26 10:02*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***93.2***		*%REC*	*80-120*	*1*	*08/13/26 10:02*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 13:00
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW32(89)-G080426 **Lab ID: HN2613678-046**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 10:23	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 10:23	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 10:23	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 10:23	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 10:23	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 10:23	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 10:23	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 10:23	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 13:00
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW32(89)-G080426 **Lab ID: HN2613678-046**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:23	NA
Vinyl chloride (Chloroethene)	EPA 8260D	**13.2**		µg/L	1.00	1	08/13/26 22:26	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***106***		*%REC*	*80-120*	*1*	*08/13/26 10:23*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***92.9***		*%REC*	*80-120*	*1*	*08/13/26 10:23*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***104***		*%REC*	*80-120*	*1*	*08/13/26 10:23*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***94.2***		*%REC*	*80-120*	*1*	*08/13/26 10:23*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 14:00
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW32(24.1)-G080426 **Lab ID: HN2613678-047**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 10:43	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 10:43	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 10:43	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 10:43	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 10:43	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
cis-1,2-Dichloroethylene	EPA 8260D	**1.50**		µg/L	1.00	1	08/13/26 10:43	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 10:43	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 10:43	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 10:43	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 14:00
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW32(24.1)-G080426 **Lab ID: HN2613678-047**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 10:43	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 10:43	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***107***		*%REC*	*80-120*	*1*	*08/13/26 10:43*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***97.0***		*%REC*	*80-120*	*1*	*08/13/26 10:43*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***106***		*%REC*	*80-120*	*1*	*08/13/26 10:43*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***93.2***		*%REC*	*80-120*	*1*	*08/13/26 10:43*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 15:10
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW30(41.1)-G080426 **Lab ID: HN2613678-048**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 11:04	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 11:04	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 11:04	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 11:04	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 11:04	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
cis-1,2-Dichloroethylene	EPA 8260D	**20.7**		µg/L	1.00	1	08/13/26 11:04	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 11:04	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 11:04	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 11:04	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 15:10
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW30(41.1)-G080426 **Lab ID: HN2613678-048**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:04	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	**11.6**		µg/L	1.00	1	08/13/26 22:47	NA
Vinyl chloride (Chloroethene)	EPA 8260D	**10.4**		µg/L	1.00	1	08/13/26 22:47	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***102***		*%REC*	*80-120*	*1*	*08/13/26 11:04*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***93.4***		*%REC*	*80-120*	*1*	*08/13/26 11:04*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***102***		*%REC*	*80-120*	*1*	*08/13/26 11:04*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***94.1***		*%REC*	*80-120*	*1*	*08/13/26 11:04*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 16:25
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW48(158)-G080426 **Lab ID: HN2613678-049**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
1,1-Dichloroethylene	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 11:25	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 11:25	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 11:25	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 11:25	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 11:25	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 11:25	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/13/26 11:25	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 11:25	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 16:25
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW48(158)-G080426 **Lab ID: HN2613678-049**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 11:25	NA
Vinyl chloride (Chloroethene)	EPA 8260D	**7.56**		µg/L	1.00	1	08/13/26 23:08	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***110***		*%REC*	*80-120*	*1*	*08/13/26 11:25*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***93.0***		*%REC*	*80-120*	*1*	*08/13/26 11:25*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***104***		*%REC*	*80-120*	*1*	*08/13/26 11:25*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***94.8***		*%REC*	*80-120*	*1*	*08/13/26 11:25*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 16:45
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-EB002-G080426 **Lab ID: HN2613678-050**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 23:15	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/12/26 23:15	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/12/26 23:15	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/12/26 23:15	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/12/26 23:15	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/12/26 23:15	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/04/26 16:45
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-EB002-G080426 **Lab ID: HN2613678-050**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND		µg/L	1.00	1	08/12/26 23:15	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***104***		*%REC*	*80-120*	*1*	*08/12/26 23:15*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***101***		*%REC*	*80-120*	*1*	*08/12/26 23:15*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***101***		*%REC*	*80-120*	*1*	*08/12/26 23:15*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***98.8***		*%REC*	*80-120*	*1*	*08/12/26 23:15*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 08:45
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW27(135)-G080526 **Lab ID: HN2613678-051**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:02	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:02	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 05:02	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 05:02	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:02	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 08:45
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW27(135)-G080526 **Lab ID: HN2613678-051**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:02	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***103***		*%REC*	*80-120*	*1*	*08/13/26 05:02*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***98.6***		*%REC*	*80-120*	*1*	*08/13/26 05:02*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***98.2***		*%REC*	*80-120*	*1*	*08/13/26 05:02*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***101***		*%REC*	*80-120*	*1*	*08/13/26 05:02*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 09:30
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW27(104.2)-G080526 **Lab ID: HN2613678-052**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:20	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:20	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 05:20	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
cis-1,2-Dichloroethylene	EPA 8260D	**6.89**		µg/L	1.00	1	08/13/26 05:20	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 05:20	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:20	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 09:30
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW27(104.2)-G080526 **Lab ID: HN2613678-052**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:20	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***99.4***		*%REC*	*80-120*	*1*	*08/13/26 05:20*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***101***		*%REC*	*80-120*	*1*	*08/13/26 05:20*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***99.0***		*%REC*	*80-120*	*1*	*08/13/26 05:20*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***98.7***		*%REC*	*80-120*	*1*	*08/13/26 05:20*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 10:15
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW27(75.4)-G080526 **Lab ID: HN2613678-053**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:39	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:39	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 05:39	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
cis-1,2-Dichloroethylene	EPA 8260D	**8.65**		µg/L	1.00	1	08/13/26 05:39	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 05:39	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:39	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 10:15
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW27(75.4)-G080526 **Lab ID: HN2613678-053**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:39	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	**7.38**		µg/L	1.00	1	08/13/26 05:39	NA
Vinyl chloride (Chloroethene)	EPA 8260D	**4.47**		µg/L	1.00	1	08/13/26 05:39	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***102***		*%REC*	*80-120*	*1*	*08/13/26 05:39*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***102***		*%REC*	*80-120*	*1*	*08/13/26 05:39*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***99.4***		*%REC*	*80-120*	*1*	*08/13/26 05:39*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***100***		*%REC*	*80-120*	*1*	*08/13/26 05:39*	*NA*

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/06/26 08:00
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-TB002-G080626 **Lab ID: HN2613678-054**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 04:26	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 04:26	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 04:26	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 04:26	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 04:26	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/06/26 08:00
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-TB002-G080626 **Lab ID: HN2613678-054**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 04:26	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***97.4***		*%REC*	*80-120*	*1*	*08/13/26 04:26*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***95.7***		*%REC*	*80-120*	*1*	*08/13/26 04:26*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***94.4***		*%REC*	*80-120*	*1*	*08/13/26 04:26*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***102***		*%REC*	*80-120*	*1*	*08/13/26 04:26*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/06/26 09:30
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW67(30)-G080626 **Lab ID: HN2613678-055**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:57	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:57	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 05:57	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 05:57	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 05:57	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/06/26 09:30
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW67(30)-G080626 **Lab ID: HN2613678-055**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 05:57	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***101***		*%REC*	*80-120*	*1*	*08/13/26 05:57*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***97.0***		*%REC*	*80-120*	*1*	*08/13/26 05:57*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***100***		*%REC*	*80-120*	*1*	*08/13/26 05:57*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***99.8***		*%REC*	*80-120*	*1*	*08/13/26 05:57*	*NA*

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 09:35
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW71(33)-G080626 **Lab ID: HN2613678-056**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 06:15	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/13/26 06:15	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/13/26 06:15	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/13/26 06:15	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/13/26 06:15	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 09:35
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45

CLIENT ID: ATR-MW71(33)-G080626 **Lab ID: HN2613678-056**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND		µg/L	1.00	1	08/13/26 06:15	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***102***		*%REC*	*80-120*	*1*	*08/13/26 06:15*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***94.0***		*%REC*	*80-120*	*1*	*08/13/26 06:15*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***98.5***		*%REC*	*80-120*	*1*	*08/13/26 06:15*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***103***		*%REC*	*80-120*	*1*	*08/13/26 06:15*	*NA*

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2762679	**Run ID:**	4382907

Volatile Organic Compounds by GC-MS

MB | **CLIENT ID: Method Blank** | **Lab ID: QC-2762679-001**

Method: EPA 8260D **Dilution:** 1 **Analysis Date:** 08/11/26 16:34

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	µg/L	1.00							
1,1,2,2-Tetrachloroethane	ND	µg/L	1.00							
1,1,2-Trichloroethane	ND	µg/L	1.00							
1,1-Dichloroethane	ND	µg/L	1.00							
1,1-Dichloroethylene	ND	µg/L	1.00							
1,2-Dichloroethane (Ethylene dichloride)	ND	µg/L	1.00							
1,2-Dichloropropane	ND	µg/L	1.00							
2-Butanone (Methyl ethyl ketone, MEK)	ND	µg/L	5.00							
2-Hexanone	ND	µg/L	5.00							
4-Methyl-2-pentanone (MIBK)	ND	µg/L	1.00							
Acetone	ND	µg/L	10.0							
Benzene	ND	µg/L	1.00							
Bromodichloromethane	ND	µg/L	1.00							
Bromoform	ND	µg/L	1.00							
Carbon disulfide	ND	µg/L	1.00							
Carbon tetrachloride	ND	µg/L	1.00							
Chlorobenzene	ND	µg/L	1.00							
Chlorodibromomethane	ND	µg/L	1.00							
Chloroethane (Ethyl chloride)	ND	µg/L	1.00							
Chloroform	ND	µg/L	1.00							
cis-1,2-Dichloroethylene	ND	µg/L	1.00							
cis-1,3-Dichloropropene	ND	µg/L	1.00							
Ethylbenzene	ND	µg/L	1.00							
m+p-Xylene	ND	µg/L	2.00							
Methyl bromide (Bromomethane)	ND	µg/L	1.00							
Methyl chloride (Chloromethane)	ND	µg/L	1.00							
Methylene chloride (Dichloromethane)	ND	µg/L	5.00							
o-Xylene	ND	µg/L	1.00							
Styrene	ND	µg/L	1.00							
Tetrachloroethylene (Perchloroethylene)	ND	µg/L	1.00							
Toluene	ND	µg/L	1.00							
Total Xylene	ND	µg/L	1.00							
trans-1,2-Dichloroethylene	ND	µg/L	1.00							
trans-1,3-Dichloropropylene	ND	µg/L	1.00							
Trichloroethene (Trichloroethylene)	ND	µg/L	1.00							
Vinyl chloride (Chloroethene)	ND	µg/L	1.00							
Surr: 1,2-Dichloroethane-d4	***19.1***	*µg/L*		20		95.6	*80-120*			
Surr: 4-Bromofluorobenzene	***18.4***	*µg/L*		20		91.9	*80-120*			
Surr: Dibromofluoromethane	***20.2***	*µg/L*		20		101	*80-120*			
Surr: Toluene-d8	***19.5***	*µg/L*		20		97.6	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2762679	**Run ID:**	4382907

Volatile Organic Compounds by GC-MS

LCS | **CLIENT ID: Laboratory Control Sample** | **Lab ID: QC-2762679-002**

Method: EPA 8260D | **Dilution:** 1 | **Analysis Date:** 08/11/26 15:26 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	39.9	µg/L	1.00	40		99.8	75-119			
1,1,2,2-Tetrachloroethane	36.8	µg/L	1.00	40		91.9	80-123			
1,1,2-Trichloroethane	34.4	µg/L	1.00	40		86.1	83-118			
1,1-Dichloroethane	37.6	µg/L	1.00	40		94.0	73-122			
1,1-Dichloroethylene	41.5	µg/L	1.00	40		104	66-131			
1,2-Dichloroethane (Ethylene dichloride)	38.0	µg/L	1.00	40		95.1	78-121			
1,2-Dichloropropane	38.9	µg/L	1.00	40		97.2	78-120			
2-Butanone (Methyl ethyl ketone, MEK)	36.2	µg/L	5.00	40		90.6	69-147			
2-Hexanone	36.6	µg/L	5.00	40		91.6	67-140			
4-Methyl-2-pentanone (MIBK)	36.6	µg/L	1.00	40		91.4	68-199			
Acetone	40.0	µg/L	10.0	40		100	70-166			
Benzene	39.0	µg/L	1.00	40		97.6	78-120			
Bromodichloromethane	35.5	µg/L	1.00	40		88.6	73-126			
Bromoform	36.0	µg/L	1.00	40		90.0	60-124			
Carbon disulfide	43.5	µg/L	1.00	40		109	67-159			
Carbon tetrachloride	39.1	µg/L	1.00	40		97.8	69-124			
Chlorobenzene	37.2	µg/L	1.00	40		93.0	80-118			
Chlorodibromomethane	35.6	µg/L	1.00	40		89.1	63-117			
Chloroethane (Ethyl chloride)	62.0	µg/L	1.00	40		155	35-136			S
Chloroform	36.5	µg/L	1.00	40		91.2	75-119			
cis-1,2-Dichloroethylene	36.3	µg/L	1.00	40		90.7	75-123			
cis-1,3-Dichloropropene	34.0	µg/L	1.00	40		85.1	69-120			
Ethylbenzene	36.2	µg/L	1.00	40		90.6	76-116			
m+p-Xylene	71.0	µg/L	2.00	80		88.7	76-119			
Methyl bromide (Bromomethane)	86.6	µg/L	1.00	40		217	20-183			S
Methyl chloride (Chloromethane)	64.4	µg/L	1.00	40		161	26-117			S
Methylene chloride (Dichloromethane)	38.9	µg/L	5.00	40		97.2	68-125			
o-Xylene	35.0	µg/L	1.00	40		87.5	77-116			
Styrene	36.4	µg/L	1.00	40		91.0	76-123			
Tetrachloroethylene (Perchloroethylene)	36.5	µg/L	1.00	40		91.2	80-124			
Toluene	36.3	µg/L	1.00	40		90.7	78-116			
Total Xylene	106	µg/L	1.00	120		88.3	77-119			
trans-1,2-Dichloroethylene	38.3	µg/L	1.00	40		95.8	73-124			
trans-1,3-Dichloropropylene	34.2	µg/L	1.00	40		85.4	67-118			
Trichloroethene (Trichloroethylene)	39.2	µg/L	1.00	40		98.0	75-122			
Vinyl chloride (Chloroethene)	63.3	µg/L	1.00	40		158	49-122			S
Surr: 1,2-Dichloroethane-d4	***19.4***	*µg/L*		20		97.2	*80-120*			
Surr: 4-Bromofluorobenzene	***19.1***	*µg/L*		20		95.5	*80-120*			
Surr: Dibromofluoromethane	***20.6***	*µg/L*		20		103	*80-120*			
Surr: Toluene-d8	***19.5***	*µg/L*		20		97.6	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2762679	**Run ID:**	4382907

The following samples were analyzed in this batch: HN2613678-029, HN2613678-030, HN2613678-031, HN2613678-032

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2763767	**Run ID:**	4384820

Volatile Organic Compounds by GC-MS

MB | **CLIENT ID: Method Blank** | **Lab ID: QC-2763767-001**

Method: EPA 8260D **Dilution:** 1 **Analysis Date:** 08/11/26 23:28

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	µg/L	1.00							
1,1,2,2-Tetrachloroethane	ND	µg/L	1.00							
1,1,2-Trichloroethane	ND	µg/L	1.00							
1,1-Dichloroethane	ND	µg/L	1.00							
1,1-Dichloroethylene	ND	µg/L	1.00							
1,2-Dichloroethane (Ethylene dichloride)	ND	µg/L	1.00							
1,2-Dichloropropane	ND	µg/L	1.00							
2-Butanone (Methyl ethyl ketone, MEK)	ND	µg/L	5.00							
2-Hexanone	ND	µg/L	5.00							
4-Methyl-2-pentanone (MIBK)	ND	µg/L	1.00							
Acetone	ND	µg/L	10.0							
Benzene	ND	µg/L	1.00							
Bromodichloromethane	ND	µg/L	1.00							
Bromoform	ND	µg/L	1.00							
Carbon disulfide	ND	µg/L	1.00							
Carbon tetrachloride	ND	µg/L	1.00							
Chlorobenzene	ND	µg/L	1.00							
Chlorodibromomethane	ND	µg/L	1.00							
Chloroethane (Ethyl chloride)	ND	µg/L	1.00							
Chloroform	ND	µg/L	1.00							
cis-1,2-Dichloroethylene	ND	µg/L	1.00							
cis-1,3-Dichloropropene	ND	µg/L	1.00							
Ethylbenzene	ND	µg/L	1.00							
m+p-Xylene	ND	µg/L	2.00							
Methyl bromide (Bromomethane)	ND	µg/L	1.00							
Methyl chloride (Chloromethane)	ND	µg/L	1.00							
Methylene chloride (Dichloromethane)	ND	µg/L	5.00							
o-Xylene	ND	µg/L	1.00							
Styrene	ND	µg/L	1.00							
Tetrachloroethylene (Perchloroethylene)	ND	µg/L	1.00							
Toluene	ND	µg/L	1.00							
Total Xylene	ND	µg/L	1.00							
trans-1,2-Dichloroethylene	ND	µg/L	1.00							
trans-1,3-Dichloropropylene	ND	µg/L	1.00							
Trichloroethene (Trichloroethylene)	ND	µg/L	1.00							
Vinyl chloride (Chloroethene)	ND	µg/L	1.00							
Surr: 1,2-Dichloroethane-d4	***22.0***	*µg/L*		20		110	*80-120*			
Surr: 4-Bromofluorobenzene	***18.8***	*µg/L*		20		94.0	*80-120*			
Surr: Dibromofluoromethane	***20.8***	*µg/L*		20		104	*80-120*			
Surr: Toluene-d8	***19.6***	*µg/L*		20		97.9	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2763767	**Run ID:**	4384820

Volatile Organic Compounds by GC-MS

LCS | **CLIENT ID: Laboratory Control Sample** | **Lab ID: QC-2763767-002**

Method: EPA 8260D **Dilution:** 1 **Analysis Date:** 08/11/26 22:25

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	45.4	µg/L	1.00	40		114	75-119			
1,1,2,2-Tetrachloroethane	39.3	µg/L	1.00	40		98.4	80-123			
1,1,2-Trichloroethane	41.1	µg/L	1.00	40		103	83-118			
1,1-Dichloroethane	43.7	µg/L	1.00	40		109	73-122			
1,1-Dichloroethylene	55.0	µg/L	1.00	40		138	66-131			S
1,2-Dichloroethane (Ethylene dichloride)	44.9	µg/L	1.00	40		112	78-121			
1,2-Dichloropropane	39.5	µg/L	1.00	40		98.7	78-120			
2-Butanone (Methyl ethyl ketone, MEK)	33.8	µg/L	5.00	40		84.6	69-147			
2-Hexanone	36.7	µg/L	5.00	40		91.8	67-140			
4-Methyl-2-pentanone (MIBK)	34.1	µg/L	1.00	40		85.4	68-199			
Acetone	33.4	µg/L	10.0	40		83.6	70-166			
Benzene	44.0	µg/L	1.00	40		110	78-120			
Bromodichloromethane	41.2	µg/L	1.00	40		103	73-126			
Bromoform	41.5	µg/L	1.00	40		104	60-124			
Carbon disulfide	55.1	µg/L	1.00	40		138	67-159			
Carbon tetrachloride	46.4	µg/L	1.00	40		116	69-124			
Chlorobenzene	43.2	µg/L	1.00	40		108	80-118			
Chlorodibromomethane	41.4	µg/L	1.00	40		104	63-117			
Chloroethane (Ethyl chloride)	69.5	µg/L	1.00	40		174	35-136			S
Chloroform	42.5	µg/L	1.00	40		106	75-119			
cis-1,2-Dichloroethylene	41.3	µg/L	1.00	40		103	75-123			
cis-1,3-Dichloropropene	36.8	µg/L	1.00	40		92.0	69-120			
Ethylbenzene	43.7	µg/L	1.00	40		109	76-116			
m+p-Xylene	90.2	µg/L	2.00	80		113	76-119			
Methyl bromide (Bromomethane)	59.9	µg/L	1.00	40		150	20-183			
Methyl chloride (Chloromethane)	57.5	µg/L	1.00	40		144	26-117			S
Methylene chloride (Dichloromethane)	43.0	µg/L	5.00	40		107	68-125			
o-Xylene	44.1	µg/L	1.00	40		110	77-116			
Styrene	45.7	µg/L	1.00	40		114	76-123			
Tetrachloroethylene (Perchloroethylene)	47.6	µg/L	1.00	40		119	80-124			
Toluene	43.2	µg/L	1.00	40		108	78-116			
Total Xylene	134	µg/L	1.00	120		112	77-119			
trans-1,2-Dichloroethylene	47.4	µg/L	1.00	40		118	73-124			
trans-1,3-Dichloropropylene	41.3	µg/L	1.00	40		103	67-118			
Trichloroethene (Trichloroethylene)	44.4	µg/L	1.00	40		111	75-122			
Vinyl chloride (Chloroethene)	55.2	µg/L	1.00	40		138	49-122			S
Surr: 1,2-Dichloroethane-d4	***19.7***	*µg/L*		20		98.6	*80-120*			
Surr: 4-Bromofluorobenzene	***20.2***	*µg/L*		20		101	*80-120*			
Surr: Dibromofluoromethane	***19.2***	*µg/L*		20		95.8	*80-120*			
Surr: Toluene-d8	***20.3***	*µg/L*		20		101	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2763767	**Run ID:**	4384820

The following samples were analyzed in this batch:	HN2613678-011, HN2613678-012, HN2613678-013, HN2613678-014, HN2613678-015, HN2613678-016, HN2613678-017

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2765345	**Run ID:**	4387154

Volatile Organic Compounds by GC-MS

MB | **CLIENT ID: Method Blank** | **Lab ID: QC-2765345-001**

Method: EPA 8260D **Dilution:** 1 **Analysis Date:** 08/12/26 16:22

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	µg/L	1.00							
1,1,2,2-Tetrachloroethane	ND	µg/L	1.00							
1,1,2-Trichloroethane	ND	µg/L	1.00							
1,1-Dichloroethane	ND	µg/L	1.00							
1,1-Dichloroethylene	ND	µg/L	1.00							
1,2-Dichloroethane (Ethylene dichloride)	ND	µg/L	1.00							
1,2-Dichloropropane	ND	µg/L	1.00							
2-Butanone (Methyl ethyl ketone, MEK)	ND	µg/L	5.00							
2-Hexanone	ND	µg/L	5.00							
4-Methyl-2-pentanone (MIBK)	ND	µg/L	1.00							
Acetone	ND	µg/L	10.0							
Benzene	ND	µg/L	1.00							
Bromodichloromethane	ND	µg/L	1.00							
Bromoform	ND	µg/L	1.00							
Carbon disulfide	ND	µg/L	1.00							
Carbon tetrachloride	ND	µg/L	1.00							
Chlorobenzene	ND	µg/L	1.00							
Chlorodibromomethane	ND	µg/L	1.00							
Chloroethane (Ethyl chloride)	ND	µg/L	1.00							
Chloroform	ND	µg/L	1.00							
cis-1,2-Dichloroethylene	ND	µg/L	1.00							
cis-1,3-Dichloropropene	ND	µg/L	1.00							
Ethylbenzene	ND	µg/L	1.00							
m+p-Xylene	ND	µg/L	2.00							
Methyl bromide (Bromomethane)	ND	µg/L	1.00							
Methyl chloride (Chloromethane)	ND	µg/L	1.00							
Methylene chloride (Dichloromethane)	ND	µg/L	5.00							
o-Xylene	ND	µg/L	1.00							
Styrene	ND	µg/L	1.00							
Tetrachloroethylene (Perchloroethylene)	ND	µg/L	1.00							
Toluene	ND	µg/L	1.00							
Total Xylene	ND	µg/L	1.00							
trans-1,2-Dichloroethylene	ND	µg/L	1.00							
trans-1,3-Dichloropropylene	ND	µg/L	1.00							
Trichloroethene (Trichloroethylene)	ND	µg/L	1.00							
Vinyl chloride (Chloroethene)	ND	µg/L	1.00							
Surr: 1,2-Dichloroethane-d4	***20.4***	*µg/L*		20		102	*80-120*			
Surr: 4-Bromofluorobenzene	***19.7***	*µg/L*		20		98.4	*80-120*			
Surr: Dibromofluoromethane	***19.9***	*µg/L*		20		99.6	*80-120*			
Surr: Toluene-d8	***19.9***	*µg/L*		20		99.6	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2765345	**Run ID:**	4387154

Volatile Organic Compounds by GC-MS

LCS | **CLIENT ID: Laboratory Control Sample** | **Lab ID: QC-2765345-002**

Method: EPA 8260D **Dilution:** 1 **Analysis Date:** 08/12/26 15:27

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	41.3	µg/L	1.00	40		103	75-119			
1,1,2,2-Tetrachloroethane	37.4	µg/L	1.00	40		93.5	80-123			
1,1,2-Trichloroethane	36.9	µg/L	1.00	40		92.3	83-118			
1,1-Dichloroethane	39.6	µg/L	1.00	40		99.1	73-122			
1,1-Dichloroethylene	47.1	µg/L	1.00	40		118	66-131			
1,2-Dichloroethane (Ethylene dichloride)	39.0	µg/L	1.00	40		97.6	78-121			
1,2-Dichloropropane	39.8	µg/L	1.00	40		99.5	78-120			
2-Butanone (Methyl ethyl ketone, MEK)	37.8	µg/L	5.00	40		94.6	69-147			
2-Hexanone	40.9	µg/L	5.00	40		102	67-140			
4-Methyl-2-pentanone (MIBK)	38.3	µg/L	1.00	40		95.7	68-199			
Acetone	38.8	µg/L	10.0	40		96.9	70-166			
Benzene	39.3	µg/L	1.00	40		98.3	78-120			
Bromodichloromethane	38.4	µg/L	1.00	40		95.9	73-126			
Bromoform	39.2	µg/L	1.00	40		98.0	60-124			
Carbon disulfide	44.9	µg/L	1.00	40		112	67-159			
Carbon tetrachloride	41.7	µg/L	1.00	40		104	69-124			
Chlorobenzene	37.3	µg/L	1.00	40		93.4	80-118			
Chlorodibromomethane	36.3	µg/L	1.00	40		90.7	63-117			
Chloroethane (Ethyl chloride)	41.8	µg/L	1.00	40		105	35-136			
Chloroform	38.9	µg/L	1.00	40		97.2	75-119			
cis-1,2-Dichloroethylene	38.5	µg/L	1.00	40		96.2	75-123			
cis-1,3-Dichloropropene	38.3	µg/L	1.00	40		95.8	69-120			
Ethylbenzene	38.2	µg/L	1.00	40		95.4	76-116			
m+p-Xylene	76.4	µg/L	2.00	80		95.5	76-119			
Methyl bromide (Bromomethane)	43.0	µg/L	1.00	40		108	20-183			
Methyl chloride (Chloromethane)	52.6	µg/L	1.00	40		131	26-117			S
Methylene chloride (Dichloromethane)	40.8	µg/L	5.00	40		102	68-125			
o-Xylene	37.9	µg/L	1.00	40		94.6	77-116			
Styrene	37.1	µg/L	1.00	40		92.8	76-123			
Tetrachloroethylene (Perchloroethylene)	38.6	µg/L	1.00	40		96.5	80-124			
Toluene	37.8	µg/L	1.00	40		94.6	78-116			
Total Xylene	114	µg/L	1.00	120		95.2	77-119			
trans-1,2-Dichloroethylene	41.5	µg/L	1.00	40		104	73-124			
trans-1,3-Dichloropropylene	38.7	µg/L	1.00	40		96.8	67-118			
Trichloroethene (Trichloroethylene)	39.7	µg/L	1.00	40		99.3	75-122			
Vinyl chloride (Chloroethene)	48.5	µg/L	1.00	40		121	49-122			
Surr: 1,2-Dichloroethane-d4	***19.1***	*µg/L*		20		95.3	*80-120*			
Surr: 4-Bromofluorobenzene	***19.4***	*µg/L*		20		97.2	*80-120*			
Surr: Dibromofluoromethane	***19.3***	*µg/L*		20		96.4	*80-120*			
Surr: Toluene-d8	***19.8***	*µg/L*		20		99.0	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2765345	**Run ID:**	4387154

The following samples were analyzed in this batch: HN2613678-050

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2765452	**Run ID:**	4387335

Volatile Organic Compounds by GC-MS

MB | **CLIENT ID: Method Blank** | **Lab ID: QC-2765452-001**

Method: EPA 8260D **Dilution:** 1 **Analysis Date:** 08/12/26 15:08

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	µg/L	1.00							
1,1,2,2-Tetrachloroethane	ND	µg/L	1.00							
1,1,2-Trichloroethane	ND	µg/L	1.00							
1,1-Dichloroethane	ND	µg/L	1.00							
1,1-Dichloroethylene	ND	µg/L	1.00							
1,2-Dichloroethane (Ethylene dichloride)	ND	µg/L	1.00							
1,2-Dichloropropane	ND	µg/L	1.00							
2-Butanone (Methyl ethyl ketone, MEK)	ND	µg/L	5.00							
2-Hexanone	ND	µg/L	5.00							
4-Methyl-2-pentanone (MIBK)	ND	µg/L	1.00							
Acetone	ND	µg/L	10.0							
Benzene	ND	µg/L	1.00							
Bromodichloromethane	ND	µg/L	1.00							
Bromoform	ND	µg/L	1.00							
Carbon disulfide	ND	µg/L	1.00							
Carbon tetrachloride	ND	µg/L	1.00							
Chlorobenzene	ND	µg/L	1.00							
Chlorodibromomethane	ND	µg/L	1.00							
Chloroethane (Ethyl chloride)	ND	µg/L	1.00							
Chloroform	ND	µg/L	1.00							
cis-1,2-Dichloroethylene	ND	µg/L	1.00							
cis-1,3-Dichloropropene	ND	µg/L	1.00							
Ethylbenzene	ND	µg/L	1.00							
m+p-Xylene	ND	µg/L	2.00							
Methyl bromide (Bromomethane)	ND	µg/L	1.00							
Methyl chloride (Chloromethane)	ND	µg/L	1.00							
Methylene chloride (Dichloromethane)	ND	µg/L	5.00							
o-Xylene	ND	µg/L	1.00							
Styrene	ND	µg/L	1.00							
Tetrachloroethylene (Perchloroethylene)	ND	µg/L	1.00							
Toluene	ND	µg/L	1.00							
Total Xylene	ND	µg/L	1.00							
trans-1,2-Dichloroethylene	ND	µg/L	1.00							
trans-1,3-Dichloropropylene	ND	µg/L	1.00							
Trichloroethene (Trichloroethylene)	ND	µg/L	1.00							
Vinyl chloride (Chloroethene)	ND	µg/L	1.00							
Surr: 1,2-Dichloroethane-d4	***20.3***	*µg/L*		20		101	*80-120*			
Surr: 4-Bromofluorobenzene	***18.8***	*µg/L*		20		93.9	*80-120*			
Surr: Dibromofluoromethane	***19.9***	*µg/L*		20		99.6	*80-120*			
Surr: Toluene-d8	***19.8***	*µg/L*		20		99.2	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2765452	**Run ID:**	4387335

Volatile Organic Compounds by GC-MS

LCS | **CLIENT ID: Laboratory Control Sample** | **Lab ID: QC-2765452-002**

Method: EPA 8260D | **Dilution:** 1 | **Analysis Date:** 08/12/26 14:00 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	41.7	µg/L	1.00	40		104	75-119			
1,1,2,2-Tetrachloroethane	40.8	µg/L	1.00	40		102	80-123			
1,1,2-Trichloroethane	35.8	µg/L	1.00	40		89.4	83-118			
1,1-Dichloroethane	39.4	µg/L	1.00	40		98.4	73-122			
1,1-Dichloroethylene	43.1	µg/L	1.00	40		108	66-131			
1,2-Dichloroethane (Ethylene dichloride)	41.3	µg/L	1.00	40		103	78-121			
1,2-Dichloropropane	42.6	µg/L	1.00	40		107	78-120			
2-Butanone (Methyl ethyl ketone, MEK)	37.7	µg/L	5.00	40		94.3	69-147			
2-Hexanone	37.2	µg/L	5.00	40		93.0	67-140			
4-Methyl-2-pentanone (MIBK)	40.0	µg/L	1.00	40		100	68-199			
Acetone	37.6	µg/L	10.0	40		93.9	70-166			
Benzene	41.9	µg/L	1.00	40		105	78-120			
Bromodichloromethane	39.1	µg/L	1.00	40		97.7	73-126			
Bromoform	37.8	µg/L	1.00	40		94.6	60-124			
Carbon disulfide	44.3	µg/L	1.00	40		111	67-159			
Carbon tetrachloride	42.8	µg/L	1.00	40		107	69-124			
Chlorobenzene	40.0	µg/L	1.00	40		100	80-118			
Chlorodibromomethane	39.0	µg/L	1.00	40		97.4	63-117			
Chloroethane (Ethyl chloride)	63.5	µg/L	1.00	40		159	35-136			S
Chloroform	38.8	µg/L	1.00	40		97.1	75-119			
cis-1,2-Dichloroethylene	37.6	µg/L	1.00	40		94.1	75-123			
cis-1,3-Dichloropropene	36.0	µg/L	1.00	40		90.0	69-120			
Ethylbenzene	39.8	µg/L	1.00	40		99.4	76-116			
m+p-Xylene	78.0	µg/L	2.00	80		97.5	76-119			
Methyl bromide (Bromomethane)	93.5	µg/L	1.00	40		234	20-183			S
Methyl chloride (Chloromethane)	66.3	µg/L	1.00	40		166	26-117			S
Methylene chloride (Dichloromethane)	41.1	µg/L	5.00	40		103	68-125			
o-Xylene	38.0	µg/L	1.00	40		95.0	77-116			
Styrene	40.9	µg/L	1.00	40		102	76-123			
Tetrachloroethylene (Perchloroethylene)	40.7	µg/L	1.00	40		102	80-124			
Toluene	38.9	µg/L	1.00	40		97.2	78-116			
Total Xylene	116	µg/L	1.00	120		96.7	77-119			
trans-1,2-Dichloroethylene	40.7	µg/L	1.00	40		102	73-124			
trans-1,3-Dichloropropylene	37.0	µg/L	1.00	40		92.4	67-118			
Trichloroethene (Trichloroethylene)	42.6	µg/L	1.00	40		106	75-122			
Vinyl chloride (Chloroethene)	65.4	µg/L	1.00	40		163	49-122			S
Surr: 1,2-Dichloroethane-d4	***19.0***	*µg/L*		20		95.2	*80-120*			
Surr: 4-Bromofluorobenzene	***19.1***	*µg/L*		20		95.6	*80-120*			
Surr: Dibromofluoromethane	***20.5***	*µg/L*		20		102	*80-120*			
Surr: Toluene-d8	***19.4***	*µg/L*		20		97.0	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2765452	**Run ID:**	4387335

The following samples were analyzed in this batch:	HN2613678-029, HN2613678-030, HN2613678-031, HN2613678-032, HN2613678-033

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2765993	**Run ID:**	4388405

Volatile Organic Compounds by GC-MS

MB | **CLIENT ID: Method Blank** | **Lab ID: QC-2765993-001**

Method: EPA 8260D **Dilution:** 1 **Analysis Date:** 08/12/26 16:52

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	µg/L	1.00							
1,1,2,2-Tetrachloroethane	ND	µg/L	1.00							
1,1,2-Trichloroethane	ND	µg/L	1.00							
1,1-Dichloroethane	ND	µg/L	1.00							
1,1-Dichloroethylene	ND	µg/L	1.00							
1,2-Dichloroethane (Ethylene dichloride)	ND	µg/L	1.00							
1,2-Dichloropropane	ND	µg/L	1.00							
2-Butanone (Methyl ethyl ketone, MEK)	ND	µg/L	5.00							
2-Hexanone	ND	µg/L	5.00							
4-Methyl-2-pentanone (MIBK)	ND	µg/L	1.00							
Acetone	ND	µg/L	10.0							
Benzene	ND	µg/L	1.00							
Bromodichloromethane	ND	µg/L	1.00							
Bromoform	ND	µg/L	1.00							
Carbon disulfide	ND	µg/L	1.00							
Carbon tetrachloride	ND	µg/L	1.00							
Chlorobenzene	ND	µg/L	1.00							
Chlorodibromomethane	ND	µg/L	1.00							
Chloroethane (Ethyl chloride)	ND	µg/L	1.00							
Chloroform	ND	µg/L	1.00							
cis-1,2-Dichloroethylene	ND	µg/L	1.00							
cis-1,3-Dichloropropene	ND	µg/L	1.00							
Ethylbenzene	ND	µg/L	1.00							
m+p-Xylene	ND	µg/L	2.00							
Methyl bromide (Bromomethane)	ND	µg/L	1.00							
Methyl chloride (Chloromethane)	ND	µg/L	1.00							
Methylene chloride (Dichloromethane)	ND	µg/L	5.00							
o-Xylene	ND	µg/L	1.00							
Styrene	ND	µg/L	1.00							
Tetrachloroethylene (Perchloroethylene)	ND	µg/L	1.00							
Toluene	ND	µg/L	1.00							
Total Xylene	ND	µg/L	1.00							
trans-1,2-Dichloroethylene	ND	µg/L	1.00							
trans-1,3-Dichloropropylene	ND	µg/L	1.00							
Trichloroethene (Trichloroethylene)	ND	µg/L	1.00							
Vinyl chloride (Chloroethene)	ND	µg/L	1.00							
Surr: 1,2-Dichloroethane-d4	***20.3***	*µg/L*		20		102	*80-120*			
Surr: 4-Bromofluorobenzene	***18.5***	*µg/L*		20		92.7	*80-120*			
Surr: Dibromofluoromethane	***20.3***	*µg/L*		20		101	*80-120*			
Surr: Toluene-d8	***19.8***	*µg/L*		20		99.0	*80-120*			

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2765993	**Run ID:**	4388405

Volatile Organic Compounds by GC-MS

LCS | **CLIENT ID: Laboratory Control Sample** | **Lab ID: QC-2765993-002**

Method: EPA 8260D **Dilution:** 1 **Analysis Date:** 08/12/26 15:49

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	41.5	µg/L	1.00	40		104	75-119			
1,1,2,2-Tetrachloroethane	36.4	µg/L	1.00	40		90.9	80-123			
1,1,2-Trichloroethane	37.1	µg/L	1.00	40		92.8	83-118			
1,1-Dichloroethane	38.3	µg/L	1.00	40		95.8	73-122			
1,1-Dichloroethylene	49.4	µg/L	1.00	40		124	66-131			
1,2-Dichloroethane (Ethylene dichloride)	41.8	µg/L	1.00	40		104	78-121			
1,2-Dichloropropane	35.8	µg/L	1.00	40		89.6	78-120			
2-Butanone (Methyl ethyl ketone, MEK)	31.0	µg/L	5.00	40		77.4	69-147			
2-Hexanone	32.4	µg/L	5.00	40		80.9	67-140			
4-Methyl-2-pentanone (MIBK)	32.6	µg/L	1.00	40		81.6	68-199			
Acetone	29.2	µg/L	10.0	40		73.0	70-166			
Benzene	39.8	µg/L	1.00	40		99.6	78-120			
Bromodichloromethane	37.5	µg/L	1.00	40		93.8	73-126			
Bromoform	37.9	µg/L	1.00	40		94.8	60-124			
Carbon disulfide	47.3	µg/L	1.00	40		118	67-159			
Carbon tetrachloride	42.8	µg/L	1.00	40		107	69-124			
Chlorobenzene	40.2	µg/L	1.00	40		101	80-118			
Chlorodibromomethane	38.4	µg/L	1.00	40		95.9	63-117			
Chloroethane (Ethyl chloride)	67.4	µg/L	1.00	40		169	35-136			S
Chloroform	37.3	µg/L	1.00	40		93.3	75-119			
cis-1,2-Dichloroethylene	38.1	µg/L	1.00	40		95.3	75-123			
cis-1,3-Dichloropropene	34.1	µg/L	1.00	40		85.2	69-120			
Ethylbenzene	39.7	µg/L	1.00	40		99.3	76-116			
m+p-Xylene	80.4	µg/L	2.00	80		101	76-119			
Methyl bromide (Bromomethane)	56.9	µg/L	1.00	40		142	20-183			
Methyl chloride (Chloromethane)	51.9	µg/L	1.00	40		130	26-117			S
Methylene chloride (Dichloromethane)	39.7	µg/L	5.00	40		99.2	68-125			
o-Xylene	39.3	µg/L	1.00	40		98.3	77-116			
Styrene	40.6	µg/L	1.00	40		102	76-123			
Tetrachloroethylene (Perchloroethylene)	44.2	µg/L	1.00	40		110	80-124			
Toluene	40.1	µg/L	1.00	40		100	78-116			
Total Xylene	120	µg/L	1.00	120		99.8	77-119			
trans-1,2-Dichloroethylene	41.0	µg/L	1.00	40		103	73-124			
trans-1,3-Dichloropropylene	37.5	µg/L	1.00	40		93.7	67-118			
Trichloroethene (Trichloroethylene)	40.9	µg/L	1.00	40		102	75-122			
Vinyl chloride (Chloroethene)	50.9	µg/L	1.00	40		127	49-122			S
Surr: 1,2-Dichloroethane-d4	***19.6***	*µg/L*		20		98.2	*80-120*			
Surr: 4-Bromofluorobenzene	***18.7***	*µg/L*		20		93.5	*80-120*			
Surr: Dibromofluoromethane	***19.0***	*µg/L*		20		95.0	*80-120*			
Surr: Toluene-d8	***20.7***	*µg/L*		20		103	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2765993	**Run ID:**	4388405

The following samples were analyzed in this batch:	HN2613678-001, HN2613678-002, HN2613678-003, HN2613678-004, HN2613678-005, HN2613678-006, HN2613678-007, HN2613678-008, HN2613678-009, HN2613678-018, HN2613678-019, HN2613678-020, HN2613678-021, HN2613678-022, HN2613678-023, HN2613678-024, HN2613678-025

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2766406	**Run ID:**	4389165

Volatile Organic Compounds by GC-MS

MB | **CLIENT ID: Method Blank** | **Lab ID: QC-2766406-001**

Method: EPA 8260D **Dilution:** 1 **Analysis Date:** 08/13/26 03:31

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	µg/L	1.00							
1,1,2,2-Tetrachloroethane	ND	µg/L	1.00							
1,1,2-Trichloroethane	ND	µg/L	1.00							
1,1-Dichloroethane	ND	µg/L	1.00							
1,1-Dichloroethylene	ND	µg/L	1.00							
1,2-Dichloroethane (Ethylene dichloride)	ND	µg/L	1.00							
1,2-Dichloropropane	ND	µg/L	1.00							
2-Butanone (Methyl ethyl ketone, MEK)	ND	µg/L	5.00							
2-Hexanone	ND	µg/L	5.00							
4-Methyl-2-pentanone (MIBK)	ND	µg/L	1.00							
Acetone	ND	µg/L	10.0							
Benzene	ND	µg/L	1.00							
Bromodichloromethane	ND	µg/L	1.00							
Bromoform	ND	µg/L	1.00							
Carbon disulfide	ND	µg/L	1.00							
Carbon tetrachloride	ND	µg/L	1.00							
Chlorobenzene	ND	µg/L	1.00							
Chlorodibromomethane	ND	µg/L	1.00							
Chloroethane (Ethyl chloride)	ND	µg/L	1.00							
Chloroform	ND	µg/L	1.00							
cis-1,2-Dichloroethylene	ND	µg/L	1.00							
cis-1,3-Dichloropropene	ND	µg/L	1.00							
Ethylbenzene	ND	µg/L	1.00							
m+p-Xylene	ND	µg/L	2.00							
Methyl bromide (Bromomethane)	ND	µg/L	1.00							
Methyl chloride (Chloromethane)	ND	µg/L	1.00							
Methylene chloride (Dichloromethane)	ND	µg/L	5.00							
o-Xylene	ND	µg/L	1.00							
Styrene	ND	µg/L	1.00							
Tetrachloroethylene (Perchloroethylene)	ND	µg/L	1.00							
Toluene	ND	µg/L	1.00							
Total Xylene	ND	µg/L	1.00							
trans-1,2-Dichloroethylene	ND	µg/L	1.00							
trans-1,3-Dichloropropylene	ND	µg/L	1.00							
Trichloroethene (Trichloroethylene)	ND	µg/L	1.00							
Vinyl chloride (Chloroethene)	ND	µg/L	1.00							
Surr: 1,2-Dichloroethane-d4	***20.7***	*µg/L*		20		104	*80-120*			
Surr: 4-Bromofluorobenzene	***19.8***	*µg/L*		20		98.9	*80-120*			
Surr: Dibromofluoromethane	***19.9***	*µg/L*		20		99.5	*80-120*			
Surr: Toluene-d8	***19.9***	*µg/L*		20		99.6	*80-120*			

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2766406	**Run ID:**	4389165

Volatile Organic Compounds by GC-MS

LCS | **CLIENT ID: Laboratory Control Sample** | **Lab ID: QC-2766406-002**

Method: EPA 8260D **Dilution:** 1 **Analysis Date:** 08/13/26 02:17

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	37.7	µg/L	1.00	40		94.2	75-119			
1,1,2,2-Tetrachloroethane	36.7	µg/L	1.00	40		91.8	80-123			
1,1,2-Trichloroethane	36.0	µg/L	1.00	40		90.1	83-118			
1,1-Dichloroethane	39.2	µg/L	1.00	40		98.0	73-122			
1,1-Dichloroethylene	43.7	µg/L	1.00	40		109	66-131			
1,2-Dichloroethane (Ethylene dichloride)	37.4	µg/L	1.00	40		93.5	78-121			
1,2-Dichloropropane	37.5	µg/L	1.00	40		93.8	78-120			
2-Butanone (Methyl ethyl ketone, MEK)	35.9	µg/L	5.00	40		89.8	69-147			
2-Hexanone	38.7	µg/L	5.00	40		96.8	67-140			
4-Methyl-2-pentanone (MIBK)	37.9	µg/L	1.00	40		94.8	68-199			
Acetone	36.6	µg/L	10.0	40		91.4	70-166			
Benzene	37.8	µg/L	1.00	40		94.5	78-120			
Bromodichloromethane	36.5	µg/L	1.00	40		91.3	73-126			
Bromoform	37.5	µg/L	1.00	40		93.7	60-124			
Carbon disulfide	41.5	µg/L	1.00	40		104	67-159			
Carbon tetrachloride	37.1	µg/L	1.00	40		92.8	69-124			
Chlorobenzene	36.6	µg/L	1.00	40		91.5	80-118			
Chlorodibromomethane	35.4	µg/L	1.00	40		88.5	63-117			
Chloroethane (Ethyl chloride)	41.3	µg/L	1.00	40		103	35-136			
Chloroform	37.1	µg/L	1.00	40		92.8	75-119			
cis-1,2-Dichloroethylene	36.5	µg/L	1.00	40		91.2	75-123			
cis-1,3-Dichloropropene	35.1	µg/L	1.00	40		87.7	69-120			
Ethylbenzene	37.4	µg/L	1.00	40		93.5	76-116			
m+p-Xylene	74.0	µg/L	2.00	80		92.6	76-119			
Methyl bromide (Bromomethane)	40.0	µg/L	1.00	40		99.9	20-183			
Methyl chloride (Chloromethane)	47.0	µg/L	1.00	40		117	26-117			
Methylene chloride (Dichloromethane)	40.1	µg/L	5.00	40		100	68-125			
o-Xylene	37.2	µg/L	1.00	40		92.9	77-116			
Styrene	36.1	µg/L	1.00	40		90.4	76-123			
Tetrachloroethylene (Perchloroethylene)	36.5	µg/L	1.00	40		91.3	80-124			
Toluene	36.8	µg/L	1.00	40		92.1	78-116			
Total Xylene	111	µg/L	1.00	120		92.7	77-119			
trans-1,2-Dichloroethylene	39.3	µg/L	1.00	40		98.3	73-124			
trans-1,3-Dichloropropylene	37.0	µg/L	1.00	40		92.5	67-118			
Trichloroethene (Trichloroethylene)	36.5	µg/L	1.00	40		91.2	75-122			
Vinyl chloride (Chloroethene)	45.2	µg/L	1.00	40		113	49-122			
Surr: 1,2-Dichloroethane-d4	***19.1***	*µg/L*		20		95.4	*80-120*			
Surr: 4-Bromofluorobenzene	***19.5***	*µg/L*		20		97.7	*80-120*			
Surr: Dibromofluoromethane	***18.8***	*µg/L*		20		94.0	*80-120*			
Surr: Toluene-d8	***20.5***	*µg/L*		20		103	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2766406	**Run ID:**	4389165

The following samples were analyzed in this batch:	HN2613678-051, HN2613678-052, HN2613678-053, HN2613678-054, HN2613678-055, HN2613678-056

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2766651	**Run ID:**	4389462

Volatile Organic Compounds by GC-MS

MB | **CLIENT ID: Method Blank** | **Lab ID: QC-2766651-001**

Method: EPA 8260D **Dilution:** 1 **Analysis Date:** 08/13/26 04:04

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	µg/L	1.00							
1,1,2,2-Tetrachloroethane	ND	µg/L	1.00							
1,1,2-Trichloroethane	ND	µg/L	1.00							
1,1-Dichloroethane	ND	µg/L	1.00							
1,1-Dichloroethylene	ND	µg/L	1.00							
1,2-Dichloroethane (Ethylene dichloride)	ND	µg/L	1.00							
1,2-Dichloropropane	ND	µg/L	1.00							
2-Butanone (Methyl ethyl ketone, MEK)	ND	µg/L	5.00							
2-Hexanone	ND	µg/L	5.00							
4-Methyl-2-pentanone (MIBK)	ND	µg/L	1.00							
Acetone	ND	µg/L	10.0							
Benzene	ND	µg/L	1.00							
Bromodichloromethane	ND	µg/L	1.00							
Bromoform	ND	µg/L	1.00							
Carbon disulfide	ND	µg/L	1.00							
Carbon tetrachloride	ND	µg/L	1.00							
Chlorobenzene	ND	µg/L	1.00							
Chlorodibromomethane	ND	µg/L	1.00							
Chloroethane (Ethyl chloride)	ND	µg/L	1.00							
Chloroform	ND	µg/L	1.00							
cis-1,2-Dichloroethylene	ND	µg/L	1.00							
cis-1,3-Dichloropropene	ND	µg/L	1.00							
Ethylbenzene	ND	µg/L	1.00							
m+p-Xylene	ND	µg/L	2.00							
Methyl bromide (Bromomethane)	ND	µg/L	1.00							
Methyl chloride (Chloromethane)	ND	µg/L	1.00							
Methylene chloride (Dichloromethane)	ND	µg/L	5.00							
o-Xylene	ND	µg/L	1.00							
Styrene	ND	µg/L	1.00							
Tetrachloroethylene (Perchloroethylene)	ND	µg/L	1.00							
Toluene	ND	µg/L	1.00							
Total Xylene	ND	µg/L	1.00							
trans-1,2-Dichloroethylene	ND	µg/L	1.00							
trans-1,3-Dichloropropylene	ND	µg/L	1.00							
Trichloroethene (Trichloroethylene)	ND	µg/L	1.00							
Vinyl chloride (Chloroethene)	ND	µg/L	1.00							
Surr: 1,2-Dichloroethane-d4	***21.9***	*µg/L*		20		109	*80-120*			
Surr: 4-Bromofluorobenzene	***18.8***	*µg/L*		20		94.2	*80-120*			
Surr: Dibromofluoromethane	***20.5***	*µg/L*		20		103	*80-120*			
Surr: Toluene-d8	***18.9***	*µg/L*		20		94.4	*80-120*			

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2766651	**Run ID:**	4389462

Volatile Organic Compounds by GC-MS

LCS | **CLIENT ID: Laboratory Control Sample** | **Lab ID: QC-2766651-002**

Method: EPA 8260D **Dilution:** 1 **Analysis Date:** 08/13/26 03:01

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	44.0	µg/L	1.00	40		110	75-119			
1,1,2,2-Tetrachloroethane	36.4	µg/L	1.00	40		91.0	80-123			
1,1,2-Trichloroethane	41.1	µg/L	1.00	40		103	83-118			
1,1-Dichloroethane	41.9	µg/L	1.00	40		105	73-122			
1,1-Dichloroethylene	52.6	µg/L	1.00	40		132	66-131			S
1,2-Dichloroethane (Ethylene dichloride)	44.6	µg/L	1.00	40		111	78-121			
1,2-Dichloropropane	38.1	µg/L	1.00	40		95.2	78-120			
2-Butanone (Methyl ethyl ketone, MEK)	32.7	µg/L	5.00	40		81.7	69-147			
2-Hexanone	34.5	µg/L	5.00	40		86.2	67-140			
4-Methyl-2-pentanone (MIBK)	33.3	µg/L	1.00	40		83.2	68-199			
Acetone	34.2	µg/L	10.0	40		85.6	70-166			
Benzene	42.7	µg/L	1.00	40		107	78-120			
Bromodichloromethane	40.9	µg/L	1.00	40		102	73-126			
Bromoform	41.2	µg/L	1.00	40		103	60-124			
Carbon disulfide	51.4	µg/L	1.00	40		128	67-159			
Carbon tetrachloride	45.5	µg/L	1.00	40		114	69-124			
Chlorobenzene	42.8	µg/L	1.00	40		107	80-118			
Chlorodibromomethane	42.3	µg/L	1.00	40		106	63-117			
Chloroethane (Ethyl chloride)	78.8	µg/L	1.00	40		197	35-136			S
Chloroform	41.9	µg/L	1.00	40		105	75-119			
cis-1,2-Dichloroethylene	40.7	µg/L	1.00	40		102	75-123			
cis-1,3-Dichloropropene	35.4	µg/L	1.00	40		88.5	69-120			
Ethylbenzene	42.9	µg/L	1.00	40		107	76-116			
m+p-Xylene	87.9	µg/L	2.00	80		110	76-119			
Methyl bromide (Bromomethane)	66.1	µg/L	1.00	40		165	20-183			
Methyl chloride (Chloromethane)	56.0	µg/L	1.00	40		140	26-117			S
Methylene chloride (Dichloromethane)	42.2	µg/L	5.00	40		105	68-125			
o-Xylene	43.3	µg/L	1.00	40		108	77-116			
Styrene	43.8	µg/L	1.00	40		109	76-123			
Tetrachloroethylene (Perchloroethylene)	46.3	µg/L	1.00	40		116	80-124			
Toluene	42.5	µg/L	1.00	40		106	78-116			
Total Xylene	131	µg/L	1.00	120		109	77-119			
trans-1,2-Dichloroethylene	44.7	µg/L	1.00	40		112	73-124			
trans-1,3-Dichloropropylene	39.9	µg/L	1.00	40		99.8	67-118			
Trichloroethene (Trichloroethylene)	43.9	µg/L	1.00	40		110	75-122			
Vinyl chloride (Chloroethene)	55.7	µg/L	1.00	40		139	49-122			S
Surr: 1,2-Dichloroethane-d4	***20.4***	*µg/L*		20		102	*80-120*			
Surr: 4-Bromofluorobenzene	***19.9***	*µg/L*		20		99.6	*80-120*			
Surr: Dibromofluoromethane	***19.4***	*µg/L*		20		97.0	*80-120*			
Surr: Toluene-d8	***20.4***	*µg/L*		20		102	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2766651	**Run ID:**	4389462

The following samples were analyzed in this batch:	HN2613678-010, HN2613678-026, HN2613678-027, HN2613678-028, HN2613678-034, HN2613678-035, HN2613678-036, HN2613678-037, HN2613678-038, HN2613678-039, HN2613678-040, HN2613678-041, HN2613678-042, HN2613678-043, HN2613678-044, HN2613678-045, HN2613678-046, HN2613678-047, HN2613678-048, HN2613678-049

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2768194	**Run ID:**	4392014

Volatile Organic Compounds by GC-MS

MB | **CLIENT ID: Method Blank** | **Lab ID: QC-2768194-001**

Method: EPA 8260D **Dilution:** 1 **Analysis Date:** 08/13/26 16:51

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	µg/L	1.00							
1,1,2,2-Tetrachloroethane	ND	µg/L	1.00							
1,1,2-Trichloroethane	ND	µg/L	1.00							
1,1-Dichloroethane	ND	µg/L	1.00							
1,1-Dichloroethylene	ND	µg/L	1.00							
1,2-Dichloroethane (Ethylene dichloride)	ND	µg/L	1.00							
1,2-Dichloropropane	ND	µg/L	1.00							
2-Butanone (Methyl ethyl ketone, MEK)	ND	µg/L	5.00							
2-Hexanone	ND	µg/L	5.00							
4-Methyl-2-pentanone (MIBK)	ND	µg/L	1.00							
Acetone	ND	µg/L	10.0							
Benzene	ND	µg/L	1.00							
Bromodichloromethane	ND	µg/L	1.00							
Bromoform	ND	µg/L	1.00							
Carbon disulfide	ND	µg/L	1.00							
Carbon tetrachloride	ND	µg/L	1.00							
Chlorobenzene	ND	µg/L	1.00							
Chlorodibromomethane	ND	µg/L	1.00							
Chloroethane (Ethyl chloride)	ND	µg/L	1.00							
Chloroform	ND	µg/L	1.00							
cis-1,2-Dichloroethylene	ND	µg/L	1.00							
cis-1,3-Dichloropropene	ND	µg/L	1.00							
Ethylbenzene	ND	µg/L	1.00							
m+p-Xylene	ND	µg/L	2.00							
Methyl bromide (Bromomethane)	ND	µg/L	1.00							
Methyl chloride (Chloromethane)	ND	µg/L	1.00							
Methylene chloride (Dichloromethane)	ND	µg/L	5.00							
o-Xylene	ND	µg/L	1.00							
Styrene	ND	µg/L	1.00							
Tetrachloroethylene (Perchloroethylene)	ND	µg/L	1.00							
Toluene	ND	µg/L	1.00							
Total Xylene	ND	µg/L	1.00							
trans-1,2-Dichloroethylene	ND	µg/L	1.00							
trans-1,3-Dichloropropylene	ND	µg/L	1.00							
Trichloroethene (Trichloroethylene)	ND	µg/L	1.00							
Vinyl chloride (Chloroethene)	ND	µg/L	1.00							
Surr: 1,2-Dichloroethane-d4	***21.4***	*µg/L*		20		107	*80-120*			
Surr: 4-Bromofluorobenzene	***17.9***	*µg/L*		20		89.6	*80-120*			
Surr: Dibromofluoromethane	***20.1***	*µg/L*		20		101	*80-120*			
Surr: Toluene-d8	***19.2***	*µg/L*		20		95.8	*80-120*			

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2768194	**Run ID:**	4392014

Volatile Organic Compounds by GC-MS

LCS | **CLIENT ID: Laboratory Control Sample** | **Lab ID: QC-2768194-002**

Method: EPA 8260D | **Dilution:** 1 | **Analysis Date:** 08/13/26 16:09 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	43.1	µg/L	1.00	40		108	75-119			
1,1,2,2-Tetrachloroethane	34.8	µg/L	1.00	40		86.9	80-123			
1,1,2-Trichloroethane	38.6	µg/L	1.00	40		96.4	83-118			
1,1-Dichloroethane	38.7	µg/L	1.00	40		96.6	73-122			
1,1-Dichloroethylene	47.3	µg/L	1.00	40		118	66-131			
1,2-Dichloroethane (Ethylene dichloride)	45.1	µg/L	1.00	40		113	78-121			
1,2-Dichloropropane	35.3	µg/L	1.00	40		88.2	78-120			
2-Butanone (Methyl ethyl ketone, MEK)	30.2	µg/L	5.00	40		75.5	69-147			
2-Hexanone	32.1	µg/L	5.00	40		80.2	67-140			
4-Methyl-2-pentanone (MIBK)	30.8	µg/L	1.00	40		77.1	68-199			
Acetone	30.8	µg/L	10.0	40		77.0	70-166			
Benzene	40.1	µg/L	1.00	40		100	78-120			
Bromodichloromethane	40.4	µg/L	1.00	40		101	73-126			
Bromoform	40.3	µg/L	1.00	40		101	60-124			
Carbon disulfide	46.2	µg/L	1.00	40		116	67-159			
Carbon tetrachloride	44.3	µg/L	1.00	40		111	69-124			
Chlorobenzene	39.7	µg/L	1.00	40		99.2	80-118			
Chlorodibromomethane	38.8	µg/L	1.00	40		97.1	63-117			
Chloroethane (Ethyl chloride)	73.5	µg/L	1.00	40		184	35-136			S
Chloroform	38.9	µg/L	1.00	40		97.2	75-119			
cis-1,2-Dichloroethylene	38.5	µg/L	1.00	40		96.3	75-123			
cis-1,3-Dichloropropene	35.7	µg/L	1.00	40		89.2	69-120			
Ethylbenzene	39.6	µg/L	1.00	40		99.1	76-116			
m+p-Xylene	80.9	µg/L	2.00	80		101	76-119			
Methyl bromide (Bromomethane)	61.8	µg/L	1.00	40		155	20-183			
Methyl chloride (Chloromethane)	44.4	µg/L	1.00	40		111	26-117			
Methylene chloride (Dichloromethane)	39.0	µg/L	5.00	40		97.6	68-125			
o-Xylene	40.0	µg/L	1.00	40		100	77-116			
Styrene	40.4	µg/L	1.00	40		101	76-123			
Tetrachloroethylene (Perchloroethylene)	44.4	µg/L	1.00	40		111	80-124			
Toluene	38.9	µg/L	1.00	40		97.3	78-116			
Total Xylene	121	µg/L	1.00	120		101	77-119			
trans-1,2-Dichloroethylene	40.6	µg/L	1.00	40		102	73-124			
trans-1,3-Dichloropropylene	36.8	µg/L	1.00	40		92.1	67-118			
Trichloroethene (Trichloroethylene)	43.1	µg/L	1.00	40		108	75-122			
Vinyl chloride (Chloroethene)	47.2	µg/L	1.00	40		118	49-122			
Surr: 1,2-Dichloroethane-d4	***20.2***	*µg/L*		20		101	*80-120*			
Surr: 4-Bromofluorobenzene	***20.4***	*µg/L*		20		102	*80-120*			
Surr: Dibromofluoromethane	***19.7***	*µg/L*		20		98.5	*80-120*			
Surr: Toluene-d8	***20.2***	*µg/L*		20		101	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2768194	**Run ID:**	4392014

The following samples were analyzed in this batch:	HN2613678-004, HN2613678-009, HN2613678-011, HN2613678-012, HN2613678-016, HN2613678-022, HN2613678-023, HN2613678-034, HN2613678-036, HN2613678-038, HN2613678-039, HN2613678-040, HN2613678-041, HN2613678-046, HN2613678-048, HN2613678-049

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2772527	**Run ID:**	4398334

Volatile Organic Compounds by GC-MS

MB | **CLIENT ID: Method Blank** | **Lab ID: QC-2772527-001**

Method: EPA 8260D **Dilution:** 1 **Analysis Date:** 08/14/26 15:51

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	µg/L	1.00							
1,1,2,2-Tetrachloroethane	ND	µg/L	1.00							
1,1,2-Trichloroethane	ND	µg/L	1.00							
1,1-Dichloroethane	ND	µg/L	1.00							
1,1-Dichloroethylene	ND	µg/L	1.00							
1,2-Dichloroethane (Ethylene dichloride)	ND	µg/L	1.00							
1,2-Dichloropropane	ND	µg/L	1.00							
2-Butanone (Methyl ethyl ketone, MEK)	ND	µg/L	5.00							
2-Hexanone	ND	µg/L	5.00							
4-Methyl-2-pentanone (MIBK)	ND	µg/L	1.00							
Acetone	ND	µg/L	10.0							
Benzene	ND	µg/L	1.00							
Bromodichloromethane	ND	µg/L	1.00							
Bromoform	ND	µg/L	1.00							
Carbon disulfide	ND	µg/L	1.00							
Carbon tetrachloride	ND	µg/L	1.00							
Chlorobenzene	ND	µg/L	1.00							
Chlorodibromomethane	ND	µg/L	1.00							
Chloroethane (Ethyl chloride)	ND	µg/L	1.00							
Chloroform	ND	µg/L	1.00							
cis-1,2-Dichloroethylene	ND	µg/L	1.00							
cis-1,3-Dichloropropene	ND	µg/L	1.00							
Ethylbenzene	ND	µg/L	1.00							
m+p-Xylene	ND	µg/L	2.00							
Methyl bromide (Bromomethane)	ND	µg/L	1.00							
Methyl chloride (Chloromethane)	ND	µg/L	1.00							
Methylene chloride (Dichloromethane)	ND	µg/L	5.00							
o-Xylene	ND	µg/L	1.00							
Styrene	ND	µg/L	1.00							
Tetrachloroethylene (Perchloroethylene)	ND	µg/L	1.00							
Toluene	ND	µg/L	1.00							
Total Xylene	ND	µg/L	1.00							
trans-1,2-Dichloroethylene	ND	µg/L	1.00							
trans-1,3-Dichloropropylene	ND	µg/L	1.00							
Trichloroethene (Trichloroethylene)	ND	µg/L	1.00							
Vinyl chloride (Chloroethene)	ND	µg/L	1.00							
Surr: 1,2-Dichloroethane-d4	***19.2***	*µg/L*		20		96.2	*80-120*			
Surr: 4-Bromofluorobenzene	***18.5***	*µg/L*		20		92.6	*80-120*			
Surr: Dibromofluoromethane	***19.8***	*µg/L*		20		99.1	*80-120*			
Surr: Toluene-d8	***19.8***	*µg/L*		20		98.8	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2772527	**Run ID:**	4398334

Volatile Organic Compounds by GC-MS

LCS | **CLIENT ID: Laboratory Control Sample** | **Lab ID: QC-2772527-002**

Method: EPA 8260D **Dilution:** 1 **Analysis Date:** 08/14/26 14:50

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	39.1	µg/L	1.00	40		97.6	75-119			
1,1,2,2-Tetrachloroethane	38.0	µg/L	1.00	40		95.0	80-123			
1,1,2-Trichloroethane	36.6	µg/L	1.00	40		91.6	83-118			
1,1-Dichloroethane	37.1	µg/L	1.00	40		92.8	73-122			
1,1-Dichloroethylene	40.5	µg/L	1.00	40		101	66-131			
1,2-Dichloroethane (Ethylene dichloride)	37.7	µg/L	1.00	40		94.4	78-121			
1,2-Dichloropropane	37.9	µg/L	1.00	40		94.7	78-120			
2-Butanone (Methyl ethyl ketone, MEK)	37.0	µg/L	5.00	40		92.6	69-147			
2-Hexanone	38.3	µg/L	5.00	40		95.7	67-140			
4-Methyl-2-pentanone (MIBK)	ND	µg/L	1.00	40		0.00	68-199			S
Acetone	34.8	µg/L	10.0	40		86.9	70-166			
Benzene	38.0	µg/L	1.00	40		94.9	78-120			
Bromodichloromethane	37.2	µg/L	1.00	40		93.1	73-126			
Bromoform	38.4	µg/L	1.00	40		96.0	60-124			
Carbon disulfide	37.4	µg/L	1.00	40		93.5	67-159			
Carbon tetrachloride	39.1	µg/L	1.00	40		97.8	69-124			
Chlorobenzene	38.0	µg/L	1.00	40		95.1	80-118			
Chlorodibromomethane	35.8	µg/L	1.00	40		89.4	63-117			
Chloroethane (Ethyl chloride)	38.4	µg/L	1.00	40		95.9	35-136			
Chloroform	36.6	µg/L	1.00	40		91.4	75-119			
cis-1,2-Dichloroethylene	36.3	µg/L	1.00	40		90.8	75-123			
cis-1,3-Dichloropropene	36.4	µg/L	1.00	40		91.0	69-120			
Ethylbenzene	39.1	µg/L	1.00	40		97.8	76-116			
m+p-Xylene	78.6	µg/L	2.00	80		98.3	76-119			
Methyl bromide (Bromomethane)	34.4	µg/L	1.00	40		85.9	20-183			
Methyl chloride (Chloromethane)	31.7	µg/L	1.00	40		79.2	26-117			
Methylene chloride (Dichloromethane)	37.3	µg/L	5.00	40		93.2	68-125			
o-Xylene	38.4	µg/L	1.00	40		95.9	77-116			
Styrene	38.1	µg/L	1.00	40		95.3	76-123			
Tetrachloroethylene (Perchloroethylene)	40.9	µg/L	1.00	40		102	80-124			
Toluene	38.8	µg/L	1.00	40		97.1	78-116			
Total Xylene	117	µg/L	1.00	120		97.5	77-119			
trans-1,2-Dichloroethylene	37.9	µg/L	1.00	40		94.7	73-124			
trans-1,3-Dichloropropylene	36.8	µg/L	1.00	40		92.0	67-118			
Trichloroethene (Trichloroethylene)	38.8	µg/L	1.00	40		96.9	75-122			
Vinyl chloride (Chloroethene)	34.9	µg/L	1.00	40		87.3	49-122			
Surr: 1,2-Dichloroethane-d4	***19.8***	*µg/L*		20		99.2	*80-120*			
Surr: 4-Bromofluorobenzene	***20.5***	*µg/L*		20		102	*80-120*			
Surr: Dibromofluoromethane	***20.2***	*µg/L*		20		101	*80-120*			
Surr: Toluene-d8	***20.2***	*µg/L*		20		101	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2772527	**Run ID:**	4398334

The following samples were analyzed in this batch: HN2613678-005

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 14:05
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45
QC Lot:	2762679	**Run ID:**	4382907

Volatile Organic Compounds by GC-MS

MS | **CLIENT ID: ATR-MW37(70)-G080326** | **Lab ID: QC-2762679-005**

Method: EPA 8260D | **Dilution:** 1 | **Analysis Date:** 08/12/26 01:14 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	44.2	µg/L	1.00	40	ND	110	75-119			
1,1,2,2-Tetrachloroethane	41.6	µg/L	1.00	40	ND	104	80-123			
1,1,2-Trichloroethane	40.3	µg/L	1.00	40	ND	101	83-118			
1,1-Dichloroethane	44.7	µg/L	1.00	40	ND	112	73-122			
1,1-Dichloroethylene	49.4	µg/L	1.00	40	ND	124	66-131			
1,2-Dichloroethane (Ethylene dichloride)	44.5	µg/L	1.00	40	ND	111	78-121			
1,2-Dichloropropane	45.7	µg/L	1.00	40	ND	114	78-120			
2-Butanone (Methyl ethyl ketone, MEK)	41.8	µg/L	5.00	40	ND	101	69-147			
4-Methyl-2-pentanone (MIBK)	41.4	µg/L	1.00	40	ND	103	68-199			
Acetone	38.7	µg/L	10.0	40	ND	96.7	70-166			
Benzene	45.1	µg/L	1.00	40	ND	113	78-120			
Bromodichloromethane	41.6	µg/L	1.00	40	ND	104	73-126			
Bromoform	38.4	µg/L	1.00	40	ND	96.0	60-124			
Carbon disulfide	49.1	µg/L	1.00	40	ND	123	67-159			
Carbon tetrachloride	45.2	µg/L	1.00	40	ND	113	69-124			
Chlorobenzene	43.8	µg/L	1.00	40	ND	109	80-118			
Chlorodibromomethane	40.4	µg/L	1.00	40	ND	101	63-117			
Chloroethane (Ethyl chloride)	84.6	µg/L	1.00	40	ND	212	26-117			S
Chloroform	43.4	µg/L	1.00	40	ND	109	75-119			
cis-1,2-Dichloroethylene	43.2	µg/L	1.00	40	1.51	104	75-123			
cis-1,3-Dichloropropene	38.6	µg/L	1.00	40	ND	96.4	69-120			
Ethylbenzene	43.5	µg/L	1.00	40	ND	109	76-116			
m+p-Xylene	86.5	µg/L	2.00	80	ND	108	77-116			
Methyl bromide (Bromomethane)	111	µg/L	1.00	40	ND	277	20-183			ES
Methyl chloride (Chloromethane)	68.5	µg/L	1.00	40	ND	171	26-117			S
Methylene chloride (Dichloromethane)	47.2	µg/L	5.00	40	ND	118	68-125			
o-Xylene	41.5	µg/L	1.00	40	ND	104	77-116			
Styrene	43.6	µg/L	1.00	40	ND	109	76-123			
Tetrachloroethylene (Perchloroethylene)	43.4	µg/L	1.00	40	ND	108	80-124			
Toluene	41.4	µg/L	1.00	40	ND	103	78-116			
Total Xylene	128	µg/L	1.00	120	ND	107	77-119			
trans-1,2-Dichloroethylene	45.5	µg/L	1.00	40	ND	114	73-124			
trans-1,3-Dichloropropylene	37.2	µg/L	1.00	40	ND	93.1	67-118			
Trichloroethene (Trichloroethylene)	47.0	µg/L	1.00	40	1.68	113	75-122			
Vinyl chloride (Chloroethene)	70.9	µg/L	1.00	40	ND	177	49-122			S
Surr: 1,2-Dichloroethane-d4	***19.1***	*µg/L*		20		95.4	*80-120*			
Surr: 4-Bromofluorobenzene	***18.8***	*µg/L*		20		94.0	*80-120*			
Surr: Dibromofluoromethane	***20.9***	*µg/L*		20		105	*80-120*			
Surr: Toluene-d8	***19.8***	*µg/L*		20		99.0	*80-120*			

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 14:05
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45
QC Lot:	2762679	**Run ID:**	4382907

Volatile Organic Compounds by GC-MS

DUP | **CLIENT ID: ATR-MW37(98)-G080326** | **Lab ID: QC-2762679-007**

Method: EPA 8260D | **Dilution:** 1 | **Analysis Date:** 08/12/26 00:51 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	µg/L	1.00		<1.00			NC		
1,1,2,2-Tetrachloroethane	ND	µg/L	1.00		<1.00			NC		
1,1,2-Trichloroethane	ND	µg/L	1.00		<1.00			NC		
1,1-Dichloroethane	ND	µg/L	1.00		<1.00			NC		
1,1-Dichloroethylene	ND	µg/L	1.00		<1.00			NC		
1,2-Dichloroethane (Ethylene dichloride)	ND	µg/L	1.00		<1.00			NC		
1,2-Dichloropropane	ND	µg/L	1.00		<1.00			NC		
2-Butanone (Methyl ethyl ketone, MEK)	ND	µg/L	5.00		<5.00			NC		
4-Methyl-2-pentanone (MIBK)	ND	µg/L	1.00		<1.00			NC		
Acetone	ND	µg/L	10.0		<10.0			NC		
Benzene	ND	µg/L	1.00		<1.00			NC		
Bromodichloromethane	ND	µg/L	1.00		<1.00			NC		
Bromoform	ND	µg/L	1.00		<1.00			NC		
Carbon disulfide	ND	µg/L	1.00		<1.00			NC		
Carbon tetrachloride	ND	µg/L	1.00		<1.00			NC		
Chlorobenzene	ND	µg/L	1.00		<1.00			NC		
Chlorodibromomethane	ND	µg/L	1.00		<1.00			NC		
Chloroethane (Ethyl chloride)	ND	µg/L	1.00		<1.00			NC		
Chloroform	ND	µg/L	1.00		<1.00			NC		
cis-1,2-Dichloroethylene	ND	µg/L	1.00		<1.00			NC		
cis-1,3-Dichloropropene	ND	µg/L	1.00		<1.00			NC		
Ethylbenzene	ND	µg/L	1.00		<1.00			NC		
m+p-Xylene	ND	µg/L	2.00		<2.00			NC		
Methyl bromide (Bromomethane)	ND	µg/L	1.00		<1.00			NC		
Methyl chloride (Chloromethane)	ND	µg/L	1.00		<1.00			NC		
Methylene chloride (Dichloromethane)	ND	µg/L	5.00		<5.00			NC		
o-Xylene	ND	µg/L	1.00		<1.00			NC		
Styrene	ND	µg/L	1.00		<1.00			NC		
Tetrachloroethylene (Perchloroethylene)	ND	µg/L	1.00		<1.00			NC		
Toluene	ND	µg/L	1.00		<1.00			NC		
Total Xylene	ND	µg/L	1.00		<1.00			NC		
trans-1,2-Dichloroethylene	ND	µg/L	1.00		<1.00			NC		
trans-1,3-Dichloropropylene	ND	µg/L	1.00		<1.00			NC		
Trichloroethene (Trichloroethylene)	ND	µg/L	1.00		<1.00			NC		
Vinyl chloride (Chloroethene)	ND	µg/L	1.00		<1.00			NC		
Surr: 1,2-Dichloroethane-d4	***19.9***	*µg/L*		20		99.7	*80-120*	1.30	30	
Surr: 4-Bromofluorobenzene	***18.5***	*µg/L*		20		92.3	*80-120*	2.25	30	
Surr: Dibromofluoromethane	***21.0***	*µg/L*		20		105	*80-120*	1.89	30	
Surr: Toluene-d8	***19.2***	*µg/L*		20		96.0	*80-120*	3.88	30	

The following samples were analyzed in this batch: HN2613678-029, HN2613678-030, HN2613678-031, HN2613678-032

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 12:58
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45
QC Lot:	2763767	**Run ID:**	4384820

Volatile Organic Compounds by GC-MS

MS | **CLIENT ID: ATR-MW38(69.9)-G080326R** | **Lab ID: QC-2763767-005**

Method: EPA 8260D | **Dilution:** 1 | **Analysis Date:** 08/12/26 07:31 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	45.2	µg/L	1.00	40	ND	113	75-119			
1,1,2,2-Tetrachloroethane	35.5	µg/L	1.00	40	ND	88.8	80-123			
1,1,2-Trichloroethane	36.0	µg/L	1.00	40	ND	89.9	83-118			
1,1-Dichloroethane	38.8	µg/L	1.00	40	ND	96.9	73-122			
1,1-Dichloroethylene	52.7	µg/L	1.00	40	ND	132	66-131			S
1,2-Dichloroethane (Ethylene dichloride)	44.0	µg/L	1.00	40	ND	110	78-121			
1,2-Dichloropropane	38.6	µg/L	1.00	40	ND	96.6	78-120			
2-Butanone (Methyl ethyl ketone, MEK)	31.2	µg/L	5.00	40	ND	77.9	69-147			
2-Hexanone	33.6	µg/L	5.00	40	ND	84.0	67-140			
4-Methyl-2-pentanone (MIBK)	31.1	µg/L	1.00	40	ND	77.8	68-199			
Acetone	29.3	µg/L	10.0	40	ND	73.3	70-166			
Benzene	43.6	µg/L	1.00	40	ND	109	78-120			
Bromodichloromethane	40.7	µg/L	1.00	40	ND	102	73-126			
Bromoform	35.8	µg/L	1.00	40	ND	89.6	60-124			
Carbon disulfide	51.7	µg/L	1.00	40	ND	129	67-159			
Carbon tetrachloride	47.6	µg/L	1.00	40	ND	119	69-124			
Chlorobenzene	39.6	µg/L	1.00	40	ND	99.0	80-118			
Chlorodibromomethane	36.6	µg/L	1.00	40	ND	91.5	63-117			
Chloroethane (Ethyl chloride)	116	µg/L	1.00	40	ND	290	26-117			ES
Chloroform	39.5	µg/L	1.00	40	ND	98.8	75-119			
cis-1,2-Dichloroethylene	38.5	µg/L	1.00	40	ND	96.4	75-123			
cis-1,3-Dichloropropene	34.2	µg/L	1.00	40	ND	85.4	69-120			
Ethylbenzene	40.5	µg/L	1.00	40	ND	101	76-116			
m+p-Xylene	81.7	µg/L	2.00	80	ND	102	77-116			
Methyl bromide (Bromomethane)	121	µg/L	1.00	40	ND	303	20-183			ES
Methyl chloride (Chloromethane)	60.2	µg/L	1.00	40	ND	150	26-117			S
Methylene chloride (Dichloromethane)	40.1	µg/L	5.00	40	ND	100	68-125			
o-Xylene	40.2	µg/L	1.00	40	ND	100	77-116			
Styrene	40.1	µg/L	1.00	40	ND	100	76-123			
Tetrachloroethylene (Perchloroethylene)	42.5	µg/L	1.00	40	ND	106	80-124			
Toluene	40.0	µg/L	1.00	40	ND	100.0	78-116			
Total Xylene	122	µg/L	1.00	120	ND	102	77-119			
trans-1,2-Dichloroethylene	43.8	µg/L	1.00	40	ND	110	73-124			
trans-1,3-Dichloropropylene	32.9	µg/L	1.00	40	ND	82.2	67-118			
Trichloroethene (Trichloroethylene)	43.4	µg/L	1.00	40	ND	108	75-122			
Surr: 1,2-Dichloroethane-d4	***19.8***	*µg/L*		20		98.8	*80-120*			
Surr: 4-Bromofluorobenzene	***19.9***	*µg/L*		20		99.4	*80-120*			
Surr: Dibromofluoromethane	***19.6***	*µg/L*		20		98.0	*80-120*			
Surr: Toluene-d8	***19.3***	*µg/L*		20		96.6	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 12:58
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45
QC Lot:	2763767	**Run ID:**	4384820

Volatile Organic Compounds by GC-MS

DUP | **CLIENT ID: ATR-MW38(69.9)-G080326** | **Lab ID: QC-2763767-007**

Method: EPA 8260D | **Dilution:** 1 | **Analysis Date:** 08/12/26 07:10 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	µg/L	1.00		<1.00			NC		
1,1,2,2-Tetrachloroethane	ND	µg/L	1.00		<1.00			NC		
1,1,2-Trichloroethane	ND	µg/L	1.00		<1.00			NC		
1,1-Dichloroethane	ND	µg/L	1.00		<1.00			NC		
1,1-Dichloroethylene	ND	µg/L	1.00		<1.00			NC		
1,2-Dichloroethane (Ethylene dichloride)	ND	µg/L	1.00		<1.00			NC		
1,2-Dichloropropane	ND	µg/L	1.00		<1.00			NC		
2-Butanone (Methyl ethyl ketone, MEK)	ND	µg/L	5.00		<5.00			NC		
2-Hexanone	ND	µg/L	5.00		<5.00			NC		
4-Methyl-2-pentanone (MIBK)	ND	µg/L	1.00		<1.00			NC		
Acetone	ND	µg/L	10.0		<10.0			NC		
Benzene	ND	µg/L	1.00		<1.00			NC		
Bromodichloromethane	ND	µg/L	1.00		<1.00			NC		
Bromoform	ND	µg/L	1.00		<1.00			NC		
Carbon disulfide	ND	µg/L	1.00		<1.00			NC		
Carbon tetrachloride	ND	µg/L	1.00		<1.00			NC		
Chlorobenzene	ND	µg/L	1.00		<1.00			NC		
Chlorodibromomethane	ND	µg/L	1.00		<1.00			NC		
Chloroethane (Ethyl chloride)	ND	µg/L	1.00		<1.00			NC		
Chloroform	ND	µg/L	1.00		<1.00			NC		
cis-1,2-Dichloroethylene	ND	µg/L	1.00		<1.00			NC		
cis-1,3-Dichloropropene	ND	µg/L	1.00		<1.00			NC		
Ethylbenzene	ND	µg/L	1.00		<1.00			NC		
m+p-Xylene	ND	µg/L	2.00		<2.00			NC		
Methyl bromide (Bromomethane)	ND	µg/L	1.00		<1.00			NC		
Methyl chloride (Chloromethane)	ND	µg/L	1.00		<1.00			NC		
Methylene chloride (Dichloromethane)	ND	µg/L	5.00		<5.00			NC		
o-Xylene	ND	µg/L	1.00		<1.00			NC		
Styrene	ND	µg/L	1.00		<1.00			NC		
Tetrachloroethylene (Perchloroethylene)	ND	µg/L	1.00		<1.00			NC		
Toluene	ND	µg/L	1.00		<1.00			NC		
Total Xylene	ND	µg/L	1.00		<1.00			NC		
trans-1,2-Dichloroethylene	ND	µg/L	1.00		<1.00			NC		
trans-1,3-Dichloropropylene	ND	µg/L	1.00		<1.00			NC		
Trichloroethene (Trichloroethylene)	ND	µg/L	1.00		<1.00			NC		
Surr: 1,2-Dichloroethane-d4	***20.2***	*µg/L*		20		101	*80-120*	2.93	30	
Surr: 4-Bromofluorobenzene	***18.9***	*µg/L*		20		94.6	*80-120*	2.30	30	
Surr: Dibromofluoromethane	***18.9***	*µg/L*		20		94.4	*80-120*	2.30	30	
Surr: Toluene-d8	***19.4***	*µg/L*		20		97.0	*80-120*	1.66	30	

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 12:58
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45
QC Lot:	2763767	**Run ID:**	4384820

The following samples were analyzed in this batch:	HN2613678-011, HN2613678-012, HN2613678-013, HN2613678-014, HN2613678-015, HN2613678-016, HN2613678-017

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 17:10
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45
QC Lot:	2765452	**Run ID:**	4387335

Volatile Organic Compounds by GC-MS

MS | **CLIENT ID: ATR-MW39(13)-G080326** | **Lab ID: QC-2765452-005**

Method: EPA 8260D | **Dilution:** 1 | **Analysis Date:** 08/12/26 23:12 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	43.8	µg/L	1.00	40	ND	110	75-119			
1,1,2,2-Tetrachloroethane	41.2	µg/L	1.00	40	ND	103	80-123			
1,1,2-Trichloroethane	39.4	µg/L	1.00	40	ND	98.6	83-118			
1,1-Dichloroethane	42.1	µg/L	1.00	40	ND	105	73-122			
1,1-Dichloroethylene	43.4	µg/L	1.00	40	ND	108	66-131			
1,2-Dichloroethane (Ethylene dichloride)	45.0	µg/L	1.00	40	ND	113	78-121			
1,2-Dichloropropane	44.7	µg/L	1.00	40	ND	112	78-120			
2-Butanone (Methyl ethyl ketone, MEK)	40.4	µg/L	5.00	40	ND	101	69-147			
2-Hexanone	39.4	µg/L	5.00	40	ND	98.4	67-140			
4-Methyl-2-pentanone (MIBK)	39.7	µg/L	1.00	40	ND	99.4	68-199			
Acetone	38.7	µg/L	10.0	40	ND	96.8	70-166			
Benzene	45.3	µg/L	1.00	40	ND	113	78-120			
Bromodichloromethane	42.0	µg/L	1.00	40	ND	105	73-126			
Bromoform	39.8	µg/L	1.00	40	ND	99.4	60-124			
Carbon disulfide	40.6	µg/L	1.00	40	ND	102	67-159			
Carbon tetrachloride	43.1	µg/L	1.00	40	ND	108	69-124			
Chlorobenzene	43.4	µg/L	1.00	40	ND	108	80-118			
Chlorodibromomethane	39.8	µg/L	1.00	40	ND	99.4	63-117			
Chloroethane (Ethyl chloride)	55.6	µg/L	1.00	40	ND	139	26-117			S
Chloroform	41.5	µg/L	1.00	40	ND	104	75-119			
cis-1,2-Dichloroethylene	40.1	µg/L	1.00	40	ND	100	75-123			
cis-1,3-Dichloropropene	37.4	µg/L	1.00	40	ND	93.5	69-120			
Ethylbenzene	42.9	µg/L	1.00	40	ND	107	76-116			
m+p-Xylene	84.9	µg/L	2.00	80	ND	106	77-116			
Methyl bromide (Bromomethane)	52.7	µg/L	1.00	40	ND	131	20-183			
Methyl chloride (Chloromethane)	45.4	µg/L	1.00	40	ND	114	26-117			
Methylene chloride (Dichloromethane)	44.0	µg/L	5.00	40	ND	110	68-125			
o-Xylene	42.0	µg/L	1.00	40	ND	105	77-116			
Styrene	43.1	µg/L	1.00	40	ND	108	76-123			
Tetrachloroethylene (Perchloroethylene)	43.2	µg/L	1.00	40	ND	108	80-124			
Toluene	42.0	µg/L	1.00	40	ND	105	78-116			
Total Xylene	127	µg/L	1.00	120	ND	106	77-119			
trans-1,2-Dichloroethylene	42.1	µg/L	1.00	40	ND	105	73-124			
trans-1,3-Dichloropropylene	35.5	µg/L	1.00	40	ND	88.7	67-118			
Trichloroethene (Trichloroethylene)	45.4	µg/L	1.00	40	ND	113	75-122			
Vinyl chloride (Chloroethene)	49.6	µg/L	1.00	40	ND	124	49-122			S
Surr: 1,2-Dichloroethane-d4	***19.5***	*µg/L*		20		97.7	*80-120*			
Surr: 4-Bromofluorobenzene	***18.9***	*µg/L*		20		94.6	*80-120*			
Surr: Dibromofluoromethane	***19.7***	*µg/L*		20		98.3	*80-120*			
Surr: Toluene-d8	***19.8***	*µg/L*		20		98.8	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 17:10
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45
QC Lot:	2765452	**Run ID:**	4387335

Volatile Organic Compounds by GC-MS

MSD | **CLIENT ID: ATR-MW39(13)-G080326** | **Lab ID: QC-2765452-006**

Method: EPA 8260D | **Dilution:** 1 | **Analysis Date:** 08/12/26 23:35 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	41.6	µg/L	1.00	40	ND	104	75-119	5.27	30	
1,1,2,2-Tetrachloroethane	39.8	µg/L	1.00	40	ND	99.6	80-123	3.28	30	
1,1,2-Trichloroethane	37.6	µg/L	1.00	40	ND	94.0	83-118	4.80	30	
1,1-Dichloroethane	41.6	µg/L	1.00	40	ND	104	73-122	1.10	30	
1,1-Dichloroethylene	42.9	µg/L	1.00	40	ND	107	66-131	1.09	30	
1,2-Dichloroethane (Ethylene dichloride)	41.5	µg/L	1.00	40	ND	104	78-121	8.21	30	
1,2-Dichloropropane	43.6	µg/L	1.00	40	ND	109	78-120	2.38	30	
2-Butanone (Methyl ethyl ketone, MEK)	40.2	µg/L	5.00	40	ND	101	69-147	0.471	30	
2-Hexanone	38.5	µg/L	5.00	40	ND	96.3	67-140	2.13	30	
4-Methyl-2-pentanone (MIBK)	38.8	µg/L	1.00	40	ND	97.0	68-199	2.39	30	
Acetone	37.5	µg/L	10.0	40	ND	93.8	70-166	3.20	30	
Benzene	41.6	µg/L	1.00	40	ND	104	78-120	8.50	30	
Bromodichloromethane	39.8	µg/L	1.00	40	ND	99.6	73-126	5.38	30	
Bromoform	38.2	µg/L	1.00	40	ND	95.4	60-124	4.05	30	
Carbon disulfide	39.8	µg/L	1.00	40	ND	99.6	67-159	1.94	30	
Carbon tetrachloride	42.6	µg/L	1.00	40	ND	107	69-124	1.07	30	
Chlorobenzene	41.4	µg/L	1.00	40	ND	104	80-118	4.53	30	
Chlorodibromomethane	38.9	µg/L	1.00	40	ND	97.3	63-117	2.16	30	
Chloroethane (Ethyl chloride)	51.6	µg/L	1.00	40	ND	129	26-117	7.46	30	S
Chloroform	41.9	µg/L	1.00	40	ND	105	75-119	0.983	30	
cis-1,2-Dichloroethylene	39.7	µg/L	1.00	40	ND	99.2	75-123	1.10	30	
cis-1,3-Dichloropropene	36.7	µg/L	1.00	40	ND	91.8	69-120	1.86	30	
Ethylbenzene	41.0	µg/L	1.00	40	ND	103	76-116	4.43	30	
m+p-Xylene	81.5	µg/L	2.00	80	ND	102	77-116	4.05	30	
Methyl bromide (Bromomethane)	59.0	µg/L	1.00	40	ND	147	20-183	11.2	30	
Methyl chloride (Chloromethane)	45.6	µg/L	1.00	40	ND	114	26-117	0.329	30	
Methylene chloride (Dichloromethane)	42.6	µg/L	5.00	40	ND	107	68-125	3.07	30	
o-Xylene	40.3	µg/L	1.00	40	ND	101	77-116	4.20	30	
Styrene	41.1	µg/L	1.00	40	ND	103	76-123	4.87	30	
Tetrachloroethylene (Perchloroethylene)	41.2	µg/L	1.00	40	ND	103	80-124	4.69	30	
Toluene	40.1	µg/L	1.00	40	ND	100	78-116	4.77	30	
Total Xylene	122	µg/L	1.00	120	ND	101	77-119	4.10	30	
trans-1,2-Dichloroethylene	41.1	µg/L	1.00	40	ND	103	73-124	2.43	30	
trans-1,3-Dichloropropylene	36.1	µg/L	1.00	40	ND	90.2	67-118	1.59	30	
Trichloroethene (Trichloroethylene)	42.4	µg/L	1.00	40	ND	106	75-122	6.89	30	
Vinyl chloride (Chloroethene)	49.5	µg/L	1.00	40	ND	124	49-122	0.0807	30	S
Surr: 1,2-Dichloroethane-d4	***19.2***	*µg/L*		20		96.2	*80-120*	1.55	30	
Surr: 4-Bromofluorobenzene	***19.3***	*µg/L*		20		96.7	*80-120*	2.14	30	
Surr: Dibromofluoromethane	***19.6***	*µg/L*		20		98.2	*80-120*	0.102	30	
Surr: Toluene-d8	***19.9***	*µg/L*		20		99.3	*80-120*	0.505	30	

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/03/26 17:10
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45
QC Lot:	2765452	**Run ID:**	4387335

The following samples were analyzed in this batch:	HN2613678-029, HN2613678-030, HN2613678-031, HN2613678-032, HN2613678-033

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 13:53
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45
QC Lot:	2765993	**Run ID:**	4388405

Volatile Organic Compounds by GC-MS

MS | **CLIENT ID: ATR-MW31(30.9)-G080426** | **Lab ID: QC-2765993-005**

Method: EPA 8260D | **Dilution:** 1 | **Analysis Date:** 08/13/26 00:34 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	43.4	µg/L	1.00	40	ND	108	75-119			
1,1,2,2-Tetrachloroethane	35.6	µg/L	1.00	40	ND	88.9	80-123			
1,1,2-Trichloroethane	37.5	µg/L	1.00	40	ND	93.8	83-118			
1,1-Dichloroethane	38.2	µg/L	1.00	40	ND	95.5	73-122			
1,1-Dichloroethylene	46.4	µg/L	1.00	40	ND	116	66-131			
1,2-Dichloroethane (Ethylene dichloride)	42.2	µg/L	1.00	40	ND	106	78-121			
1,2-Dichloropropane	36.2	µg/L	1.00	40	ND	90.6	78-120			
2-Butanone (Methyl ethyl ketone, MEK)	29.9	µg/L	5.00	40	ND	74.7	69-147			
2-Hexanone	31.5	µg/L	5.00	40	ND	78.6	67-140			
4-Methyl-2-pentanone (MIBK)	29.6	µg/L	1.00	40	ND	74.0	68-199			
Acetone	28.1	µg/L	10.0	40	ND	70.3	70-166			
Benzene	41.3	µg/L	1.00	40	ND	103	78-120			
Bromodichloromethane	41.1	µg/L	1.00	40	ND	103	73-126			
Bromoform	40.8	µg/L	1.00	40	ND	102	60-124			
Carbon disulfide	44.8	µg/L	1.00	40	ND	112	67-159			
Carbon tetrachloride	46.4	µg/L	1.00	40	ND	116	69-124			
Chlorobenzene	39.9	µg/L	1.00	40	ND	99.8	80-118			
Chlorodibromomethane	40.6	µg/L	1.00	40	ND	102	63-117			
Chloroethane (Ethyl chloride)	100	µg/L	1.00	40	ND	250	26-117			S
Chloroform	40.1	µg/L	1.00	40	ND	100	75-119			
cis-1,2-Dichloroethylene	37.5	µg/L	1.00	40	ND	93.8	75-123			
cis-1,3-Dichloropropene	35.3	µg/L	1.00	40	ND	88.4	69-120			
Ethylbenzene	41.0	µg/L	1.00	40	ND	102	76-116			
m+p-Xylene	83.5	µg/L	2.00	80	ND	104	77-116			
Methyl bromide (Bromomethane)	101	µg/L	1.00	40	ND	253	20-183			ES
Methyl chloride (Chloromethane)	40.1	µg/L	1.00	40	ND	100	26-117			
Methylene chloride (Dichloromethane)	38.8	µg/L	5.00	40	ND	97.0	68-125			
o-Xylene	40.1	µg/L	1.00	40	ND	100	77-116			
Styrene	41.2	µg/L	1.00	40	ND	103	76-123			
Tetrachloroethylene (Perchloroethylene)	45.1	µg/L	1.00	40	ND	113	80-124			
Toluene	40.0	µg/L	1.00	40	ND	100	78-116			
Total Xylene	124	µg/L	1.00	120	ND	103	77-119			
trans-1,2-Dichloroethylene	40.3	µg/L	1.00	40	ND	101	73-124			
trans-1,3-Dichloropropylene	36.0	µg/L	1.00	40	ND	90.1	67-118			
Trichloroethene (Trichloroethylene)	43.6	µg/L	1.00	40	ND	109	75-122			
Vinyl chloride (Chloroethene)	44.4	µg/L	1.00	40	ND	111	49-122			
Surr: 1,2-Dichloroethane-d4	***20.7***	*µg/L*		20		104	*80-120*			
Surr: 4-Bromofluorobenzene	***18.6***	*µg/L*		20		93.2	*80-120*			
Surr: Dibromofluoromethane	***19.8***	*µg/L*		20		98.9	*80-120*			
Surr: Toluene-d8	***19.9***	*µg/L*		20		99.4	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 13:53
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45
QC Lot:	2765993	**Run ID:**	4388405

Volatile Organic Compounds by GC-MS

MSD | **CLIENT ID: ATR-MW31(30.9)-G080426** | **Lab ID: QC-2765993-006**

Method: EPA 8260D | **Dilution:** 1 | **Analysis Date:** 08/13/26 00:55 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	48.0	µg/L	1.00	40	ND	120	75-119	10.1	30	S
1,1,2,2-Tetrachloroethane	38.1	µg/L	1.00	40	ND	95.3	80-123	6.98	30	
1,1,2-Trichloroethane	41.1	µg/L	1.00	40	ND	103	83-118	9.23	30	
1,1-Dichloroethane	40.4	µg/L	1.00	40	ND	101	73-122	5.72	30	
1,1-Dichloroethylene	47.3	µg/L	1.00	40	ND	118	66-131	1.86	30	
1,2-Dichloroethane (Ethylene dichloride)	47.0	µg/L	1.00	40	ND	117	78-121	10.6	30	
1,2-Dichloropropane	39.4	µg/L	1.00	40	ND	98.4	78-120	8.33	30	
2-Butanone (Methyl ethyl ketone, MEK)	30.9	µg/L	5.00	40	ND	77.4	69-147	3.45	30	
2-Hexanone	34.3	µg/L	5.00	40	ND	85.8	67-140	8.75	30	
4-Methyl-2-pentanone (MIBK)	33.4	µg/L	1.00	40	ND	83.6	68-199	12.1	30	
Acetone	29.6	µg/L	10.0	40	ND	73.9	70-166	5.06	30	
Benzene	44.8	µg/L	1.00	40	ND	112	78-120	8.17	30	
Bromodichloromethane	44.7	µg/L	1.00	40	ND	112	73-126	8.58	30	
Bromoform	43.5	µg/L	1.00	40	ND	109	60-124	6.53	30	
Carbon disulfide	46.4	µg/L	1.00	40	ND	116	67-159	3.60	30	
Carbon tetrachloride	49.6	µg/L	1.00	40	ND	124	69-124	6.56	30	
Chlorobenzene	44.0	µg/L	1.00	40	ND	110	80-118	9.67	30	
Chlorodibromomethane	43.4	µg/L	1.00	40	ND	108	63-117	6.52	30	
Chloroethane (Ethyl chloride)	101	µg/L	1.00	40	ND	252	26-117	0.985	30	ES
Chloroform	42.0	µg/L	1.00	40	ND	105	75-119	4.65	30	
cis-1,2-Dichloroethylene	39.4	µg/L	1.00	40	ND	98.6	75-123	4.94	30	
cis-1,3-Dichloropropene	38.7	µg/L	1.00	40	ND	96.7	69-120	9.02	30	
Ethylbenzene	45.1	µg/L	1.00	40	ND	113	76-116	9.55	30	
m+p-Xylene	91.1	µg/L	2.00	80	ND	114	77-116	8.67	30	
Methyl bromide (Bromomethane)	103	µg/L	1.00	40	ND	258	20-183	1.85	30	ES
Methyl chloride (Chloromethane)	40.4	µg/L	1.00	40	ND	101	26-117	0.695	30	
Methylene chloride (Dichloromethane)	39.0	µg/L	5.00	40	ND	97.6	68-125	0.565	30	
o-Xylene	44.7	µg/L	1.00	40	ND	112	77-116	10.9	30	
Styrene	45.3	µg/L	1.00	40	ND	113	76-123	9.53	30	
Tetrachloroethylene (Perchloroethylene)	48.7	µg/L	1.00	40	ND	122	80-124	7.65	30	
Toluene	43.8	µg/L	1.00	40	ND	110	78-116	9.04	30	
Total Xylene	136	µg/L	1.00	120	ND	113	77-119	9.41	30	
trans-1,2-Dichloroethylene	42.0	µg/L	1.00	40	ND	105	73-124	4.15	30	
trans-1,3-Dichloropropylene	40.6	µg/L	1.00	40	ND	101	67-118	11.9	30	
Trichloroethene (Trichloroethylene)	47.0	µg/L	1.00	40	ND	118	75-122	7.59	30	
Vinyl chloride (Chloroethene)	46.2	µg/L	1.00	40	ND	115	49-122	3.91	30	
Surr: 1,2-Dichloroethane-d4	***20.1***	*µg/L*		20		101	*80-120*	2.84	30	
Surr: 4-Bromofluorobenzene	***19.9***	*µg/L*		20		99.6	*80-120*	6.59	30	
Surr: Dibromofluoromethane	***20.9***	*µg/L*		20		104	*80-120*	5.46	30	
Surr: Toluene-d8	***20.0***	*µg/L*		20		100	*80-120*	0.552	30	

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 13:53
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45
QC Lot:	2765993	**Run ID:**	4388405

The following samples were analyzed in this batch:	HN2613678-001, HN2613678-002, HN2613678-003, HN2613678-004, HN2613678-005, HN2613678-006, HN2613678-007, HN2613678-008, HN2613678-009, HN2613678-018, HN2613678-019, HN2613678-020, HN2613678-021, HN2613678-022, HN2613678-023, HN2613678-024, HN2613678-025

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/06/26 08:30
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45
QC Lot:	2766651	**Run ID:**	4389462

Volatile Organic Compounds by GC-MS

MS | **CLIENT ID: ATR-MW52(55)-G080626** | **Lab ID: QC-2766651-005**

Method: EPA 8260D | **Dilution:** 1 | **Analysis Date:** 08/13/26 11:46 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	46.3	µg/L	1.00	40	ND	116	75-119			
1,1,2,2-Tetrachloroethane	36.6	µg/L	1.00	40	ND	91.6	80-123			
1,1,2-Trichloroethane	38.8	µg/L	1.00	40	ND	97.0	83-118			
1,1-Dichloroethane	37.6	µg/L	1.00	40	ND	94.0	73-122			
1,1-Dichloroethylene	44.8	µg/L	1.00	40	ND	112	66-131			
1,2-Dichloroethane (Ethylene dichloride)	45.4	µg/L	1.00	40	ND	114	78-121			
1,2-Dichloropropane	36.9	µg/L	1.00	40	ND	92.3	78-120			
2-Butanone (Methyl ethyl ketone, MEK)	28.8	µg/L	5.00	40	ND	72.0	69-147			
2-Hexanone	31.7	µg/L	5.00	40	ND	79.4	67-140			
4-Methyl-2-pentanone (MIBK)	30.4	µg/L	1.00	40	ND	76.0	68-199			
Acetone	29.0	µg/L	10.0	40	ND	72.6	70-166			
Benzene	42.4	µg/L	1.00	40	ND	106	78-120			
Bromodichloromethane	43.7	µg/L	1.00	40	ND	109	73-126			
Bromoform	42.8	µg/L	1.00	40	ND	107	60-124			
Carbon disulfide	41.6	µg/L	1.00	40	ND	104	67-159			
Carbon tetrachloride	48.6	µg/L	1.00	40	ND	122	69-124			
Chlorobenzene	40.7	µg/L	1.00	40	ND	102	80-118			
Chlorodibromomethane	41.7	µg/L	1.00	40	ND	104	63-117			
Chloroethane (Ethyl chloride)	101	µg/L	1.00	40	ND	252	26-117			ES
Chloroform	40.2	µg/L	1.00	40	ND	100	75-119			
cis-1,2-Dichloroethylene	36.6	µg/L	1.00	40	ND	90.8	75-123			
cis-1,3-Dichloropropene	35.0	µg/L	1.00	40	ND	87.6	69-120			
Ethylbenzene	40.8	µg/L	1.00	40	ND	102	76-116			
m+p-Xylene	82.8	µg/L	2.00	80	ND	104	77-116			
Methyl bromide (Bromomethane)	108	µg/L	1.00	40	ND	270	20-183			ES
Methyl chloride (Chloromethane)	40.3	µg/L	1.00	40	ND	101	26-117			
Methylene chloride (Dichloromethane)	37.0	µg/L	5.00	40	ND	92.6	68-125			
o-Xylene	41.3	µg/L	1.00	40	ND	103	77-116			
Styrene	41.5	µg/L	1.00	40	ND	104	76-123			
Tetrachloroethylene (Perchloroethylene)	44.3	µg/L	1.00	40	ND	111	80-124			
Toluene	40.2	µg/L	1.00	40	ND	101	78-116			
Total Xylene	124	µg/L	1.00	120	ND	103	77-119			
trans-1,2-Dichloroethylene	38.7	µg/L	1.00	40	ND	96.7	73-124			
trans-1,3-Dichloropropylene	35.2	µg/L	1.00	40	ND	88.0	67-118			
Trichloroethene (Trichloroethylene)	44.3	µg/L	1.00	40	ND	111	75-122			
Vinyl chloride (Chloroethene)	45.8	µg/L	1.00	40	ND	115	49-122			
Surr: 1,2-Dichloroethane-d4	***21.2***	*µg/L*		20		106	*80-120*			
Surr: 4-Bromofluorobenzene	***18.9***	*µg/L*		20		94.5	*80-120*			
Surr: Dibromofluoromethane	***20.5***	*µg/L*		20		102	*80-120*			
Surr: Toluene-d8	***19.5***	*µg/L*		20		97.6	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/06/26 08:30
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45
QC Lot:	2766651	**Run ID:**	4389462

Volatile Organic Compounds by GC-MS

MSD | **CLIENT ID: ATR-MW52(55)-G080626** | **Lab ID: QC-2766651-006**

Method: EPA 8260D | **Dilution:** 1 | **Analysis Date:** 08/13/26 12:07 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	47.9	µg/L	1.00	40	ND	120	75-119	3.48	30	S
1,1,2,2-Tetrachloroethane	38.8	µg/L	1.00	40	ND	97.0	80-123	5.78	30	
1,1,2-Trichloroethane	39.8	µg/L	1.00	40	ND	99.6	83-118	2.65	30	
1,1-Dichloroethane	39.6	µg/L	1.00	40	ND	99.0	73-122	5.18	30	
1,1-Dichloroethylene	46.5	µg/L	1.00	40	ND	116	66-131	3.72	30	
1,2-Dichloroethane (Ethylene dichloride)	46.0	µg/L	1.00	40	ND	115	78-121	1.33	30	
1,2-Dichloropropane	39.5	µg/L	1.00	40	ND	98.8	78-120	6.83	30	
2-Butanone (Methyl ethyl ketone, MEK)	30.2	µg/L	5.00	40	ND	75.4	69-147	4.54	30	
2-Hexanone	33.6	µg/L	5.00	40	ND	84.1	67-140	5.84	30	
4-Methyl-2-pentanone (MIBK)	31.8	µg/L	1.00	40	ND	79.6	68-199	4.59	30	
Acetone	29.3	µg/L	10.0	40	ND	73.2	70-166	0.755	30	
Benzene	43.3	µg/L	1.00	40	ND	108	78-120	2.12	30	
Bromodichloromethane	43.8	µg/L	1.00	40	ND	110	73-126	0.206	30	
Bromoform	43.7	µg/L	1.00	40	ND	109	60-124	2.06	30	
Carbon disulfide	45.0	µg/L	1.00	40	ND	112	67-159	7.95	30	
Carbon tetrachloride	50.1	µg/L	1.00	40	ND	125	69-124	3.08	30	S
Chlorobenzene	42.7	µg/L	1.00	40	ND	107	80-118	4.92	30	
Chlorodibromomethane	43.1	µg/L	1.00	40	ND	108	63-117	3.49	30	
Chloroethane (Ethyl chloride)	102	µg/L	1.00	40	ND	255	26-117	0.848	30	ES
Chloroform	41.1	µg/L	1.00	40	ND	103	75-119	2.26	30	
cis-1,2-Dichloroethylene	37.6	µg/L	1.00	40	ND	93.2	75-123	2.67	30	
cis-1,3-Dichloropropene	36.1	µg/L	1.00	40	ND	90.2	69-120	2.90	30	
Ethylbenzene	43.6	µg/L	1.00	40	ND	109	76-116	6.64	30	
m+p-Xylene	88.2	µg/L	2.00	80	ND	110	77-116	6.31	30	
Methyl bromide (Bromomethane)	110	µg/L	1.00	40	ND	274	20-183	1.58	30	ES
Methyl chloride (Chloromethane)	42.3	µg/L	1.00	40	ND	106	26-117	4.86	30	
Methylene chloride (Dichloromethane)	37.4	µg/L	5.00	40	ND	93.6	68-125	0.994	30	
o-Xylene	43.8	µg/L	1.00	40	ND	109	77-116	5.73	30	
Styrene	43.8	µg/L	1.00	40	ND	110	76-123	5.34	30	
Tetrachloroethylene (Perchloroethylene)	47.7	µg/L	1.00	40	ND	119	80-124	7.44	30	
Toluene	42.7	µg/L	1.00	40	ND	107	78-116	5.84	30	
Total Xylene	132	µg/L	1.00	120	ND	110	77-119	6.12	30	
trans-1,2-Dichloroethylene	40.8	µg/L	1.00	40	ND	102	73-124	5.21	30	
trans-1,3-Dichloropropylene	37.7	µg/L	1.00	40	ND	94.4	67-118	6.96	30	
Trichloroethene (Trichloroethylene)	45.7	µg/L	1.00	40	ND	114	75-122	3.13	30	
Vinyl chloride (Chloroethene)	47.1	µg/L	1.00	40	ND	118	49-122	2.78	30	
Surr: 1,2-Dichloroethane-d4	***21.0***	*µg/L*		20		105	*80-120*	0.901	30	
Surr: 4-Bromofluorobenzene	***20.0***	*µg/L*		20		99.9	*80-120*	5.56	30	
Surr: Dibromofluoromethane	***20.7***	*µg/L*		20		103	*80-120*	0.826	30	
Surr: Toluene-d8	***20.1***	*µg/L*		20		100	*80-120*	2.78	30	

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/06/26 08:30
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45
QC Lot:	2766651	**Run ID:**	4389462

The following samples were analyzed in this batch:	HN2613678-010, HN2613678-026, HN2613678-027, HN2613678-028, HN2613678-034, HN2613678-035, HN2613678-036, HN2613678-037, HN2613678-038, HN2613678-039, HN2613678-040, HN2613678-041, HN2613678-042, HN2613678-043, HN2613678-044, HN2613678-045, HN2613678-046, HN2613678-047, HN2613678-048, HN2613678-049

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/05/26 16:00
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45
QC Lot:	2768194	**Run ID:**	4392014

Volatile Organic Compounds by GC-MS

MS | **CLIENT ID: ATR-MW60(38)-G080526R** | **Lab ID: QC-2768194-005**

Method: EPA 8260D **Dilution:** 10 **Analysis Date:** 08/14/26 00:32

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
cis-1,2-Dichloroethylene	628	µg/L	10.0	400	206	106	75-123			
Vinyl chloride (Chloroethene)	752	µg/L	10.0	400	246	126	49-122			S

MSD | **CLIENT ID: ATR-MW60(38)-G080526R** | **Lab ID: QC-2768194-006**

Method: EPA 8260D **Dilution:** 10 **Analysis Date:** 08/14/26 00:53

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
cis-1,2-Dichloroethylene	623	µg/L	10.0	400	206	104	75-123	0.799	30	
Vinyl chloride (Chloroethene)	792	µg/L	10.0	400	246	137	49-122	5.19	30	S

The following samples were analyzed in this batch: HN2613678-004, HN2613678-009, HN2613678-011, HN2613678-012, HN2613678-016, HN2613678-022, HN2613678-023, HN2613678-034, HN2613678-036, HN2613678-038, HN2613678-039, HN2613678-040, HN2613678-041, HN2613678-046, HN2613678-048, HN2613678-049

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/06/26 10:45
Matrix:	GROUNDWATER	**Date Received:**	08/07/26 12:54
QC Lot:	2772527	**Run ID:**	4398334

Volatile Organic Compounds by GC-MS

MS | **CLIENT ID: Batch QC** | **Lab ID: QC-2772527-005**

Method: EPA 8260D | **Dilution:** 5 | **Analysis Date:** 08/14/26 23:32 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	216	µg/L	5.00	200	ND	108	75-119			
1,1,2,2-Tetrachloroethane	195	µg/L	5.00	200	ND	97.4	80-123			
1,1,2-Trichloroethane	198	µg/L	5.00	200	ND	99.0	83-118			
1,1-Dichloroethane	208	µg/L	5.00	200	ND	104	73-122			
1,1-Dichloroethylene	230	µg/L	5.00	200	ND	115	66-131			
1,2-Dichloroethane (Ethylene dichloride)	206	µg/L	5.00	200	ND	103	78-121			
1,2-Dichloropropane	206	µg/L	5.00	200	ND	103	78-120			
2-Butanone (Methyl ethyl ketone, MEK)	197	µg/L	25.0	200	ND	98.6	69-147			
2-Hexanone	201	µg/L	25.0	200	ND	101	67-140			
4-Methyl-2-pentanone (MIBK)	ND	µg/L	5.00	200	ND	0.00	68-199			S
Acetone	197	µg/L	50.0	200	ND	95.4	70-166			
Benzene	424	µg/L	5.00	200	250	87.0	78-120			
Bromodichloromethane	199	µg/L	5.00	200	ND	99.7	73-126			
Bromoform	201	µg/L	5.00	200	ND	101	60-124			
Carbon disulfide	210	µg/L	5.00	200	ND	105	67-159			
Carbon tetrachloride	220	µg/L	5.00	200	ND	110	69-124			
Chlorobenzene	204	µg/L	5.00	200	ND	102	80-118			
Chlorodibromomethane	193	µg/L	5.00	200	ND	96.6	63-117			
Chloroethane (Ethyl chloride)	30.4	µg/L	5.00	200	ND	15.2	26-117			S
Chloroform	201	µg/L	5.00	200	ND	101	75-119			
cis-1,2-Dichloroethylene	197	µg/L	5.00	200	ND	98.6	75-123			
cis-1,3-Dichloropropene	192	µg/L	5.00	200	ND	96.0	69-120			
Ethylbenzene	209	µg/L	5.00	200	ND	105	76-116			
m+p-Xylene	437	µg/L	10.0	400	25.6	103	77-116			
Methyl bromide (Bromomethane)	358	µg/L	5.00	200	ND	179	20-183			
Methyl chloride (Chloromethane)	200	µg/L	5.00	200	ND	100	26-117			
Methylene chloride (Dichloromethane)	207	µg/L	25.0	200	ND	103	68-125			
o-Xylene	219	µg/L	5.00	200	15.2	102	77-116			
Styrene	204	µg/L	5.00	200	ND	102	76-123			
Tetrachloroethylene (Perchloroethylene)	212	µg/L	5.00	200	ND	106	80-124			
Toluene	235	µg/L	5.00	200	28.0	104	78-116			
trans-1,2-Dichloroethylene	209	µg/L	5.00	200	ND	104	73-124			
trans-1,3-Dichloropropylene	192	µg/L	5.00	200	ND	95.8	67-118			
Trichloroethene (Trichloroethylene)	209	µg/L	5.00	200	ND	105	75-122			
Vinyl chloride (Chloroethene)	224	µg/L	5.00	200	ND	112	49-122			
Surr: 1,2-Dichloroethane-d4	***20.1***	*µg/L*		20		100	*80-120*			
Surr: 4-Bromofluorobenzene	***19.9***	*µg/L*		20		99.6	*80-120*			
Surr: Dibromofluoromethane	***20.5***	*µg/L*		20		103	*80-120*			
Surr: Toluene-d8	***20.6***	*µg/L*		20		103	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613678
Project:	US0041841 Textron	**Date Collected:**	08/06/26 10:45
Matrix:	GROUNDWATER	**Date Received:**	08/07/26 12:54
QC Lot:	2772527	**Run ID:**	4398334

Volatile Organic Compounds by GC-MS

MSD | **CLIENT ID: Batch QC** | **Lab ID: QC-2772527-006**

Method: EPA 8260D | **Dilution:** 5 | **Analysis Date:** 08/14/26 23:52 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	223	µg/L	5.00	200	ND	112	75-119	3.05	30	
1,1,2,2-Tetrachloroethane	201	µg/L	5.00	200	ND	100	80-123	2.88	30	
1,1,2-Trichloroethane	203	µg/L	5.00	200	ND	101	83-118	2.22	30	
1,1-Dichloroethane	213	µg/L	5.00	200	ND	107	73-122	2.59	30	
1,1-Dichloroethylene	236	µg/L	5.00	200	ND	118	66-131	2.27	30	
1,2-Dichloroethane (Ethylene dichloride)	208	µg/L	5.00	200	ND	104	78-121	1.21	30	
1,2-Dichloropropane	210	µg/L	5.00	200	ND	105	78-120	1.83	30	
2-Butanone (Methyl ethyl ketone, MEK)	194	µg/L	25.0	200	ND	96.8	69-147	1.82	30	
2-Hexanone	208	µg/L	25.0	200	ND	104	67-140	3.18	30	
4-Methyl-2-pentanone (MIBK)	ND	µg/L	5.00	200	ND	0.00	68-199	NC		S
Acetone	197	µg/L	50.0	200	ND	95.3	70-166	0.0507	30	
Benzene	456	µg/L	5.00	200	250	103	78-120	7.20	30	
Bromodichloromethane	207	µg/L	5.00	200	ND	103	73-126	3.62	30	
Bromoform	205	µg/L	5.00	200	ND	102	60-124	1.72	30	
Carbon disulfide	223	µg/L	5.00	200	ND	112	67-159	5.84	30	
Carbon tetrachloride	231	µg/L	5.00	200	ND	116	69-124	5.10	30	
Chlorobenzene	212	µg/L	5.00	200	ND	106	80-118	4.11	30	
Chlorodibromomethane	200	µg/L	5.00	200	ND	100	63-117	3.51	30	
Chloroethane (Ethyl chloride)	32.4	µg/L	5.00	200	ND	16.2	26-117	6.22	30	S
Chloroform	203	µg/L	5.00	200	ND	102	75-119	0.988	30	
cis-1,2-Dichloroethylene	200	µg/L	5.00	200	ND	100	75-123	1.51	30	
cis-1,3-Dichloropropene	198	µg/L	5.00	200	ND	99.2	69-120	3.28	30	
Ethylbenzene	218	µg/L	5.00	200	ND	109	76-116	4.14	30	
m+p-Xylene	458	µg/L	10.0	400	25.6	108	77-116	4.59	30	
Methyl bromide (Bromomethane)	316	µg/L	5.00	200	ND	158	20-183	12.4	30	
Methyl chloride (Chloromethane)	206	µg/L	5.00	200	ND	103	26-117	2.91	30	
Methylene chloride (Dichloromethane)	210	µg/L	25.0	200	ND	105	68-125	1.49	30	
o-Xylene	229	µg/L	5.00	200	15.2	107	77-116	4.42	30	
Styrene	213	µg/L	5.00	200	ND	106	76-123	4.37	30	
Tetrachloroethylene (Perchloroethylene)	221	µg/L	5.00	200	ND	110	80-124	3.88	30	
Toluene	247	µg/L	5.00	200	28.0	110	78-116	4.87	30	
trans-1,2-Dichloroethylene	214	µg/L	5.00	200	ND	107	73-124	2.37	30	
trans-1,3-Dichloropropylene	198	µg/L	5.00	200	ND	99.1	67-118	3.36	30	
Trichloroethene (Trichloroethylene)	216	µg/L	5.00	200	ND	108	75-122	3.34	30	
Vinyl chloride (Chloroethene)	228	µg/L	5.00	200	ND	114	49-122	1.77	30	
Surr: 1,2-Dichloroethane-d4	***19.8***	*µg/L*		20		99.0	*80-120*	1.50	30	
Surr: 4-Bromofluorobenzene	***19.9***	*µg/L*		20		99.7	*80-120*	0.100	30	
Surr: Dibromofluoromethane	***20.2***	*µg/L*		20		101	*80-120*	1.52	30	
Surr: Toluene-d8	***20.2***	*µg/L*		20		101	*80-120*	1.97	30	

The following samples were analyzed in this batch: HN2613678-005

August 13, 2026

Russell Dornbusch
WSP USA
521 Byers Road
Suite 204
Miamisburg, OH 45342

Date Received: **08/04/2026**
Work Order: **HN2613516**

Re: **US0041841.4751 TFS Rochester**

Dear Russell,

Enclosed are the results of the sample(s) submitted to our laboratory.

The analytical data provided relates directly to the samples received by ALS Environmental - Holland and for only the analyses requested.

Sample results are compliant with industry accepted practices and Quality Control results achieved laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to contact me:
ADDRESS: 3352 128th Avenue, Holland, MI, USA PHONE: +1 (616) 399-6070 FAX: +1 (616) 399-6185

Jodi Blouw
/S/ JODI BLOUW

Project Manager

Client: WSP USA **Work Order:** HN2613516

Project: US0041841.4751 TFS Rochester **Date Received:** 04-Aug-2026

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt

2 water, groundwater samples were received for analysis at ALS Environmental on 04-Aug-2026. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Organics

EPA 8260D-FULL HN-W

Run ID: 4382907

•The Continuing Calibration Verification did not meet acceptance criteria with high bias, however, the sample results were non-detect for the following analytes: Chloroethane (Ethyl chloride), Methyl bromide (Bromomethane)
•The Continuing Calibration Verification did not meet acceptance criteria with low bias. Instrument sensitivity was verified as sufficient through the analysis of a low-level standard. The following non-detects are reported without qualification: 2-Hexanone
•The LCS recovery was above the upper control limit. All the sample results in the batch were non-detect. No qualification is necessary for this analyte: See QC report

SAMPLE SUMMARY

Client: WSP USA
Project: US0041841.4751 TFS Rochester
Workorder: HN2613516

Laboratory Sample ID	Client Sample ID	Sample Matrix	Collection Date	Date Received
HN2613516-001	ATR-3586 OUH31-GW080326	GROUNDWATER	08/03/26 17:11	08/04/26 14:30
HN2613516-002	Trip Blank	WATER	08/03/26	08/04/26 14:30

Chain of Custody Form

Page 1 of 1

☑ ALS Enviro
3352 128th
Holland, M
(Tel) 616.3
(Fax) 616.3

Environmental Division
Holland
Work Order Reference
HN2613516

Telephone : +1 616 399 6070

ALS Project Manager:		ALS Work Order #:

Customer Information		Project Information		Parameter/Method Request	
Purchase Order		Project Name	TFS Rochester	A	VOCs Method 8260
Work Order		Project Number	U.S-DOD 41841.4751	B	
Company Name	WSP USA	Bill To Company	WSP USA	C	
Send Report To	Russell Dornbusch	Invoice Attn.	Russell Dornbusch	D	
Address		Address		E	
				F	
City/State/Zip		City/State/Zip		G	
Phone		Phone		H	
Fax		Fax		I	
e-Mail Address	russell.dornbusch@wsp.com			J	

No.	Sample Description	Date	Time	Matrix	Pres. Key Numbers	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	ATR-3586 OUH31-GW080326	08/03/26	1711	GW	HCL	3	✓										
2	Trip Blank	—	—	—	—	3											

Sampler(s): Please Print & Sign: Russell Dornbusch

Shipment Method: Lab Courier

Turnaround Time: (Business Days) ☐ 10 BD ☐ 5 BD ☐ 3 BD ☐ 2 BD ☐ 1 BD ☐ Other

Results Due Date:

Relinquished by:	Date:	Time:	Received by:	Date:	Time:	Notes:
	08/03/26	1830		8/3/26	1830	
Relinquished by:	Date:	Time:	Received by (Laboratory):	Date:	Time:	
	8/4/26	1430		8/4/26	1430	
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):			
DFS	8/5/26	1115				

ALS Cooler ID	Cooler Temp	QC Package: (Check Box Below)	
		☑ Level II: Standard QC	☐ Level III: Raw Data
IR8	1.1°C	☐ TRRP LRC	☐ TRRP Level IV
		☐ Level IV: SW846 Methods/CLP like	
		☐ Other:	

Preservative Key: 1-HCl 2-HNO_3 3-H_2SO_4 4-NaOH 5-$Na_2S_2O_3$ 6-$NaHSO_4$ 7-Other 8-4°C

Note: Any changes must be made in writing once samples and COC Form have been submitted to ALS.

Copyright 2016 by ALS Environmental

ALS Holland
3352 128th Ave., Holland MI 49424

ALS Holland Sample Receiving Checklist

Received by:	Diane F. Shaw
Date/Time:	8/4/26 1430
Carrier Name:	ALS
Shipping container/cooler in good condition?	(Yes) / No / Not Present
Custody seals intact on shipping container/cooler?	Yes / No / (Not Present)
Custody seals intact on sample bottles?	Yes / No / (Not Present)
Chain of Custody present?	(Yes) / No
COC signed when relinquished and received?	(Yes) / No
COC agrees with sample labels?	(Yes) / No
Samples in proper container/bottle?	(Yes) / No
Sample containers intact?	(Yes) / No
Sufficient sample volume for indicated test?	(Yes) / No
All samples received within holding time?	(Yes) / No
Container/Temp Blank temperature in compliance?	(Yes) / No
Temperature(s) (°C):	1.1 / 1.1 c
Thermometer(s):	IR8
Sample(s) received on ice?	(Yes) / No
Matrix/Matrices:	GW
Cooler(s)/Kit(s):	1
Date/Time sample(s) sent to storage:	8/5/26 1130
Water – VOA vials have zero headspace?	(Yes) / No / No Vials
Water – pH acceptable upon receipt? *	Yes / No / (N/A)

*Volatile organics, oil and grease, LLHg and PFAS samples are not verified at time of sample receipt

pH strip lot #: _____ < 2 _____ > 12 _____ Other _____

pH adjusted (note adjustments below)? Yes / No / (N/A)

pH adjusted by: _____

Login Notes:

HN-SHT-160-R02, Sample Receipt Checklist

REPORT QUALIFIERS AND DEFINITIONS

*	Value exceeds Regulatory Limit (if MCL displayed)
a	Analyte is non-accredited
B	Analyte detected in the associated Method Blank above the Method criteria
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte is present at an estimated concentration between the MDL and Report Limit
NC	Not Calculated
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL
V	The Continuing Calibration Verification was outside of control criteria
X	Analyte was detected in the Method Blank between the MDL and Reporting Limit, sample results may exhibit background or reagent contamination at the observed level.

LABORATORY CERTIFICATIONS[1]

Agency	Type	ID	Issued	Expires
Colorado	UST		07/01/2025	06/30/2026
Connecticut	Drinking Water (Secondary)	PH-0155	12/10/2024	12/31/2026
Florida	NELAP (Primary)	E871106	07/01/2025	06/30/2026
Illinois	NELAP (Secondary)	200076	12/08/2025	12/31/2026
Indiana	Drinking Water (Secondary)	C-MI-08	12/31/2024	09/04/2026
Iowa	State Specific	403	09/01/2025	09/01/2027
Kansas	NELAP (Secondary)	E-10411	08/01/2025	07/31/2026
Kentucky	Waste Water	KY98004	1/1/2026	12/31/2026
Kentucky	UST	120474	07/07/2025	06/30/2026
Michigan	Drinking Water (Primary)	0022	12/19/2023	09/04/2026
Minnesota	NELAP (Secondary)	026-999-449	12/10/2025	12/31/2026
Missouri	Drinking Water (Secondary)	01262	11/14/2024	12/30/2027
New Jersey	NELAP (Secondary)	MI015	07/01/2025	6/30/2026
New York	NELAP (Secondary)	12128	04/01/2025	04/01/2026
North Dakota	State Specific	R-192	11/18/2024	06/30/2025
Ohio	Drinking Water (Secondary)	87783	06/26/2025	6/30/2026
Pennsylvania	NELAP (Secondary)	68-03827	11/25/2025	07/31/2026
Texas	NELAP (Secondary)	T104704494	02/01/2026	01/31/2027
USDA	Domestic CA	Soil-MI-007	02/06/2025	08/07/2026
USDA	Soil Import	525-23-62-77572R1	01/28/2026	03/03/2029
West Virginia	State Specific	355	06/07/2025	08/31/2026
Wisconsin	State Specific	399084510	08/08/2025	08/31/2026

1 – Scope available upon request

ANALYST SUMMARY

Client:	WSP USA	**Work Order:**	HN2613516
Project:	US0041841.4751 TFS Rochester		

Sample Name:	ATR-3586 OUH31-GW080326	**Date Collected:**	08/03/26
Laboratory Code:	HN2613516-001	**Date Received:**	08/04/26
Sample Matrix:	GROUNDWATER		

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		001-AA	2762679		4382907	Benjamin Korte

Sample Name:	Trip Blank	**Date Collected:**	08/03/26
Laboratory Code:	HN2613516-002	**Date Received:**	08/04/26
Sample Matrix:	WATER		

Analysis Method	Preparation Method	Container ID	Preparation Lot	Prepared By	Analysis Lot	Analyzed By
EPA 8260D		002-AA	2762679		4382907	Benjamin Korte

Analytical Report

Client: WSP USA
Project: US0041841.4751 TFS Rochester
Matrix: GROUNDWATER

Work Order: HN2613516
Date Collected: 08/03/26 17:11
Date Received: 08/04/26 14:30

CLIENT ID: ATR-3586 OUH31-GW080326 **Lab ID: HN2613516-001**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/11/26 20:19	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/11/26 20:19	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/11/26 20:19	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 20:19	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/11/26 20:19	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 20:19	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 20:19	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/11/26 20:19	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613516
Project:	US0041841.4751 TFS Rochester	**Date Collected:**	08/03/26 17:11
Matrix:	GROUNDWATER	**Date Received:**	08/04/26 14:30

CLIENT ID: ATR-3586 OUH31-GW080326 **Lab ID: HN2613516-001**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 20:19	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 20:19	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***97.7***		*%REC*	*80-120*	*1*	*08/11/26 20:19*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***98.4***		*%REC*	*80-120*	*1*	*08/11/26 20:19*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***103***		*%REC*	*80-120*	*1*	*08/11/26 20:19*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***98.2***		*%REC*	*80-120*	*1*	*08/11/26 20:19*	*NA*

Client:	WSP USA	**Work Order:**	HN2613516
Project:	US0041841.4751 TFS Rochester	**Date Collected:**	08/03/26
Matrix:	WATER	**Date Received:**	08/04/26 14:30

CLIENT ID: Trip Blank — **Lab ID: HN2613516-002**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Volatile Organic Compounds by GC-MS								
1,1,1-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
1,1,2,2-Tetrachloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
1,1,2-Trichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
1,1-Dichloroethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
1,1-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
1,2-Dichloroethane (Ethylene dichloride)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
1,2-Dichloropropane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
2-Butanone (Methyl ethyl ketone, MEK)	EPA 8260D	ND		µg/L	5.00	1	08/11/26 19:56	NA
2-Hexanone	EPA 8260D	ND		µg/L	5.00	1	08/11/26 19:56	NA
4-Methyl-2-pentanone (MIBK)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
Acetone	EPA 8260D	ND		µg/L	10.0	1	08/11/26 19:56	NA
Benzene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
Bromodichloromethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
Bromoform	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
Carbon disulfide	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
Carbon tetrachloride	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
Chlorobenzene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
Chlorodibromomethane	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
Chloroethane (Ethyl chloride)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 19:56	NA
Chloroform	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
cis-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
cis-1,3-Dichloropropene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
Ethylbenzene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
m+p-Xylene	EPA 8260D	ND		µg/L	2.00	1	08/11/26 19:56	NA
Methyl bromide (Bromomethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 19:56	NA
Methyl chloride (Chloromethane)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 19:56	NA
Methylene chloride (Dichloromethane)	EPA 8260D	ND		µg/L	5.00	1	08/11/26 19:56	NA
o-Xylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA

Analytical Report

Client:	WSP USA	**Work Order:**	HN2613516
Project:	US0041841.4751 TFS Rochester	**Date Collected:**	08/03/26
Matrix:	WATER	**Date Received:**	08/04/26 14:30

CLIENT ID: Trip Blank **Lab ID: HN2613516-002**

Analyte	Method	Results	Qual	Units	MRL	Dilution Factor	Date Analyzed	Date Extracted
Styrene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
Tetrachloroethylene (Perchloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
Toluene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
Total Xylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
trans-1,2-Dichloroethylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
trans-1,3-Dichloropropylene	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
Trichloroethene (Trichloroethylene)	EPA 8260D	ND		µg/L	1.00	1	08/11/26 19:56	NA
Vinyl chloride (Chloroethene)	EPA 8260D	ND	S	µg/L	1.00	1	08/11/26 19:56	NA
Surr: 1,2-Dichloroethane-d4	*EPA 8260D*	***102***		*%REC*	*80-120*	*1*	*08/11/26 19:56*	*NA*
Surr: 4-Bromofluorobenzene	*EPA 8260D*	***98.1***		*%REC*	*80-120*	*1*	*08/11/26 19:56*	*NA*
Surr: Dibromofluoromethane	*EPA 8260D*	***108***		*%REC*	*80-120*	*1*	*08/11/26 19:56*	*NA*
Surr: Toluene-d8	*EPA 8260D*	***95.4***		*%REC*	*80-120*	*1*	*08/11/26 19:56*	*NA*

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613516
Project:	US0041841.4751 TFS Rochester	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2762679	**Run ID:**	4382907

Volatile Organic Compounds by GC-MS

MB | **CLIENT ID: Method Blank** | **Lab ID: QC-2762679-001**

Method: EPA 8260D **Dilution:** 1 **Analysis Date:** 08/11/26 16:34

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	µg/L	1.00							
1,1,2,2-Tetrachloroethane	ND	µg/L	1.00							
1,1,2-Trichloroethane	ND	µg/L	1.00							
1,1-Dichloroethane	ND	µg/L	1.00							
1,1-Dichloroethylene	ND	µg/L	1.00							
1,2-Dichloroethane (Ethylene dichloride)	ND	µg/L	1.00							
1,2-Dichloropropane	ND	µg/L	1.00							
2-Butanone (Methyl ethyl ketone, MEK)	ND	µg/L	5.00							
2-Hexanone	ND	µg/L	5.00							
4-Methyl-2-pentanone (MIBK)	ND	µg/L	1.00							
Acetone	ND	µg/L	10.0							
Benzene	ND	µg/L	1.00							
Bromodichloromethane	ND	µg/L	1.00							
Bromoform	ND	µg/L	1.00							
Carbon disulfide	ND	µg/L	1.00							
Carbon tetrachloride	ND	µg/L	1.00							
Chlorobenzene	ND	µg/L	1.00							
Chlorodibromomethane	ND	µg/L	1.00							
Chloroethane (Ethyl chloride)	ND	µg/L	1.00							
Chloroform	ND	µg/L	1.00							
cis-1,2-Dichloroethylene	ND	µg/L	1.00							
cis-1,3-Dichloropropene	ND	µg/L	1.00							
Ethylbenzene	ND	µg/L	1.00							
m+p-Xylene	ND	µg/L	2.00							
Methyl bromide (Bromomethane)	ND	µg/L	1.00							
Methyl chloride (Chloromethane)	ND	µg/L	1.00							
Methylene chloride (Dichloromethane)	ND	µg/L	5.00							
o-Xylene	ND	µg/L	1.00							
Styrene	ND	µg/L	1.00							
Tetrachloroethylene (Perchloroethylene)	ND	µg/L	1.00							
Toluene	ND	µg/L	1.00							
Total Xylene	ND	µg/L	1.00							
trans-1,2-Dichloroethylene	ND	µg/L	1.00							
trans-1,3-Dichloropropylene	ND	µg/L	1.00							
Trichloroethene (Trichloroethylene)	ND	µg/L	1.00							
Vinyl chloride (Chloroethene)	ND	µg/L	1.00							
Surr: 1,2-Dichloroethane-d4	***19.1***	*µg/L*		20		95.6	*80-120*			
Surr: 4-Bromofluorobenzene	***18.4***	*µg/L*		20		91.9	*80-120*			
Surr: Dibromofluoromethane	***20.2***	*µg/L*		20		101	*80-120*			
Surr: Toluene-d8	***19.5***	*µg/L*		20		97.6	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613516
Project:	US0041841.4751 TFS Rochester	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2762679	**Run ID:**	4382907

Volatile Organic Compounds by GC-MS

LCS | **CLIENT ID: Laboratory Control Sample** | **Lab ID: QC-2762679-002**

Method: EPA 8260D **Dilution:** 1 **Analysis Date:** 08/11/26 15:26

Prep Date: NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	39.9	µg/L	1.00	40		99.8	75-119			
1,1,2,2-Tetrachloroethane	36.8	µg/L	1.00	40		91.9	80-123			
1,1,2-Trichloroethane	34.4	µg/L	1.00	40		86.1	83-118			
1,1-Dichloroethane	37.6	µg/L	1.00	40		94.0	73-122			
1,1-Dichloroethylene	41.5	µg/L	1.00	40		104	66-131			
1,2-Dichloroethane (Ethylene dichloride)	38.0	µg/L	1.00	40		95.1	78-121			
1,2-Dichloropropane	38.9	µg/L	1.00	40		97.2	78-120			
2-Butanone (Methyl ethyl ketone, MEK)	36.2	µg/L	5.00	40		90.6	69-147			
2-Hexanone	36.6	µg/L	5.00	40		91.6	67-140			
4-Methyl-2-pentanone (MIBK)	36.6	µg/L	1.00	40		91.4	68-199			
Acetone	40.0	µg/L	10.0	40		100	70-166			
Benzene	39.0	µg/L	1.00	40		97.6	78-120			
Bromodichloromethane	35.5	µg/L	1.00	40		88.6	73-126			
Bromoform	36.0	µg/L	1.00	40		90.0	60-124			
Carbon disulfide	43.5	µg/L	1.00	40		109	67-159			
Carbon tetrachloride	39.1	µg/L	1.00	40		97.8	69-124			
Chlorobenzene	37.2	µg/L	1.00	40		93.0	80-118			
Chlorodibromomethane	35.6	µg/L	1.00	40		89.1	63-117			
Chloroethane (Ethyl chloride)	62.0	µg/L	1.00	40		155	35-136			S
Chloroform	36.5	µg/L	1.00	40		91.2	75-119			
cis-1,2-Dichloroethylene	36.3	µg/L	1.00	40		90.7	75-123			
cis-1,3-Dichloropropene	34.0	µg/L	1.00	40		85.1	69-120			
Ethylbenzene	36.2	µg/L	1.00	40		90.6	76-116			
m+p-Xylene	71.0	µg/L	2.00	80		88.7	76-119			
Methyl bromide (Bromomethane)	86.6	µg/L	1.00	40		217	20-183			S
Methyl chloride (Chloromethane)	64.4	µg/L	1.00	40		161	26-117			S
Methylene chloride (Dichloromethane)	38.9	µg/L	5.00	40		97.2	68-125			
o-Xylene	35.0	µg/L	1.00	40		87.5	77-116			
Styrene	36.4	µg/L	1.00	40		91.0	76-123			
Tetrachloroethylene (Perchloroethylene)	36.5	µg/L	1.00	40		91.2	80-124			
Toluene	36.3	µg/L	1.00	40		90.7	78-116			
Total Xylene	106	µg/L	1.00	120		88.3	77-119			
trans-1,2-Dichloroethylene	38.3	µg/L	1.00	40		95.8	73-124			
trans-1,3-Dichloropropylene	34.2	µg/L	1.00	40		85.4	67-118			
Trichloroethene (Trichloroethylene)	39.2	µg/L	1.00	40		98.0	75-122			
Vinyl chloride (Chloroethene)	63.3	µg/L	1.00	40		158	49-122			S
Surr: 1,2-Dichloroethane-d4	***19.4***	*µg/L*		20		97.2	*80-120*			
Surr: 4-Bromofluorobenzene	***19.1***	*µg/L*		20		95.5	*80-120*			
Surr: Dibromofluoromethane	***20.6***	*µg/L*		20		103	*80-120*			
Surr: Toluene-d8	***19.5***	*µg/L*		20		97.6	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613516
Project:	US0041841.4751 TFS Rochester	**Date Collected:**	NA
Matrix:	WATER	**Date Received:**	NA
QC Lot:	2762679	**Run ID:**	4382907

The following samples were analyzed in this batch: HN2613516-001, HN2613516-002

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613516
Project:	US0041841.4751 TFS Rochester	**Date Collected:**	08/03/26 14:05
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45
QC Lot:	2762679	**Run ID:**	4382907

Volatile Organic Compounds by GC-MS

MS | **CLIENT ID: Batch QC** | **Lab ID: QC-2762679-005**

Method: EPA 8260D | **Dilution:** 1 | **Analysis Date:** 08/12/26 01:14 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	44.2	µg/L	1.00	40	ND	110	75-119			
1,1,2,2-Tetrachloroethane	41.6	µg/L	1.00	40	ND	104	80-123			
1,1,2-Trichloroethane	40.3	µg/L	1.00	40	ND	101	83-118			
1,1-Dichloroethane	44.7	µg/L	1.00	40	ND	112	73-122			
1,1-Dichloroethylene	49.4	µg/L	1.00	40	ND	124	66-131			
1,2-Dichloroethane (Ethylene dichloride)	44.5	µg/L	1.00	40	ND	111	78-121			
1,2-Dichloropropane	45.7	µg/L	1.00	40	ND	114	78-120			
2-Butanone (Methyl ethyl ketone, MEK)	41.8	µg/L	5.00	40	ND	101	69-147			
4-Methyl-2-pentanone (MIBK)	41.4	µg/L	1.00	40	ND	103	68-199			
Acetone	38.7	µg/L	10.0	40	ND	96.7	70-166			
Benzene	45.1	µg/L	1.00	40	ND	113	78-120			
Bromodichloromethane	41.6	µg/L	1.00	40	ND	104	73-126			
Bromoform	38.4	µg/L	1.00	40	ND	96.0	60-124			
Carbon disulfide	49.1	µg/L	1.00	40	ND	123	67-159			
Carbon tetrachloride	45.2	µg/L	1.00	40	ND	113	69-124			
Chlorobenzene	43.8	µg/L	1.00	40	ND	109	80-118			
Chlorodibromomethane	40.4	µg/L	1.00	40	ND	101	63-117			
Chloroethane (Ethyl chloride)	84.6	µg/L	1.00	40	ND	212	26-117			S
Chloroform	43.4	µg/L	1.00	40	ND	109	75-119			
cis-1,2-Dichloroethylene	43.2	µg/L	1.00	40	1.51	104	75-123			
cis-1,3-Dichloropropene	38.6	µg/L	1.00	40	ND	96.4	69-120			
Ethylbenzene	43.5	µg/L	1.00	40	ND	109	76-116			
m+p-Xylene	86.5	µg/L	2.00	80	ND	108	77-116			
Methyl bromide (Bromomethane)	111	µg/L	1.00	40	ND	277	20-183			ES
Methyl chloride (Chloromethane)	68.5	µg/L	1.00	40	ND	171	26-117			S
Methylene chloride (Dichloromethane)	47.2	µg/L	5.00	40	ND	118	68-125			
o-Xylene	41.5	µg/L	1.00	40	ND	104	77-116			
Styrene	43.6	µg/L	1.00	40	ND	109	76-123			
Tetrachloroethylene (Perchloroethylene)	43.4	µg/L	1.00	40	ND	108	80-124			
Toluene	41.4	µg/L	1.00	40	ND	103	78-116			
Total Xylene	128	µg/L	1.00	120	ND	107	77-119			
trans-1,2-Dichloroethylene	45.5	µg/L	1.00	40	ND	114	73-124			
trans-1,3-Dichloropropylene	37.2	µg/L	1.00	40	ND	93.1	67-118			
Trichloroethene (Trichloroethylene)	47.0	µg/L	1.00	40	1.68	113	75-122			
Vinyl chloride (Chloroethene)	70.9	µg/L	1.00	40	ND	177	49-122			S
Surr: 1,2-Dichloroethane-d4	***19.1***	*µg/L*		20		95.4	*80-120*			
Surr: 4-Bromofluorobenzene	***18.8***	*µg/L*		20		94.0	*80-120*			
Surr: Dibromofluoromethane	***20.9***	*µg/L*		20		105	*80-120*			
Surr: Toluene-d8	***19.8***	*µg/L*		20		99.0	*80-120*			

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613516
Project:	US0041841.4751 TFS Rochester	**Date Collected:**	08/03/26 14:05
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45
QC Lot:	2762679	**Run ID:**	4382907

Volatile Organic Compounds by GC-MS

DUP | **CLIENT ID: Batch QC** | **Lab ID: QC-2762679-007**

Method: EPA 8260D | **Dilution:** 1 | **Analysis Date:** 08/12/26 00:51 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
1,1,1-Trichloroethane	ND	µg/L	1.00		<1.00			NC		
1,1,2,2-Tetrachloroethane	ND	µg/L	1.00		<1.00			NC		
1,1,2-Trichloroethane	ND	µg/L	1.00		<1.00			NC		
1,1-Dichloroethane	ND	µg/L	1.00		<1.00			NC		
1,1-Dichloroethylene	ND	µg/L	1.00		<1.00			NC		
1,2-Dichloroethane (Ethylene dichloride)	ND	µg/L	1.00		<1.00			NC		
1,2-Dichloropropane	ND	µg/L	1.00		<1.00			NC		
2-Butanone (Methyl ethyl ketone, MEK)	ND	µg/L	5.00		<5.00			NC		
4-Methyl-2-pentanone (MIBK)	ND	µg/L	1.00		<1.00			NC		
Acetone	ND	µg/L	10.0		<10.0			NC		
Benzene	ND	µg/L	1.00		<1.00			NC		
Bromodichloromethane	ND	µg/L	1.00		<1.00			NC		
Bromoform	ND	µg/L	1.00		<1.00			NC		
Carbon disulfide	ND	µg/L	1.00		<1.00			NC		
Carbon tetrachloride	ND	µg/L	1.00		<1.00			NC		
Chlorobenzene	ND	µg/L	1.00		<1.00			NC		
Chlorodibromomethane	ND	µg/L	1.00		<1.00			NC		
Chloroethane (Ethyl chloride)	ND	µg/L	1.00		<1.00			NC		
Chloroform	ND	µg/L	1.00		<1.00			NC		
cis-1,2-Dichloroethylene	ND	µg/L	1.00		<1.00			NC		
cis-1,3-Dichloropropene	ND	µg/L	1.00		<1.00			NC		
Ethylbenzene	ND	µg/L	1.00		<1.00			NC		
m+p-Xylene	ND	µg/L	2.00		<2.00			NC		
Methyl bromide (Bromomethane)	ND	µg/L	1.00		<1.00			NC		
Methyl chloride (Chloromethane)	ND	µg/L	1.00		<1.00			NC		
Methylene chloride (Dichloromethane)	ND	µg/L	5.00		<5.00			NC		
o-Xylene	ND	µg/L	1.00		<1.00			NC		
Styrene	ND	µg/L	1.00		<1.00			NC		
Tetrachloroethylene (Perchloroethylene)	ND	µg/L	1.00		<1.00			NC		
Toluene	ND	µg/L	1.00		<1.00			NC		
Total Xylene	ND	µg/L	1.00		<1.00			NC		
trans-1,2-Dichloroethylene	ND	µg/L	1.00		<1.00			NC		
trans-1,3-Dichloropropylene	ND	µg/L	1.00		<1.00			NC		
Trichloroethene (Trichloroethylene)	ND	µg/L	1.00		<1.00			NC		
Vinyl chloride (Chloroethene)	ND	µg/L	1.00		<1.00			NC		
Surr: 1,2-Dichloroethane-d4	***19.9***	*µg/L*		20		99.7	*80-120*	1.30	30	
Surr: 4-Bromofluorobenzene	***18.5***	*µg/L*		20		92.3	*80-120*	2.25	30	
Surr: Dibromofluoromethane	***21.0***	*µg/L*		20		105	*80-120*	1.89	30	
Surr: Toluene-d8	***19.2***	*µg/L*		20		96.0	*80-120*	3.88	30	

The following samples were analyzed in this batch: HN2613516-001, HN2613516-002

QA/QC Report

Client:	WSP USA	**Work Order:**	HN2613516
Project:	US0041841.4751 TFS Rochester	**Date Collected:**	08/03/26 14:05
Matrix:	GROUNDWATER	**Date Received:**	08/06/26 12:45
QC Lot:	2762679	**Run ID:**	4382907

Volatile Organic Compounds by GC-MS

MS | **CLIENT ID: Batch QC** | **Lab ID: QC-2762679-005**

Method: EPA 8260D | **Dilution:** 1 | **Analysis Date:** 08/13/26 10:00 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
2-Hexanone	ND	µg/L		40			67-140			

DUP | **CLIENT ID: Batch QC** | **Lab ID: QC-2762679-007**

Method: EPA 8260D | **Dilution:** 1 | **Analysis Date:** 08/13/26 10:00 | **Prep Date:** NA

Analyte	Result	Units	MRL	Spike Amount	Spike Ref. Amount	% Rec	% Rec Limits	RPD	RPD Limit	Qual
2-Hexanone	ND	µg/L			ND					

The following samples were analyzed in this batch: HN2613516-001, HN2613516-002

wsp.com